



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE BG0000399

SITENAME Bulgarka

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> C	<b>1.2 Site code</b> BG0000399	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Bulgarka
----------

<b>1.4 First Compilation date</b> 2006-03	<b>1.5 Update date</b> 2024-07
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Ministry of Environment and Water, "National Nature Protection Service" Directorate
<b>Address:</b>	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
<b>Email:</b>	natura2000@moew.government.bg

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	2011-05
<b>National legal reference of SPA designation</b>	Site classified as SPA by Council of Ministers Decision No. 335/26.05.2011 (promulgated SG 41/2011)
<b>Date site proposed as SCI:</b>	2007-03
<b>Date site confirmed as SCI:</b>	2008-12
<b>Date site designated as SAC:</b>	2021-03
<b>National legal reference of SAC designation:</b>	Designation Order No. RD - 281/ 31.03.2021 (promulgated SG 45/2021) issued by the Minister of Environment and Water.
<b>Explanation(s):</b>	Adopted as pSCI by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Site classified as SPA by Council of Ministers Decision No. 335/26.05.2011 (promulgated SG 41/2011). Issued designation order by the Minister of Environment and Water with prohibitions and restrictions on activities contradicting the conservation objectives of the SPA - Order No. RD-848/08.11.2013 (promulgated SG 104/2013). Issued by the Minister of Environment and Water designation Order No. RD-281/ 31.03.2021 (promulgated SG 45/2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the SAC, amending and supplementing the previous order, further amended and supplemented by Order No RD-643/19.07.2024 (promulgated SG 69/2024).

## 2. SITE LOCATION

[Back to top](#)

### 2.1 Site-centre location [decimal degrees]:

Longitude

25.3974

Latitude

42.7638

### 2.2 Area [ha]:

24009.0341

### 2.3 Marine area [%]

0.0

### 2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG34	Югоизточен / Yugoiztochen
BG32	Северен централен / Severen tsentralen

### 2.6 Biogeographical Region(s)

Alpine (82.2  
%)

Continental (17.8  
%)

## 3. ECOLOGICAL INFORMATION

[Back to top](#)

### 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3140B			0.05		M	D			
3150B			1.14		G	C	C	C	C
4060B			95.987			D			
6110B			4.87134			D			
6170B			32.456		M	B	C	B	C
6210B			88.8		M	C	C	C	C
6230B			32.77		M	B	C	C	C
6430B			248.1111		M	C	C	B	B
6510B			74.11		G	C	C	B	B
6520B			702.4321		M	B	C	A	A
7220B			0.05		G	C	C	C	C
7230B			0.87		G	C	C	C	C
8210B			20.35		M	B	C	B	C
8220B			155.84		M	C	B	A	A
8230B			0.17925			D			
8310B				22	G	B	C	B	B
9110B			17.20566			A	C	A	A
9130B			3477.36904			A	C	A	A

9150		5391.10985			B	B	A	B
9170		789.49307			C	C	B	C
9180		719.9025			C	C	B	C
91BA		8.39886			C	C	C	C
91E0		2.63		G	B	C	B	B
91G0		400.50575			C	C	B	C
91M0		0.38394			D			
91W0		3949.86505			A	B	A	A
91Z0		1.02706			D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species				Population in the site							Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A402	<a href="#">Accipiter brevipes</a>			r	1	2	p		M	C	B	C	C
B	A402	<a href="#">Accipiter brevipes</a>			c	3	3	i		M	C	B	C	C
B	A085	<a href="#">Accipiter gentilis</a>			r	1	2	p		G	C	A	C	C
B	A086	<a href="#">Accipiter nisus</a>			r	8	10	p		G	C	A	C	C
B	A223	<a href="#">Aegolius funereus</a>			p	5	5	p		G	C	A	B	C
B	A229	<a href="#">Alcedo atthis</a>			p	1	1	p		P	C	A	C	C
B	A465	<a href="#">Alectoris graeca graeca</a>			r				P	DD	C	A	B	C
B	A091	<a href="#">Aquila chrysaetos</a>			p	2	2	p		G	C	A	C	B
B	A404	<a href="#">Aquila heliaca</a>			c				P	DD	D			
B	A773	<a href="#">Ardea alba</a>			c				R	DD	D			
B	A773	<a href="#">Ardea alba</a>			w				R	DD	D			
I	1093	<a href="#">Austropotamobius torrentium</a>			p	28658	28658	i	C	M	C	A	C	A
M	1308	<a href="#">Barbastella barbastellus</a>			p	113	215	i	C	M	C	B	C	B
F	6964	<a href="#">Barbus meridionalis all others</a>			p	6000	6000	area	C	G	C	A	B	C
A	1193	<a href="#">Bombina variegata</a>			p	45	45	grids1x1	C	G	C	A	C	A
B	A104	<a href="#">Bonasa bonasia</a>			p	2	25	p		G	C	A	B	C
B	A215	<a href="#">Bubo bubo</a>			p	2	2	p		G	C	A	C	C
B	A087	<a href="#">Buteo buteo</a>			c	1	20	i		M	C	A	C	C
B	A087	<a href="#">Buteo buteo</a>			p	2	5	p		M	C	A	C	C
B	A403	<a href="#">Buteo rufinus</a>			p	1	2	p		G	C	A	C	C
M	1352	<a href="#">Canis lupus</a>			p	1	2	p	C	M	C	A	C	A
B	A224	<a href="#">Caprimulgus europaeus</a>			r	42	42	p		G	C	A	C	C
I	1088	<a href="#">Cerambyx cerdo</a>			p				P	DD	C	B	C	B
B	A031	<a href="#">Ciconia ciconia</a>			r	1	1	p		G	C	A	C	C

B	A031	<a href="#">Ciconia ciconia</a>			c				C	DD	C	A	C	C
B	A030	<a href="#">Ciconia nigra</a>			c	1	11	i	P	M	C	A	C	C
B	A030	<a href="#">Ciconia nigra</a>			r	1	2	p		G	C	A	C	C
B	A080	<a href="#">Circaetus gallicus</a>			c	0	1	i		P	C	A	C	C
B	A084	<a href="#">Circus pygargus</a>			c	0	1	i		G	C	A	C	C
B	A084	<a href="#">Circus pygargus</a>			r	0	1	p		G	C	A	C	C
B	A858	<a href="#">Clanga pomarina</a>			r	1	1	p		G	C	A	B	C
B	A858	<a href="#">Clanga pomarina</a>			c				P	DD	C	A	B	C
F	6963	<a href="#">Cobitis taenia Complex</a>			p				P	DD	D			
F	1163	<a href="#">Cottus gobio</a>			p	7400	7400	area	V	G	C	B	A	C
B	A122	<a href="#">Crex crex</a>			r	10	30	cmale		G	C	B	B	C
B	A038	<a href="#">Cygnus cygnus</a>			w				V	DD	D			
B	A239	<a href="#">Dendrocopos leucotos</a>			p	34	40	p		G	B	A	B	C
B	A429	<a href="#">Dendrocopos syriacus</a>			p	9	20	p		G	C	A	C	C
P	1381	<a href="#">Dicranum viride</a>			p	3	3	trees	R	M	A	A	A	A
B	A236	<a href="#">Dryocopus martius</a>			p	15	50	p		G	C	A	C	C
P	4067	<a href="#">Echium russicum</a>			p	6	10	i	V	G	D	C	A	C
B	A026	<a href="#">Egretta garzetta</a>			c				R	DD	D			
B	A379	<a href="#">Emberiza hortulana</a>			r	10	21	p		G	C	A	C	C
R	1220	<a href="#">Emys orbicularis</a>			p	3	3	grids1x1	V	P	C	A	C	B
I	6199	<a href="#">Euplagia quadripunctaria</a>			p	16	319	grids1x1	C	M	C	A	C	A
B	A511	<a href="#">Falco cherrug</a>			c	0	1	i	R	DD	C	B	C	C
B	A103	<a href="#">Falco peregrinus</a>			c				P	DD	C	A	B	C
B	A103	<a href="#">Falco peregrinus</a>			p	1	1	p		G	C	A	B	C
B	A099	<a href="#">Falco subbuteo</a>			r	1	2	p		G	C	A	C	C
B	A096	<a href="#">Falco tinnunculus</a>			p	0	1	p		M	C	A	C	C
B	A320	<a href="#">Ficedula parva</a>			r	30	70	p		G	B	A	B	C
B	A442	<a href="#">Ficedula semitorquata</a>			r	110	300	p		G	B	A	B	B
B	A217	<a href="#">Glaucidium passerinum</a>			p	2	2	p		G	C	A	B	C
B	A092	<a href="#">Hieraaetus pennatus</a>			r				P	DD	C	A	B	C
B	A092	<a href="#">Hieraaetus pennatus</a>			c				P	DD	C	A	B	C
P	6927	<a href="#">Himantoglossum jankae</a>			p	30	50	i		G	C	C	A	B
B	A338	<a href="#">Lanius collurio</a>			r	20	50	p		G	C	A	C	C
B	A339	<a href="#">Lanius minor</a>			r	2	2	p		G	C	A	B	C
B	A868	<a href="#">Leiopicus medius</a>			p	10	15	p		G	C	A	C	C
I	1083	<a href="#">Lucanus cervus</a>			p	4	4	grids1x1	R	M	C	B	C	C
B	A246	<a href="#">Lullula arborea</a>			p	51	51	p		G	C	A	B	C
M	1355	<a href="#">Lutra lutra</a>			p	6	11	adults		G	C	A	C	B
M	1361	<a href="#">Lynx lynx</a>			p	1	1	localities	P	M	A	A	C	A
B	A070	<a href="#">Mergus merganser</a>			r	0	1	p		G	C	A	B	C
B	A230	<a href="#">Merops apiaster</a>			c	20	500	i		G	C	A	B	C
M	1310	<a href="#">Mniopterus schreibersii</a>			p				P	DD	D			
I	6908	<a href="#">Morimus asper funereus</a>			p	15	15	grids1x1	R	M	C	B	C	B
M	1323	<a href="#">Myotis bechsteinii</a>			p	118	235	i	C	M	C	B	C	B
M	1307	<a href="#">Myotis blythii</a>			p	51	100	i	R	G	C	B	C	C



P		<a href="#">Acer heldreichii</a>		6	10	i					X		
P		<a href="#">Achillea ageratifolia</a>		251	500	i					X		
P		<a href="#">Achillea clypeolata</a>		101	250	i					X		
P		<a href="#">Achillea grandifolia</a>		1001	10000	i					X		
P		<a href="#">Alchemilla viridiflora</a>		11	50	i					X		
P		<a href="#">Allium melanantherum</a>		101	250	i					X		
P		<a href="#">Angelica pancicii</a>		11	50	i					X		
R		<a href="#">Anguis fragilis</a>					C				X		
B		<a href="#">Anthus spinoletta</a>					P				X		
B		<a href="#">Apus apus</a>					C				X		
P		<a href="#">Aquilegia vulgaris</a>		11	50	i					X		
B		<a href="#">Asio otus</a>					P				X		
P		<a href="#">Asperula capitata</a>		1	5	i					X		
P		<a href="#">Atropa bella-donna</a>		251	500	i					X		
P		<a href="#">Betonica bulgarica</a>		501	1000	i					X		
I		<a href="#">Brentis hecate</a>					P						X
A		<a href="#">Bufo viridis</a>					C					X	
P		<a href="#">Campanula jordanovii</a>		6	10	i					X		
P		<a href="#">Campanula lanata</a>		1	5	i					X		
P		<a href="#">Campanula velebitica</a>		51	100	i					X		
M		<a href="#">Capreolus capreolus</a>					C					X	
P		<a href="#">Carum graecum</a>		501	1000	i					X		
M		<a href="#">Cervus elaphus</a>					C					X	
B		<a href="#">Cinclus cinclus</a>					P				X		
I		<a href="#">Coenonympha rhodopensis</a>					C				X		
R		<a href="#">Coluber caspius</a>					R					X	
B		<a href="#">Columba livia</a>					P				X		
B		<a href="#">Columba oenas</a>					R				X		
R		<a href="#">Coronella austriaca</a>					P					X	
B		<a href="#">Corvus corax</a>		3	3	p					X		
P		<a href="#">Crocus veluchensis</a>		10000		i					X		
P		<a href="#">Daphne blagayana</a>		101	250	i					X		
P		<a href="#">Daphne cneorum</a>		251	500	i					X		
P		<a href="#">Daphne oleoides</a>		1	5	i					X		
B		<a href="#">Delichon urbica</a>					C				X		
B		<a href="#">Dendrocopos minor</a>					P				X		
P		<a href="#">Dianthus moesiacus</a>		11	50	i					X		
I		<a href="#">Duvalius balcanicus</a>					V				X		
I		<a href="#">Duvalius bulgaricus</a>					V				X		
R		<a href="#">Elaphe longissima</a>					P	X				X	
B		<a href="#">Emberiza citrinella</a>					P				X		
I		<a href="#">Erebia medusa</a>					C						X
I		<a href="#">Erebia melas</a>					C						X
M	1363	<a href="#">Felis silvestris</a>					C	X		X		X	
P		<a href="#">Festuca balcanica</a>		251	500	i					X		
P		<a href="#">Festuca xanthina</a>		101	250	i					X		

I		<a href="#">Formica rufa</a>					C					X	
P		<a href="#">Galanthus elwesii</a>		501	1000	i				X			
B		<a href="#">Garrulus glandarius</a>					C					X	
M		<a href="#">Glis glis</a>					C					X	
P		<a href="#">Haberlea rhodopensis</a>		501	1000	i					X		
P		<a href="#">Hieracium pannosum</a>		241	500	i					X		
A		<a href="#">Hyla arborea</a>					P			X			
P		<a href="#">Ilex aquifolium</a>		11	50	i				X			
P		<a href="#">Inula aschersoniana</a>		11	50	i					X		
P		<a href="#">Iris reichenbachii</a>		101	250	i					X		
P		<a href="#">Jovibarba heuffelii</a>		11	50	i				X			
P		<a href="#">Kernera saxatilis</a>		51	100	i				X			
R		<a href="#">Lacerta viridis</a>					C					X	
I		<a href="#">Laemostenus plasoni</a>					V				X		
P		<a href="#">Laserpitium siler</a>		11	50	i				X			
P	1400	<a href="#">Leucobryum glaucum</a>		10	10	area	R		X				
P		<a href="#">Limodorum abortivum</a>		6	10	i				X			
I		<a href="#">Maculinea arion</a>					C	X				X	
M		<a href="#">Martes foina</a>					C					X	
M	1357	<a href="#">Martes martes</a>					C		X	X			
M		<a href="#">Meles meles</a>					P					X	
I		<a href="#">Melitaea aurelia</a>					P						X
P		<a href="#">Micromeria frivaldszkyana</a>		501	1000	i					X		
P		<a href="#">Minuartia bulgarica</a>		11	50	i					X		
B		<a href="#">Motacilla alba</a>					C			X			
B		<a href="#">Motacilla cinerea</a>					C			X			
M		<a href="#">Mustela nivalis</a>					P						X
M		<a href="#">Mustela putorius</a>					C					X	
R		<a href="#">Natrix tessellata</a>					P					X	
B		<a href="#">Oenanthe oenanthe</a>					P			X			
P		<a href="#">Ophrys cornuta</a>		6	10	i				X			
P		<a href="#">Orchis militaris</a>		1	5	i				X			
I		<a href="#">Parnassius apollo</a>					C					X	
I		<a href="#">Parnassius mnemosyne</a>					C					X	
B		<a href="#">Parus ater</a>					C			X			
B		<a href="#">Parus major</a>					C			X			
B		<a href="#">Passer domesticus</a>					C			X			
B		<a href="#">Passer montanus</a>					P			X			
P		<a href="#">Pinus peuce</a>		11	50	i					X		
R		<a href="#">Podarcis muralis</a>					C					X	
I		<a href="#">Pseudoryssus henschii</a>					P						X
I		<a href="#">Pterostichus merkli</a>					R				X		
I		<a href="#">Pterostichus vecors</a>					R				X		
P		<a href="#">Pulmonaria mollis</a>		101	250	i				X			
B		<a href="#">Pyrrhula pyrrhula</a>					P			X			
A		<a href="#">Rana dalmatina</a>					C	X				X	

P		<a href="#">Rhynchocorys elephas</a>			11	50	i				X		
P		<a href="#">Satureja pilosa</a>			51	100	i					X	
P		<a href="#">Saxifraga marginata</a>			251	500	i				X		
M		<a href="#">Sciurus vulgaris</a>						P					X
B		<a href="#">Scopolax rusticola</a>						R			X		
P		<a href="#">Sedum stefco</a>			6	10	i					X	
P		<a href="#">Sempervivum erythraeum</a>			251	500	i					X	
P		<a href="#">Sesleria latifolia</a>			10000		i					X	
P		<a href="#">Silene nutans</a>			6	10	i				X		
B		<a href="#">Sitta europaea</a>						C			X		
P		<a href="#">Spiranthes spiralis</a>			1	5	i				X		
B		<a href="#">Streptopelia decaocto</a>						P					X
B		<a href="#">Streptopelia turtur</a>						C					X
B		<a href="#">Strix aluco</a>						P			X		
B		<a href="#">Sturnus vulgaris</a>						C					X
P		<a href="#">Taxus baccata</a>			101	250	i				X		
I		<a href="#">Thymelicus acteon</a>						P					X
P		<a href="#">Trinia glauca</a>			101	250	i				X		
B		<a href="#">Troglodytes troglodytes</a>						P			X		
B		<a href="#">Upupa epops</a>						P			X		
P		<a href="#">Veronica jaquinii ssp. neiceffii</a>			501	1000	i					X	
P		<a href="#">Viola aetolica</a>			51	100	i					X	
P		<a href="#">Viola balcanica</a>			6	10	i					X	
R		<a href="#">Vipera ammodytes</a>						P					X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N11	4.0
N21	2.0
N08	13.0
N06	1.0
N19	1.0
N16	62.0
N17	10.0
N22	2.0
N23	5.0



### Other Site Characteristics

Bulgarka Nature Park covers 21 772 ha in the Central Balkan Mountains. Its area comprises the ridge parts and northern slopes of the Shipchenska and Trevnenska Mountains as well as parts of the adjacent Predbalkan Mountains, the springs of the Yantra River and main tributaries in their upper parts. The site also includes the Hristo Smirneski Reservoir and comprises the lands of 9 settlements. The relief of the area is crossed and represents a series of small valleys, cut by gulches and ravines, narrow hills and ridges with steep slopes. The relief forms are complicated by modern erosion processes causing the development of slopes, embankments, alluvia and terraces, formed by human activities. The low parts of the park until the settlements are mainly deserted orchards. Traditionally, the region has been an orchard, as gardens have been maintained on grass. Therefore it now partially preserves some local orchard sorts. In addition to the classical habitats, where Oaks (*Fagus sylvatica* L.) dominate, beach species such as *Taxus baccata* and *Ilex aquifolium* are also spread. The relict habitat formed by *Laorocerasus officinalis* also covers significant areas. The territory of Bulgarka NP combines four floristic regions and three physical geographical belts, what results in many transitional plant formations and typical habitats, rare for other areas.

### 4.2 Quality and importance

The site is extremely suitable for a NATURA 2000 site due to the uniqueness of the area, the strong element of flora endemism and most probably invertebrate fauna endemism also, rich biodiversity and presence of unique and relict habitats. The area provides suitable habitat for various representatives of flora and fauna (*Haberlea rhodopensis*, *Micromeria frivaldszkyana*, Brown Bear, Wolf, Otter, Golden Eagle, etc.). In addition to that, the region preserves local orchard species and agriculture practices, cultural and historical heritage together with characteristic landscapes for this area of the Balkan Mountains and beach eco-systems, that are main tools for the water resources of the region and the country. In table "Ecological Information - Other Important species", the species indicated by 'A-National' are the protected flora and fauna species, included in the Bulgarian Biodiversity Act, and therefore this motivation is given highest priority. Restoration of additional 4.2 ha of habitat type 91E0 done by project "Riparian Habitats in BG - Conservation and Restoration of 11 Natura 2000 Riparian and Wetland Habitats in 10 SCI's Bulgarian Forests", LIFE08 NAT/BG/000281. The population unit pairs (p) for *Canis lupus* is used as equivalent to family packs and the presence of approximately 8-12 individuals.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	G05.04		i
M	D05		o
H	F03.02.03		o
L	G05.01		i
M	A03		i
H	E03.01		i
M	K03.03		i
L	J01		i
L	D03.02		i
H	B02.02		i
L	I01		i
L	G01.06		i
L	I03.01		i
M	A05.02		o
M	J01		o
L	D02.01		i
L	L07		i
L	F02.03		i
L	G01.08		i
L	B02.03		i
L	G02.10		i
L	H		i
L	K05.01		i
M	F03.01		i
L	L09		i
H	F03.02.03		i
H	F04		o
L	I03.02		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	G01		i
L	G01.04		i
L	G02.10		i
H	E01.01		i
L	G01.06		i
M	D05		i
H	D01.01		i
M	G01.02		i
L	K02		i
L	B02.01		i
L	D03.02		i
L	E03.03		i
M	D01.02		i
H	B		i
H	B01		i
L	D02.02		i
L	D02.01		i
L	F02.03		i
L	G01.08		i
M	B01.02		i
L	D01.04		i
L	G01.05		i
M	F03.01		i
L	L04		i
L	G02.10		o

L	L		i
H	E03.01		o
L	L04		i
M	F04		i
L	E03.03		i
M	K04.03		i
M	K01.01		o
H	E01.01		i
M	E02.03		i
L	D01.04		i
H	E01.01		o
L	G01		i
L	G01.03		i
L	K02		i
M	D01.02		i
L	G02.10		o
M	K01.01		i
L	D02.02		i
M	H		o
M	B03		i
M	B03		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

#### 4.5 Documentation

Initial proposal and description of the site made by Yulian Marinov, Bulgarka Nature Park Directorate, 1 Minzuhar Str., Gabrovo, <http://www.ppbulgarka.net> Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). Data on birds provided by Institute for Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences and Green Balkans. New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link). Data revised in 2023 by an expert team led by IBER - BAS and published Site-specific Conservation Objectives for Natura 2000 site BG0000399 in 2024. Initially listed documents: Amphibians and reptiles in Bulgaria Bejkov, V.; Nanev, K Guide to the plants in Bulgaria Delipavlov, D. 2003 Guide to the mammals in Bulgaria Popov, V. A Photographic Guide To Butterflies Of Britain And Europe Paul Sterry Fish, Amphibians and reptiles in the Rhodope Mountains Jivkov, M.; Dobrev, D.

Link(s): <https://natura2000.egov.bg/EsriBq.Natura.Public.Web.App/Home/ProtectedSite?code=BG0000399&siteType=BirdsDirective>  
<https://natura2000.egov.bg/EsriBq.Natura.Public.Web.App/Home/ProtectedSite?code=BG0000399&siteType=HabitatDirective>

### 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

#### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG05	100.0	BG06	7.098	BG00	
BG03	3.74964				

#### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	Sokolski manastir	+	1.0209632107231257
BG06	Studen kladenetz	+	5.252546656310133
BG03	Skalen venetz v Mahnatite skali	+	3.609200008854824

BG03	Vikanata skala	+	0.14044021742788756
BG05	Balgarka	=	100.0
BG06	Stolishta	+	0.8249187528721857

### 5.3 Site designation (optional)

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water - Stara Zagora
Address:	2 Stara Planina Str., Stara Zagora 6000
Email:	office@stz.riew.gov.bg

Organisation:	Regional Inspectorate of Environment and Water - Veliko Tarnovo
Address:	68 Nikola Gabrovski Str., Veliko Tarnovo 5002
Email:	riosvt-vt@riosvt.org

### 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, but in preparation <input type="checkbox"/> No
---

### 6.3 Conservation measures (optional)

Management body of the Nature park - Bulgarka Nature Park Directorate
---

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

----------