



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE BG0000152
SITENAME Pomoriysko ezero

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type A	1.2 Site code BG0000152	Back to top
---------------	----------------------------	-----------------------------

1.3 Site name

Pomoriysko ezero

1.4 First Compilation date 2005-10	1.5 Update date 2023-09
---------------------------------------	----------------------------

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2007-03
National legal reference of SPA designation	Site classified as SPA by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).
Explanation(s):	Site classified as SPA by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued designation order by the Minister of Environment and Water with prohibitions and restrictions on activities contradicting the conservation objectives of the site - Order No. RD - 78/03.02.2009 (promulgated SG 14/2009), amended and supplemented by Order No RD-708/28.09.2023 (promulgated SG 83/2023).

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 27.6264 Latitude 42.5956

2.2 Area [ha]: 2.3 Marine area [%]

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BGZZ	Extra-Regio
BG34	Югоизточен / Yugoiztochen

2.6 Biogeographical Region(s)

Black (86.6
Sea %)Marine (13.4
Black %
Sea

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A402	Accipiter brevipes			c		4	i		G	C	B	C	C
B	A086	Accipiter nisus			w		1	i		G	C	B	C	C
B	A086	Accipiter nisus			c	1	17	i		G	C	B	C	C
B	A293	Acrocephalus melanopogon			c		1	i	V	M	C	B	C	C
B	A294	Acrocephalus paludicola			c		4	i	V	M	C	B	C	C
B	A168	Actitis hypoleucos			c	6	34	i		G	B	A	C	A
B	A168	Actitis hypoleucos			w		1	i		G	C	A	C	A
B	A229	Alcedo atthis			p	2	5	p		G	C	B	C	C
B	A054	Anas acuta			w	1	160	i		G	A	A	C	A
B	A054	Anas acuta			c	2	102	i		G	B	A	C	B
B	A052	Anas crecca			w	2	1276	i		G	A	A	C	A
B	A052	Anas crecca			c	2	200	i		G	C	A	C	A
B	A053	Anas platyrhynchos			p	5	6	p		G	C	A	C	B
B	A053	Anas platyrhynchos			w	282	1431	i		G	C	A	C	B
B	A053	Anas platyrhynchos			c	14	1280	i		G	B	A	C	B
B	A041	Anser albifrons			c	3	85	i		G	C	B	C	C
B	A041	Anser albifrons			w	1	970	i		G	C	B	C	C
B	A043	Anser anser			w		8	i		G	C	B	C	C
B	A042	Anser erythropus			c				V	DD	C	B	C	C
B	A255	Anthus campestris			r	1	1	p		G	C	B	C	C
B	A773	Ardea alba			c	1	50	i		G	B	A	C	B
B	A773	Ardea alba			w	1	73	i		G	B	A	C	B
B	A028	Ardea cinerea			w	1	87	i		G	B	A	C	C

B	A028	Ardea cinerea			r	1	4	i		G	C	A	C	C
B	A028	Ardea cinerea			c	10	310	i		G	A	A	C	C
B	A029	Ardea purpurea			c	2	9	i		G	C	B	C	C
B	A024	Ardeola ralloides			c	1	8	i		G	C	B	C	C
B	A169	Arenaria interpres			c	2	48	i		G	A	B	C	C
B	A169	Arenaria interpres			w		1	i		G	A	B	C	C
B	A059	Aythya ferina			w	1	2694	i		G	B	A	C	A
B	A059	Aythya ferina			r		7	i		G	A	A	C	A
B	A059	Aythya ferina			c	3	1649	i		G	C	A	C	A
B	A061	Aythya fuligula			c	2	913	i		G	B	A	C	B
B	A061	Aythya fuligula			w	4	498	i		G	B	A	C	B
B	A062	Aythya marila			w	1	61	i		G	A	A	C	A
B	A060	Aythya nyroca			c	1	24	i		G	C	B	C	C
B	A060	Aythya nyroca			r	1	12	i		G	C	B	C	C
B	A021	Botaurus stellaris			c	1	3	i		G	C	B	C	C
B	A021	Botaurus stellaris			w		4	i		G	C	B	C	C
B	A396	Branta ruficollis			w	0	500	i		G	C	A	C	B
B	A396	Branta ruficollis			c		2	i		G	C	A	C	B
B	A067	Bucephala clangula			c	2	3	i		G	C	A	C	C
B	A067	Bucephala clangula			w	1	6	i		G	C	A	C	C
B	A133	Burhinus oedicnemus			c				P	DD	C	B	C	C
B	A133	Burhinus oedicnemus			r		1	i		G	C	B	C	C
B	A087	Buteo buteo			w	1	31	i		G	C	B	C	C
B	A087	Buteo buteo			c				P	DD	C	B	C	C
B	A403	Buteo rufinus			c		4	i		G	C	B	C	C
B	A243	Calandrella brachydactyla			r	1	1	p	R	M	C	B	C	C
B	A144	Calidris alba			w		3	i		G	B	A	C	C
B	A144	Calidris alba			c	6	60	i		G	A	A	C	C
B	A149	Calidris alpina			w	13	1021	i		G	A	A	C	B
B	A149	Calidris alpina			c	26	780	i		G	A	A	C	B
B	A860	Calidris falcinellus			c	4	53	i		G	B	A	C	C
B	A147	Calidris ferruginea			c	85	4480	i		G	A	A	C	B
B	A145	Calidris minuta			w		12	i		G	A	A	C	B
B	A145	Calidris minuta			c	60	1743	i		G	A	A	C	B
B	A861	Calidris pugnax			c	54	1240	i		G	B	A	C	A
B	A146	Calidris temminckii			c	1	10	i		G	B	A	B	A
B	A146	Calidris temminckii			w		1	i		G	A	A	B	A
B	A224	Caprimulgus europaeus			c				P	DD	C	B	C	C
B	A138	Charadrius alexandrinus			c	10	103	i		G	B	A	C	A
B	A138	Charadrius alexandrinus			w		17	i		G	B	A	C	A
B	A138	Charadrius alexandrinus			r	6	20	p		G	A	A	C	A
B	A136	Charadrius dubius			c	5	58	i		G	C	A	C	C
B	A136	Charadrius dubius			r	2	5	p		G	C	A	C	C
B	A137	Charadrius hiaticula			c	9	178	i		G	A	A	C	C
B	A196	Chlidonias hybridus			c		4	i		G	C	B	C	C
B	A196	Chlidonias hybridus			r	1	35	i		G	C	B	C	C

B	A198	Chlidonias leucopterus			c		40	i		G	B	A	C	C
B	A197	Chlidonias niger			c	15	312	i		G	C	A	C	C
B	A197	Chlidonias niger			r	2	15	i		G	C	A	C	C
B	A031	Ciconia ciconia			c	2600	7300	i		G	C	A	C	B
B	A031	Ciconia ciconia			r	1	1	p		G	C	A	C	B
B	A030	Ciconia nigra			c	1	233	i		G	C	A	C	C
B	A080	Circus gallicus			c	3	28	i		G	C	B	C	C
B	A081	Circus aeruginosus			w	3	11	i		G	C	A	C	A
B	A081	Circus aeruginosus			p	3	3	p		G	C	A	C	A
B	A081	Circus aeruginosus			c	3	25	i		G	C	A	C	A
B	A082	Circus cyaneus			w	2	5	i		G	C	A	C	C
B	A082	Circus cyaneus			c	1	18	i		G	C	A	C	C
B	A083	Circus macrourus			c	3	3	i		G	C	B	C	C
B	A084	Circus pygargus			c	3	7	i		G	C	B	C	C
B	A859	Clanga clanga			c		3	i		G	B	A	C	C
B	A858	Clanga pomarina			c	100	2000	i		G	C	B	C	C
B	A064	Clangula hyemalis			c		6	i		G	C	A	C	C
B	A231	Coracias garrulus			r	1	1	p		G	C	B	C	C
B	A122	Crex crex			c		1	i		G	C	B	C	C
B	A037	Cygnus columbianus bewickii			w		1	i		G	C	A	C	B
B	A038	Cygnus cygnus			w	0	28	i		G	C	A	C	B
B	A038	Cygnus cygnus			c		10	i		G	C	A	C	B
B	A036	Cygnus olor			w	50	210	i		G	B	A	C	A
B	A036	Cygnus olor			r	1	3	p		G	B	A	C	A
B	A036	Cygnus olor			c	2	191	i		G	B	A	C	A
B	A429	Dendrocopos syriacus			p	3	3	p		G	C	B	C	C
B	A026	Egretta garzetta			r		2	p		G	C	B	C	C
B	A026	Egretta garzetta			c	1	233	i		G	B	B	C	C
B	A026	Egretta garzetta			w		3	i		G	C	B	C	C
B	A511	Falco cherrug			c				V	DD	C	B	C	C
B	A103	Falco peregrinus			c		2	i		G	C	B	C	C
B	A099	Falco subbuteo			c	0	7	i	P	G	C	B	C	C
B	A096	Falco tinnunculus			c	0	4	i	P	G	C	B	C	C
B	A096	Falco tinnunculus			p		1	p		G	C	B	C	C
B	A096	Falco tinnunculus			w		1	i		G	C	B	C	C
B	A097	Falco vespertinus			c	10	10	i		G	C	B	C	C
B	A321	Ficedula albicollis			c		4	i		G	C	B	C	C
B	A442	Ficedula semitorquata			c				P	DD	C	B	C	C
B	A125	Fulica atra			c	2	7479	i		G	B	A	C	A
B	A125	Fulica atra			w	215	11308	i		G	B	A	C	A
B	A125	Fulica atra			p	2	2	p		G	C	A	C	A
B	A153	Gallinago gallinago			w	3	4	i		G	C	A	C	C
B	A153	Gallinago gallinago			c	1	20	i		G	B	A	C	C
B	A154	Gallinago media			c		2	i		G	C	B	C	C
B	A123	Gallinula chloropus			c	1	8	i		G	C	A	C	A
B	A123	Gallinula chloropus			p	1	3	p		G	C	A	C	A

B	A889	Mareca strepera			c	3	30	i		G	B	B	C	A
B	A889	Mareca strepera			r	1	2	p		G	C	B	C	A
B	A889	Mareca strepera			w	1	70	i		G	B	B	C	A
B	A066	Melanitta fusca			w	2	10	i		G	A	A	C	A
B	A065	Melanitta nigra			w		3	i		G	B	A	C	A
B	A065	Melanitta nigra			c		3	i		G	A	A	C	A
B	A242	Melanocorypha calandra			c				P	DD	C	B	C	C
B	A242	Melanocorypha calandra			w	30	30	i		G	C	B	C	C
B	A767	Mergellus albellus			c		2	i		G	B	A	C	B
B	A767	Mergellus albellus			w		100	i		G	A	A	C	B
B	A070	Mergus merganser			c		1	i		G	C	A	C	B
B	A070	Mergus merganser			w		6	i		G	B	A	C	B
B	A069	Mergus serrator			w	7	180	i		G	A	A	C	A
B	A069	Mergus serrator			c	1	78	i		G	B	A	C	A
B	A230	Merops apiaster			c	46	175	i		G	C	B	C	C
B	A875	Microcarbo pygmaeus			w	1	197	i		G	C	B	C	C
B	A875	Microcarbo pygmaeus			c	6	658	i		G	B	B	C	C
B	A875	Microcarbo pygmaeus			r		9	i		G	C	B	C	C
B	A073	Milvus migrans			c				P	DD	C	B	C	C
B	A077	Neophron percnopterus			c		1	i		G	C	B	C	C
B	A058	Netta rufina			c		2	i		G	C	A	C	A
B	A058	Netta rufina			w	3	10	i		G	A	A	C	A
B	A160	Numenius arquata			c	1	6	i		G	C	A	C	B
B	A160	Numenius arquata			w		3	i		G	C	A	C	B
B	A158	Numenius phaeopus			c		7	i		G	C	A	C	C
B	A023	Nycticorax nycticorax			c	1	8	i		G	C	A	C	C
B	A071	Oxyura leucocephala			w		3	i		G	C	A	C	C
B	A094	Pandion haliaetus			c	1	2	i		G	C	B	C	C
B	A020	Pelecanus crispus			c	10	100	i		G	B	A	B	A
B	A020	Pelecanus crispus			w		2	i		G	C	A	B	A
B	A019	Pelecanus onocrotalus			c	60	260	i		G	C	A	C	A
B	A072	Pernis apivorus			c	10	10	i		G	C	B	C	C
B	A392	Phalacrocorax aristotelis desmarestii			c	2	50	i		G	C	B	C	C
B	A392	Phalacrocorax aristotelis desmarestii			w	2	17	i		G	C	B	C	C
B	A391	Phalacrocorax carbo sinensis			c	28	1026	i		G	B	A	C	C
B	A391	Phalacrocorax carbo sinensis			r	42	110	i		G	B	A	C	C
B	A391	Phalacrocorax carbo sinensis			w	1	803	i		G	B	A	C	C
B	A170	Phalaropus lobatus			c	8	48	i		G	A	A	C	A
B	A035	Phoenicopterus ruber			p	50	600	i		G	A	A	B	A
B	A034	Platalea leucorodia			w		10	i		G	B	A	C	B
B	A034	Platalea leucorodia			c	8	52	i		G	B	A	C	B
B	A032	Plegadis falcinellus			c	1	20	i		G	C	A	C	B
B	A140	Pluvialis apricaria			c		5	i		G	C	A	C	B

B	A162	Tringa totanus			r	0	3	p		P	A	A	C	A
B	A162	Tringa totanus			c	20	931	i		G	A	A	C	A
B	A162	Tringa totanus			w	2	109	i		G	A	A	C	A
B	A142	Vanellus vanellus			r	2	5	p		G	C	A	C	C
B	A142	Vanellus vanellus			w	0	180	i		G	A	A	C	C
B	A142	Vanellus vanellus			c	6	122	i		G	C	A	C	C
B	A167	Xenus cinereus			c		1	i		G	C	B	C	C
B	A892	Zapornia parva			c		1	i		G	C	B	C	C
B	A893	Zapornia pusilla			c		3	i		G	C	B	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B	A247	Alauda arvensis			1	1	p						X	
B	A218	Athene noctua			1	1	p						X	
B	A113	Coturnix coturnix			1	1	p						X	
B	A244	Galerida cristata						P					X	
B	A251	Hirundo rustica						P					X	
B	A214	Otus scops			10	10	p						X	
B	A210	Streptopelia turtur			2	2	p						X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N23	5.0
N01	13.0
N21	1.0
N15	1.0

N12	1.0
N07	1.0
N02	18.0
N04	1.0
N09	1.0
N06	58.0
Total Habitat Cover	100

Other Site Characteristics

Pomorie lake is a hyper-saline lake of natural origin a sea lagoon, with a part of its territory turned into saltpans. It is separated from the sea by a sand strip and its only connection with the sea water is a canal with a sluice. The Aheloi River mouth situated north of the lake is also included in the area because of its regular use by waterbirds. The lake is located at about 25 km north of Burgas, immediately next to the road to Varna and the northern part of the town of Pomorie. The main part of Pomorie lake is open water without water-fringe vegetation. The saltpans represent a number of hyper-saline basins with average water salinity about 50 ‰. The basins are separated by wooden and embankment dykes, at places sparsely overgrown with *Salicornia europaea*. Some of the surrounding plots are covered by halophyte grass vegetation, mainly of *Puccinellia convoluta*, *Salicornia europaea*, etc. The shallows are fringed with hygrophytes, dominated by *Typha angustifolia* and *Phragmites australis*. Small marshes, entirely covered by hygrophyte vegetation are located to the west of the lake and in its southern part. (Bondev 1991; Yankov 1993). The Aheloi River mouth is overgrown with riverine forest and water fringe vegetation.

4.2 Quality and importance

Pomorie Lake is a part of Burgas lake complex, which is one of the three most significant wetland complexes for congregations of waterfowl along the Bulgarian Black Sea coast. The area of Pomorie Lake and its adjacent territories support 204 bird species, 59 of which are listed in the Red Data Book for Bulgaria (1985). Of the birds occurring there 91 species are of European conservation concern (SPEC) (BirdLife International, 2004), 7 of them being listed in category SPEC 1 as globally threatened, 21 in SPEC 2 and 63 in SPEC 3 as species threatened in Europe. The area provides suitable habitats for 72 species, included in Annex 2 of the Biodiversity Act, which need special conservation measures, of which 64 are listed also in Annex I of the Birds Directive. The lake is one of the most important sites in the country for breeding Avocet *Recurvirostra avocetta*, Black-winged Stilt *Himantopus himantopus*, Sandwich Tern *Sterna sandvicensis*, Little Tern *Sterna albifrons*, Common Tern *Sterna hirundo* and Kentish Plover *Charadrius alexandrinus*. It is situated on the Via Pontica migration route and thus particularly important as a migration stopover for considerable numbers of waders, divers, grebes, etc., most of which are included in the Annex of the Bonn Convention. During the winter the wetland regularly supports 1% of the Black Sea population of Mute Swan *Cygnus olor*. Five globally threatened species occur in the area of Pomorie Lake on migration and in winter Pygmy Cormorant *Phalacrocorax pygmeus*, Dalmatian Pelican *Pelecanus cristatus*, Ferruginous Duck *Aythya nyroca*, White-headed Duck *Oxyura leucocephala* and Corncrake *Crex crex*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	D02		i
L	D03.02		o
H	A09		i
L	D01.02		i
H	F03.02.03		b
L	G02.08		o
L	A05.01		o
L	A07		b
L	A03		o
M	H		b
L	F02.02.02		o
H	F03.01		b
L	D02.01		o
L	G01.01		o
M	F02.03		o
M	E01		o
L	K01.03		i
L	E03.01		i
L	F02.01.02		b
L	G05.04		b

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
M	F02.03		o
H	A08		i
H	A09		i
L	J02.12		i
L	J02.03		i
M	C01.05		i
L	A03		o
L	A04		i
L	F02.03.01		o
L	A05.01		o

H	J02.01.01		i
L	G02		b
L	C01.01.02		i
M	E03.01		o
L	D03.01		o
M	A01		b
H	J02.05		i
H	D01.02		o
M	H06.01		o
L	H04		b
M	E01.01		o
H	A08		i
L	F02.03.01		b
M	D05		b
L	A04		b

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Dr. Petar Iankov, Milko Dimitrov, Ivailo Dimchev - Bulgarian Society for the Protection of Birds, Bulgaria, 1111 Sofia, P.O.Box 50, phone (+359 2) 9715855, fax (+359 2) 9715856, www.bspb.org Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). Data revised in 2023 by an expert team led by Umweltbundesamt GmbH and published Site-specific Conservation Objectives for Natura 2000 site BG0000152. Documents: BDZP/BirdLife Balgariya. 2005. Nacionalna banka za ornitologichna informacia 1988-2005, Balgarsko Druzhestvo za zastita na pticite; Bondev, I. 1991. The Vegetation of Bulgaria. Map 1 : 600 000 with explanatory text. Sofia: St. Kliment Ohridski University Press. (In Bulgarian.); Botev, B. and Tz. Peshev, (eds). 1985. Red Data Book of Republic Bulgaria. 2: Animals. Sofia: Bulgarian Academy of Science. (In Bulgarian.); BSPB/BirdLife International. 2005. World Bird Database Important Birds Areas. Bulgaria. Cambridge. (unpublished); Gradev, G. 2003. Pomorijsko ezero. Biuletinut, Zeleni Balkani, 8,7.; Gradev, G. 2004. Mezhdunarodna rabotna vakancia Pomorijsko ezero 2004. Burgaski ezera, BSHPOB, 10, 13.; Guidelines for evaluation of protected zones according, which include habitats for birds to art.7, par.3, under the art.6 par.1.3 and 1.4 of the Biodiversity Act. 2005. (In Bulgarian.); Iankov, P., 1993. Pomorijsko-Burgaski kompleks. V: Natsionalen plan za prioritetni deystviya za opazvane na nay-znachimite vlazhni zoni v Balgariya. Michev, T. (red.). S., MOS, 33-44.; Dimitrov, M. 2000. Rezultati ot monitoringa na vodoliubivite ptici v Burgaskite ezera. Burgaski ezera, BSHPOB, 4, 10.; Dimitrov, M., K. Niagolov, L. Profirov. 2000. Gnezdoviat uspeh na vodoliubivite ptici v Burgaskite ezera. Burgaski ezera, BSHPOB, 5, 9.; Dimitrov, M., T. Michev, L. Profirov, K. Nyagolov. 2005. Waterbirds of Bourgas Wetlands. Results and evaluation of the monthly waterbird monitoring 1996-2002. Pensoft, 159 p.; Dimchev, I. 2003. Monitoring na pticite v Burgaskite ezera. Burgaski ezera, BSHPOB, 9, 6.; Dimchev, I. 2004. Razselvane na cherven anguch v Burgaski region. Burgaski ezera, BSHPOB, 10, 18.; Iankov, P. 2002. (red.). Svetovno zastrasheni vidove ptici v Bulgaria. Nacionalni planove za dejstvie za opazvaneto im. Chast 1. BDZP-MOSV, Prirodozashtitna poredica, Kn. 4, Sofia: 204-219.; Kostadinova, I. (sust.) 1997. Ornitologichno vazhni mesta v Bulgaria. BDZP, Prirodozashtitna poredica. Kniga 1, BDZP, Sofia, 176 s.; Kostadinova, I., S. Dereliev. 2001. Results the Mid-Winter Counts of Waterbirds in Bulgaria for the period 1997-2001. BSPB Conservation Series. Book 3, BSPB, Sofia, BG Marinov, M. 1995. Novo gnezdovo nahodishte na sablekliun (Recurvirostra avosetta)? Neophron, 1, 18.; MOSV. 2005. Arhiv na zastitenite teritorii v Bulgaria. Baza dannii (nepubl.); Niagolov, K. 2000a. Belochela ribarka (Sterna albifrons). Burgaski ezera, BSHPOB, 5, 7.; Niagolov, K. 2000c. Nova sreshta s bivolskata chapla. Burgaski ezera, BSHPOB, 5, 11.; Nikolov, Hr., S. Marin, A. Darakchiev. 1999. Malkiat kormoran v Bulgaria. Razprostranenie, chislenost i zaplahi. Nauch. Tr. Plov. Univ., Animalia, 35, 6, 67-81.; Petkov, N. 1997a. Kachulata potapnica (Aythya fuligula). Za pticite, 2 (esen/zima), 13.; Petkov, N. 1997b. Suvremenno sustoianie na belookata potapnica (Aythya nyroca) v Bulgaria. Diplomna rabota, Biologicheski Fakultet pri SU Sv. Kl. Ohridski, Sofia, 104 s.; Petrov, C. 1997b. Beliat shturkel (Ciconia ciconia) v Bulgaria. Prirodozashtitna poredica, Kniga 2, BDZP, Plovdiv.; BirdLife International. 2000. Threatened birds of the world. Barcelona and Cambridge, UK: Lynx Edicions and BirdLife International, 695pp. BirdLife International. 2004. Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 12). 373pp.; BSPB/BirdLife International. 2005. World Bird Database Important Birds Areas. Bulgaria. Cambridge. (unpublished); Dimitrov, M, D. Georgiev, S. Mikhov, S. Dereliev, I. Kostadinova, 2003. Bulgaria. In: Marushevsky, G., Directory of Azov-Black Sea Coastal Wetlands. Wetlands International, Kyiv, 16-45; Grimmet, R. F. A., R. T. A. Jones. 1989. Important Bird Areas in Europe. Cambridge, U.K.: ICBP (ICBP Technical Publication No9); Heath, M.F. and Evans, M.I., eds. 2000. Important Bird Areas in Europe: Priority sites for conservation, vol. 2 Southern Europe. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 8); Iankov, P., N. Petkov, A. Kovachev, D. Plachiisky. (in print). Pygmy Cormorant in Bulgaria 2001/2002. Final Report.; Kostadinova, I., M. Mihailov, (comp.) 2002. Guide for NATURA 2000 in Bulgaria. BSPB nature conservation series No5. BSPB, Sofia, 80pp. (In Bulgarian.); Kostadinova, I. 2005. Application of C criteria for Identification of Important Bird Areas of European Union importance in Bulgaria. Preliminary implementation and analysis of the gaps. In: Petrova, A. (ed.), Current state of Bulgarian biodiversity problems and perspectives. Pp. 533-548. Bulgarian Bioplatform, Sofia; Michev, T., Tz. Petrov, L. Profirov. 1989. Status, breeding, distribution, numbers and conservation of the White Stork in Bulgaria; MOEW. 1998. CORINE Biotopes Database of the sites of European Importance for the biodiversity. Bulgaria, MOSV (nepubl.); Nankinov, D., S. Dalakchieva, K. Popov, S. Kirilov. 2002. Die Geschichte der Rostflügel-Brachschwalbe Glareola pratincola in Bulgarien. Orn. Mitt., 54, 7/8: 234-242. Osieck, E. 2000 Filling in the requirements of the EU

Birds Directive: Lessons from the Dutch Case. In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 86-99;Petkov, N. 1998a. Current Status of the Ferruginous Duck (Aythya nyroca) in Bulgaria. Partimadar, 6-7, MME, Budapest, 4449.;Waliczky, Z. 2000 Important Bird Areas of European Union Importance: explanation of the EU Criteria applied in IBA 2000 In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 12-16

Link(s): <https://natura2000.egov.bg/Esr/Bg.Natura.Public.Web.App/Home/ProtectedSite?code=BG0000152&siteType=BirdsDirective>

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG00	20.0	BG06	80.0		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	POMORIYSKO EZERO	+	80.0

designated at international level:

Type	Site name	Type	Cover [%]
Other	IBA	=	100.0

5.3 Site designation (optional)

Pomorie Lake was designated as protected area in 2001 to protect the threatened bird species. The protected area covers 80% of the proposed SPA. Pomorie Lake was designated as Wetland of International Importance under The Ramsar Convention in 2003. In 1989 the lake was designated as Important Bird Area by BirdLife International. In 1998 the area is appointed as CORINE Site because of its European value for rare and threatened bird species.

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Black Sea River Basin Directorate
Address:	33 Aleksandar Dyakovich Str., Varna 9000
Email:	bdvarna@bsbd.bg

Organisation:	Regional Inspectorate of Environment and Water - Burgas
Address:	67 Perushtitsa Str., hc "Lazur", floor 3, P.O. box 219, Burgas 8000
Email:	riosvbs@unacs.bg

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input checked="" type="checkbox"/>	No, but in preparation
<input type="checkbox"/>	No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).