



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE BG0000133  
SITENAME Kamchiyska i Emenska planina

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code BG0000133	<a href="#">Back to top</a>
---------------	----------------------------	-----------------------------

### 1.3 Site name

Kamchiyska i Emenska planina

1.4 First Compilation date 2004-01	1.5 Update date 2021-11
---------------------------------------	----------------------------

### 1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2007-10
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	2020-12
National legal reference of SAC designation:	Designation Order No. RD - 992/10.12.2020 (promulgated SG 11 /2021) issued by the Minister of Environment and Water.
Explanation(s):	Adopted by Council of Ministers Decision No. 661/16.10.2007 (promulgated SG 85/2007). Issued by the Minister of Environment and Water designation Order No. RD - 992/10.12.2020 (promulgated SG 11 /2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the site.

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude**

27.5081

**Latitude**

42.9231

**2.2 Area [ha]:**

63678.46

**2.3 Marine area [%]**

0.0

**2.4 Sitelength [km]:**

0.0

**2.5 Administrative region code and name****NUTS level 2 code****Region Name**

BG34	Югоизточен / Yugoiztochen
BG33	Североизточен / Severoiztochen

**2.6 Biogeographical Region(s)**

Black (67.7

Sea %)

Continental (32.3

%)

### 3. ECOLOGICAL INFORMATION

**3.1 Habitat types present on the site and assessment for them**[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
6110B			9.41		M	C	C	B	C
6210B			2469.67		G	B	B	B	B
6220B			2067.81		G	B	B	B	B
8210B			56.29		M	B	C	B	B
8230B			13.99		G	C	C	B	B
8310B				5	G	C	C	C	C
9180B			277.76		G	C	C	B	C
91E0B			94.44		G	A	C	B	B
91F0B			56.85		G	C	C	B	C
91G0B			8645.8		M	B	B	B	B
91H0B			140.05		G	B	C	B	B
91M0B			24117.48		M	B	B	B	B
91S0B			5367.09		M	A	A	B	B
91Z0B			304.21		G	A	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

**3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them**

--	--	--

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
F	5288	<a href="#">Alburnus mandrensis</a>			p	34300	34300	i	R	G	C	B	A	C
M	1308	<a href="#">Barbastella barbastellus</a>			p	330	570	i	C	M	C	A	C	B
F	5265	<a href="#">Barbus bergi</a>			p	347056	347056	i	C	G	A	B	B	B
F	1138	<a href="#">Barbus meridionalis</a>			p	4172095	4172095	area	P	P	C	B	B	B
A	1193	<a href="#">Bombina variegata</a>			p			localities	P	DD	C	C	C	C
M	1352	<a href="#">Canis lupus</a>			p	1	2	i	P	M	C	C	C	C
I	1088	<a href="#">Cerambyx cerdo</a>			p	361261	533040	i	R	M	B	B	C	B
F	1149	<a href="#">Cobitis taenia</a>			p	1202160	1202160	i	C	G	B	B	C	C
I	4045	<a href="#">Coenagrion ornatum</a>			p	3	3	localities	R	G	C	A	C	A
R	5194	<a href="#">Elaphe sauromates</a>			p			localities	P	DD	C	A	C	A
R	1220	<a href="#">Emys orbicularis</a>			p	2	2	localities	V	P	C	A	C	B
I	6199	<a href="#">Euplagia quadripunctaria</a>			p	146386	215820	i	C	P	C	B	C	A
I	1083	<a href="#">Lucanus cervus</a>			p	373409	734565	i	C	M	C	A	C	B
M	1355	<a href="#">Lutra lutra</a>			p	20	21	i		G	C	A	C	A
M	1310	<a href="#">Miniopterus schreibersii</a>			p	11	50	i	V	G	D			
I	1089	<a href="#">Mormus funereus</a>			p	429824	499256	i	R	M	C	B	C	B
M	2633	<a href="#">Mustela eversmanii</a>			p				R	DD	C	A	B	A
M	1323	<a href="#">Myotis bechsteinii</a>			p	750	1280	i	C	M	B	A	C	A
M	1307	<a href="#">Myotis blythii</a>			p	51	100	i	C	G	C	B	C	C
M	1321	<a href="#">Myotis emarginatus</a>			r	1500	2600	i	C	G	B	B	C	A
M	1324	<a href="#">Myotis myotis</a>			p	11	50	i	V	G	C	B	C	C
M	1305	<a href="#">Rhinolophus euryale</a>			p	11	50	i	R	G	C	B	C	C
M	1304	<a href="#">Rhinolophus ferrumequinum</a>			p	11	50	i	P	G	C	B	C	C
M	1303	<a href="#">Rhinolophus hipposideros</a>			p				P	DD	D			
F	5339	<a href="#">Rhodeus amarus</a>			p	87740	87740	i	R	G	C	B	C	C
I	1087	<a href="#">Rosalia alpina</a>			p	99933	181994	i	R	M	B	A	C	A
F	1146	<a href="#">Sabanejewia aurata</a>			p				P	DD	D			
M	1335	<a href="#">Spermophilus citellus</a>			p	5	5	colonies	V	M	C	B	C	C
R	1219	<a href="#">Testudo graeca</a>			p			localities	P	DD	C	A	C	A
R	1217	<a href="#">Testudo hermanni</a>			p	7	7	localities	R	M	C	A	C	A
A	1171	<a href="#">Triturus karelinii</a>			p	6	6	localities	R	M	C	A	C	A
I	1032	<a href="#">Unio crassus</a>			p	543572	543572	i	R	G	C	A	C	A
I	1014	<a href="#">Vertigo angustior</a>			p			i	R	M	A	A	B	A
I	1016	<a href="#">Vertigo moulinsiana</a>			p			i	R	M	A	A	B	A
M	2635	<a href="#">Vormela peregusna</a>			p				P	DD	C	A	C	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R		<a href="#">Ablepharus kitaibeli</a>						P					X	
P		<a href="#">Anthemis virescens</a>			100	100	i				X			
A		<a href="#">Bufo viridis</a>						P					X	
I		<a href="#">Bulgarica varnensis</a>						R				X		
I		<a href="#">Calosoma inquisitor</a>						C						X
I		<a href="#">Calosoma sycophanta</a>						C					X	
M		<a href="#">Canis aureus</a>						C					X	
I		<a href="#">Carabus scabrosus</a>						V			X			
P		<a href="#">Carduus thracicus</a>						R			X			
R		<a href="#">Coluber caspius</a>						P					X	
P		<a href="#">Cyclamen coum</a>						R			X			
F		<a href="#">Cyprinus carpio</a>						C						X
R		<a href="#">Elaphe longissima</a>						P					X	
M		<a href="#">Eptesicus serotinus</a>						C					X	
M		<a href="#">Felis silvestris</a>						P			X			
P		<a href="#">Fritillaria pontica</a>						C			X			
M		<a href="#">Glis glis</a>						P						X
P		<a href="#">Goniolimon collinum</a>						R						X
P		<a href="#">Heptaptera triquetra</a>						C			X			
A		<a href="#">Hyla arborea</a>						P					X	
M		<a href="#">Hypsugo savii</a>						C					X	
R		<a href="#">Lacerta trilineata</a>						P					X	
R		<a href="#">Lacerta viridis</a>						C					X	
P		<a href="#">Lactuca tatarica</a>						P			X			
F		<a href="#">Leuciscus cephalus</a>						C						X
I		<a href="#">Limax conemenosi</a>						R				X		
P		<a href="#">Limodorum abortivum</a>						R			X			
M		<a href="#">Myotis daubentonii</a>						C					X	
M		<a href="#">Nyctalus leisleri</a>						C					X	
M		<a href="#">Nyctalus noctula</a>						C					X	
I		<a href="#">Oryctes nasicornis</a>						C			X			
F		<a href="#">Petroleuciscus borysthenicus</a>						C			X			
M		<a href="#">Pipistrellus pipistrellus</a>						C					X	
M		<a href="#">Pipistrellus pygmaeus</a>						C					X	



sustainable existence of the population of these species. The site is very well preserved, with low human pressure on it. The site is very important for the existing of invertebrate fauna. It is of great importance, considering the species that inhabit it. This site is a typical habitat for B.tauricus, which is a species, still not well researched.

#### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	G01.04		i
M	A07		o
M	K03.06		i
L	A05.01		i
L	D02.01		i
M	G05.01		i
M	F06		b
M	B02.02		o
M	J02.01		o
M	A03		o
H	A05.02		b
L	H04		i
M	J01		o
M	E06		o
H	A03		i
M	B01.02		o
L	D01.02		b
H	F03.01		i
H	B02.04		i
L	C01.01		o
L	B01.02		i
L	A08		i
L	H		b
L	E01		o
M	C01.01.01		b
M	C01.01		i
H	B02.02		i
L	E01.03		b
M	K03.01		i
L	D01.01		i
L	F02.03		i
M	A04.03		i
L	G01.02		i
M	J02		o
L	A10		i
M	J02.05		o
M	B03		i
M	D01.04		o
M	A08		o
M	B02.03		i
L	G02		i
L	E03.01		b
M	G02		o
L	A07		i
L	G01.03		i
L	A04		i
L	F03.02.02		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	D01.01		i
L	G02		i
L	D01.02		o
H	A05.02		i
L	C01.01		o
L	G01.02		i
M	A04.03		i
L	D02.01		i

M	F03.02.03		b
M	K01.01		i
L	B		i
L	J02.05		i
M	E01.01		b
L	A01		b

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

#### 4.5 Documentation

Initial proposal and description of the site made by Gradimir Gradev, Ivelin Ivanov - Green Balkans Federation of Nature Conservation NGOs, Plovdiv 4000; B. Assyov, D. Sopotlieva - Institute of Botany, BAS. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000133&siteType=HabitatDirective>

### 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

#### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG06	0.2036721598808842	BG03	0.21710325333840758	BG04	0.28608269521403573
BG00	99.29314189159946				

#### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG04	Valchi prohod	+	0.06644309815808128
BG04	Kirov dol	+	0.08505269942005994
BG04	Varbov dol	+	0.13458689763589454
BG06	Pregrada	*	0.02552354222179637
BG03	Nahodishte na byal oman	*	0.14310907715439
BG03	Sini vir	+	0.07399417618401756
BG06	Orlov kamak	+	0.17814861765908782

designated at international level:

Type	Site name	Type	Cover [%]
Other	Sherba	*	20.0

#### 5.3 Site designation (optional)

On the basis of the data from the inventories of the flora and habitats in the site, we recommend the inclusion of Kamchiiska planina with the described boundaries in the European Ecological network Natura 2000 in Bulgaria.

### 6. SITE MANAGEMENT

[Back to top](#)

#### 6.1 Body(ies) responsible for the site management:

Organisation:	Regional Inspectorate of Environment and Water: Burgas, Varna
Address:	

Email:

## 6.2 Management Plan(s):

An actual management plan does exist:

- Yes  
 No, but in preparation  
 No

## 6.3 Conservation measures (optional)

1. Restraining the felling on the territory of the site; 2. Stopping the forestation with outside species; 3. Removing of the forest monocultures of outside for the region species; 4. Monitoring of the populations of the protected plant species;

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

- Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).