



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE BG0000196  
SITENAME Reka Mochuritsa

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code BG0000196	<a href="#">Back to top</a>
---------------	----------------------------	-----------------------------

### 1.3 Site name

Reka Mochuritsa
-----------------

1.4 First Compilation date 2004-06	1.5 Update date 2021-11
---------------------------------------	----------------------------

### 1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2007-03
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	2021-03
National legal reference of SAC designation:	Designation Order No. RD - 316/ 31.03.2021 (promulgated SG 52 /2021) issued by the Minister of Environment and Water.
Explanation(s):	Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Extended by Council of Ministers Decision No. 811/16.11.2010 (promulgated SG 96/2010). Issued by the Minister of Environment and Water designation Order No. RD - 316/ 31.03.2021 (promulgated SG 52/2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the site.

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude**

26.9266

**Latitude**

42.6298

**2.2 Area [ha]:**

8702.8299

**2.3 Marine area [%]**

0.0

**2.4 Sitelength [km]:**

0.0

**2.5 Administrative region code and name****NUTS level 2 code****Region Name**

BG34	Югоизточен / Yugoiztochen
BG34	Югоизточен / Yugoiztochen
BG34	Югоизточен / Yugoiztochen

**2.6 Biogeographical Region(s)**Continental (100.0  
%)

### 3. ECOLOGICAL INFORMATION

[Back to top](#)**3.1 Habitat types present on the site and assessment for them**

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1340 <b>B</b>			533.08		M	A	A	A	A
1530 <b>B</b>			729.3		M	A	B	A	A
6210 <b>B</b>			1274.69		G	B	C	B	B
6220 <b>B</b>			388.01		G	A	C	A	A
6430 <b>B</b>			1.25		G	C	C	B	C
6510 <b>B</b>			22.9		G	B	C	C	C
8220 <b>B</b>			0.59521			B	C	C	C
8230 <b>B</b>			5.11		G	B	C	B	B
91AA <b>B</b>			113.32		G	B	C	C	C
91E0 <b>B</b>			1.2		G	B	C	B	B
91M0 <b>B</b>			360.52		G	B	C	C	C
92A0 <b>B</b>			2.75		G	C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

**3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them**

Species	Population in the site	Site assessment

G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D		A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.	
F	5088	<a href="#">Barbus cyclolepis</a>			p				P	DD	C	B	C	B	
A	1188	<a href="#">Bombina bombina</a>			p	2	2	localities	V	P	C	A	C	A	
A	1193	<a href="#">Bombina variegata</a>			p			localities	P	DD	C	A	B	A	
M	1352	<a href="#">Canis lupus</a>			p		1	i		M	C	A	C	B	
I	1088	<a href="#">Cerambyx cerdo</a>			p	8733	12885	i	R	M	C	B	C	B	
F	1149	<a href="#">Cobitis taenia</a>			p	133814	133814	i	R	G	C	B	B	C	
I	4045	<a href="#">Coenagrion ornatum</a>			p	11	11	localities	R	G	C	B	C	C	
R	5194	<a href="#">Elaphe sauromates</a>			p			localities	P	DD	C	A	C	B	
R	1220	<a href="#">Emys orbicularis</a>			p	2	2	localities	V	P	C	A	C	A	
I	1083	<a href="#">Lucanus cervus</a>			p				R	DD	C	C	C	C	
M	1355	<a href="#">Lutra lutra</a>			p	10	13	i		G	C	A	C	A	
I	1060	<a href="#">Lycaena dispar</a>			p	2804	5608	i	R	M	C	A	B	B	
M	2609	<a href="#">Mesocricetus newtoni</a>			p				P	DD	D				
I	1089	<a href="#">Morimus funereus</a>			p				R	DD	C	B	C	B	
I	4053	<a href="#">Paracaloptenus caloptenoides</a>			p	1	1	localities	V	M	C	C	B	C	
F	5339	<a href="#">Rhodeus amarus</a>			p	2030000	2030000	i	C	G	C	A	C	B	
M	1335	<a href="#">Spermophilus citellus</a>			p	8	8	colonies	V	G	C	B	C	C	
R	1219	<a href="#">Testudo graeca</a>			p			localities	P	DD	C	A	C	A	
R	1217	<a href="#">Testudo hermanni</a>			p			localities	P	DD	C	A	C	A	
A	1171	<a href="#">Triturus karelinii</a>			p			localities	P	DD	C	A	C	B	
I	1032	<a href="#">Unio crassus</a>			p	260370	260370	i	R	M	C	A	C	A	
M	2635	<a href="#">Vormela peregusna</a>			p				P	DD	C	B	C	B	

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R		<a href="#">Ablepharus kitaibelii</a>						P					X	
A		<a href="#">Bufo viridis</a>						C					X	
R		<a href="#">Coluber caspius</a>						P					X	
R		<a href="#">Coronella austriaca</a>						P					X	
M		<a href="#">Crocodyra leucodon</a>						C					X	
M		<a href="#">Crocodyra suaveolens</a>						C					X	

R		<a href="#">Elaphe longissima</a>						P				X		
F		<a href="#">Esox lucius</a>						R						X
A		<a href="#">Hyla arborea</a>						C				X		
R		<a href="#">Lacerta trilineata</a>						P				X		
R		<a href="#">Lacerta viridis</a>						P				X		
F		<a href="#">Leuciscus cephalus</a>						C						X
M		<a href="#">Micromys minutus</a>						P				X		
M		<a href="#">Muscardinus avellanarius</a>						P				X		
M		<a href="#">Mustela nivalis</a>						C						X
R		<a href="#">Natrix tessellata</a>						P				X		
M		<a href="#">Neomys anomalus</a>						C				X		
A		<a href="#">Pelobates syriacus</a>						C				X		
R		<a href="#">Podarcis muralis</a>						C				X		
R		<a href="#">Podarcis taurica</a>						C				X		
A		<a href="#">Rana dalmatina</a>						R				X		
M		<a href="#">Suncus etruscus</a>						P						X
R		<a href="#">Vipera ammodytes</a>						P				X		

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	2.0
N23	8.0
N19	1.0
N09	32.0
N08	10.0
N06	1.0
N14	27.0
N15	19.0
Total Habitat Cover	100

#### Other Site Characteristics

The bigger part of the river is diked. There are single willow-trees in the river-bed and its bigger part is covered with shrubs.

### 4.2 Quality and importance

The river is suitable for restoring as an important bio-corridor. The species enlisted as 'Other species-D' are included in Annex III of the Bulgarian Biodiversity Act as protected species.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	F03.01		o
L	L09		i
L	J01		i
M	D01.04		i
M	F03.01		i
L	D02.01		i
L	E03		i
M	D03.01		i
L	J01		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

#### 4.4 Ownership (optional)

#### 4.5 Documentation

Initial proposal and description of the site made by Gradimir Gradev, Dilian Georgiev, Mladen Angelov, Dimitar Bechev - Green Balkans Federation of Nature Conservation NGOs. Initially listed publications: "Angelov A., 1963. Fauna of Bulgaria - invertebrates. Narodna Prosveta, 406 pp." "Angelova V., Ts. Peshev, 1962/63. Small mammals from the South-Eastern parts of Bulgaria. Ann. Of Sofia Univ. (in Bulgarian)" "Arnold E., J. Burton, D. Ovenden, 1992. A field guide to the Reptiles and Amphibians of Britain and Europe. Collins Publ., London, 272 pp" "Beshkov V., 1993. Bats. National strategy for biodiversity conservation, 631 - 644. (in Bulgarian)" "Cramp, St. 1983. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume 4. Oxford University Press, 48-62 pp." "Cramp, St., K E L Simmons et al. 1977 Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume I : Ostrich to Ducks. Oxford University Press." "Darakchiev, A. 1988. Status, numbers and dynamics of the ornithofauna in the Stranndja-Sakar region, Final report <sup>1</sup> 11659 F 2, Plovdiv University, 41 pp." "Delany S., C. Reyes, E. Hubert, S. Pihl, E. Rees, L. Haanstra, A. Strien, 1999. Results from the International Waterbird Census in the Western Palearctic and Southwest Asia 1995 and 1996. Wetlands International Publication, <sup>1</sup> 54, 178 pp." "Dobrovolov, I., S. Dobrovolova, 1987. Electrophoretic characteristics of some representatives of *Cobitis* and *Noemacheilus* proteins in Bulgarian rivers. Ichthyological issues. P. 27. Issue 6. 913-918 pp. (in Russian)" "Ivanova, P.P., I.S. Dobrovolov. 1999. Morphological and biochemical comparison of *Sabanejewia aurata balcanica* (Karaman, 1922) and *Sabanejewia romanica* (Bacescu, 1943), (Pisces, Cobitidae). Proceedings of Institute of Fisheries - Varna, V.25, 71-82 pp." "Ivanova, P.P., I.S. Dobrovolov. 1999. Morphological and electrophoretic comparison of some representatives of genus *Cobitis* Linne (Pisces). Comptes rendus de l'Academie bulgare des Sciences, v.52, <sup>1</sup> 11-12, 79-82 pp." "Ivanova, P.P., I.S. Dobrovolov. 2002. Morphological and biochemical-genetic comparison of *Cobitis albicollis* Chichkov, 1932 populations (Pisces, Cobitidae) from Bulgaria. Acta zool. Bulg. 54 (3), 35-45 pp." "Ivanova, P.P., I.S. Dobrovolov. 2003. Presence of *Cobitis elongata* (Pisces, Cobitidae) in Bulgarian freshwater. Journal of Ichthyology 43(1): 91-95 pp. (In Russian)." "Karapetkova M., M. Zhivkov, 1995. Fish in Bulgaria. Sofia. "Gea Libris", 247 pp." "Karapetkova, M., Zhivkov, M., Aleksandrova-Kolemanova K. 1993. Status and assessment of fish resources in Bulgaria. In: National Biodiversity Conservation Strategy. Volume I. Editor in charge: Marieta Sakalyan. 515-546 p." "Kostadinova, I. (compiler), 1997. Important Bird Areas in Bulgaria. BSPB, Sofia." "Kostadinova, I., S. Dereliev, 2001. Results from the midwinter census of waterfowl in Bulgaria for the period 1997-2001 year, Sofia. Macdonald D., P. Barret, 1993. Mammals of Britain & Europe. Collins field guide, Harper Collins Publ., London, 312 pp." "Marin S., I Ivanov, D. Georgiev, Z. Boev, 2004. On the food of the Imperial Eagle (*Aquila heliaca*) in Sakar Mountain and Derwent Heights, Bulgaria. Raptors Worldwide, WWGBP/MME, Budapest, May - 2003, p. 589-592." "Markov G., 1960. Contribution to research on hamsters (Cricetidae) in Bulgaria. Bull. Ins. Zool. Mus., 9: 239-304. (in Bulgarian)" "Markov G., 1964. Insectivores and Rodents in Tracia. Fauna of Tracia, Voll. 1, BAS, 19-53. (in Bulgarian)" "Markov G., 1974. Insectivores and Rodents of Middle and Eastern Stara Planina Mountains. Bull. Ins. Zool. Mus., 41: 11-22. (in Bulgarian)" "Michev, T., L. Profirov. 2003. Mid-winter Numbers of Waterbirds in Bulgaria (1977-2001). Results from 25 years of mid-winter counts carried out at the most important Bulgarian wetlands. Sofia - Moscow." "Mihov S., 2002. Field guide of amphibians in Bulgaria, Bourgas Wetlands, 45 pp." "Nankinov, D., S. Simeonov, T. Michev, B. Ivanov. 1997. Fauna of Bulgaria. Vol. 26: Aves, Part <sup>22</sup>. Sofia, Academic Publishing House "Prof. M. Drinov"." "Ornithological database of Green Balkans Federation of Nature Conservation NGOs." "Patev, P. 1950. Birds in Bulgaria. BAS, Sofia, 364 pp." "Peshev Ts, T. Dinev, B. Angelova, 1960. *Myomimus personatus* Ogn - a new rodent species for the European fauna. Bull. Ins. Zool. Mus., 9: 305-314. (in Bulgarian)" "Popov V., 1993. Small mammals. National strategy for biodiversity conservation, 615 - 630. (in Bulgarian)" "Popov V., K. Njagolov, 1991. A new record of *Suncus etruscus* (Savi, 1822) (Mammalia, Soricidae) for Bulgaria. Acta Zool. Bulg., 41: 69-71." "Roche J., 2000. Die Vogelstimmen Europas auf 4 CDs - Rufe und Gesänge. "Kosmos"." "Simeonov S., T. Michev. 1991. Birds of the Balkan Peninsula. Peter Beron, Sofia, 245 pp." "Simeonov, S., T. Michev, 1991. The birds of the Balkan Peninsula. "Peter Beron", Sofia, 249 pp." "Simeonov, S., T. Michev, D. Nankinov. 1990. Fauna in Bulgaria. Vol. 20 Aves. Part <sup>2</sup>. S., BAS, 350 pp." "Spiridonov G., N. Spassov, 1989. Otter (*Lutra lutra* L., 1758) in Bulgaria, status and conservation. Hist. Natur. Bul., 1:57-64." "Spiridonov G., N. Spassov, 1993. Large mammals. National strategy for biodiversity conservation, 645 - 663. (in Bulgarian)" "Spiridonov G., NNPS, Ministry of Environment; Meshinev T., Velchev V., Apostolova I., Inst. Of Botany, BASci.; Iankov P., BSPB /BirdLife-Bulgaria; Inst. Of Zoology, BASci., 1996. CORINE Biotopes Database" "Swensson L., 1992. Identification guide to European Passerines. Stockholm." "Swensson L., P. Grant, 2000. Bird guide. Harper Collins Publishers, London, 392 pp." "Tsvetkov V., et al. 1969. Wild birds. Barn Owl.

S., Zemizdat, p. 60-61. (in Bulgarian)Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). Data revised by a team of the Institute for Biodiversity and Ecosystem Research, BAS; R. Tzonev - Sofia University.New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000196&siteType=HabitatDirective>

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG00	99.99134020893268	BG06	0.00865979106782592		

### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	Blatoto	*	0.00865979106782592

### 5.3 Site designation (optional)

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water: Burgas, Stara Zagora
Address:	
Email:	

### 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

### 6.3 Conservation measures (optional)

The site has no Management Plan.
----------------------------------

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

<input type="text"/>
----------------------