



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE BG0000219
SITENAME Derventski vazvishenia 2

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type B | 1.2 Site code BG0000219 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Derventski vazvishenia 2

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2004-10 | 1.5 Update date 2021-11 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | Ministry of Environment and Water, "National Nature Protection Service" Directorate |
| Address: | Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia |
| Email: | natura2000@moew.government.bg |

1.7 Site indication and designation / classification dates

| | |
|---|--|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 2007-03 |
| Date site confirmed as SCI: | 2008-12 |
| Date site designated as SAC: | 2021-03 |
| National legal reference of SAC designation: | Designation Order No. RD - 344/ 31.03.2021 (promulgated SG 55 /2021) issued by the Minister of Environment and Water. |
| Explanation(s): | Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued by the Minister of Environment and Water designation Order No. RD - 344/ 31.03.2021 (promulgated SG 55 /2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the site. |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

27.0536

Latitude

42.1297

2.2 Area [ha]:

54990.5009

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name**NUTS level 2 code****Region Name**

| | |
|------|---------------------------|
| BG34 | Югоизточен / Yugoiztochen |
| BG34 | Югоизточен / Yugoiztochen |

2.6 Biogeographical Region(s)

Black (3.8

Sea %)

Continental (96.2

%)

3. ECOLOGICAL INFORMATION**3.1 Habitat types present on the site and assessment for them**[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3150B | | | 22.1 | | G | A | C | B | B |
| 3260B | | | 126.63 | | G | A | C | B | B |
| 6110B | | | 7.85 | | M | B | C | A | B |
| 6210B | | | 2142.02 | | M | A | C | B | B |
| 6220B | | | 641.22 | | M | B | C | B | B |
| 62A0B | | | 1216.23 | | M | A | B | B | B |
| 6430B | | | 268.6 | | M | A | B | B | B |
| 6510B | | | 388.78 | | M | B | B | B | B |
| 8220B | | | 0.22 | | M | C | C | A | C |
| 8230B | | | 15.43 | | M | B | C | A | B |
| 8310B | | | | 11 | G | C | C | B | C |
| 9170B | | | 211.67 | | M | B | C | A | B |
| 9180B | | | 11.01 | | M | C | C | C | C |
| 91AA8 | | | 519.16 | | M | B | C | B | C |
| 91E0B | | | 3.86 | | M | C | C | C | C |
| 91F0B | | | 67.31 | | M | B | C | C | B |
| 91G0B | | | 2.75 | | M | D | | | |
| 91M0B | | | 13625.61 | | M | A | B | C | B |
| 91S0B | | | 281.96 | | M | A | C | C | A |
| 91Z0B | | | 3.35 | | M | B | C | C | B |
| 92A0B | | | 61.91 | | M | B | B | C | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|--|---|----|------------------------|--------|--------|------------|------|----------|-----------------|------|-------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| F | 5288 | Alburnus mandrensis | | | p | 496080 | 496080 | i | C | G | B | A | B | A |
| M | 1308 | Barbastella barbastellus | | | p | 177 | 281 | i | P | M | C | B | C | C |
| F | 5265 | Barbus bergi | | | p | 89176 | 89176 | i | C | G | B | B | C | B |
| F | 5088 | Barbus cyclolepis | | | p | | | | C | DD | B | B | C | B |
| I | 4011 | Bolbelasmus unicornis | | | p | | | | V | DD | B | A | B | A |
| M | 1352 | Canis lupus | | | p | 6 | 12 | i | P | M | C | A | C | A |
| I | 1088 | Cerambyx cerdo | | | p | 131119 | 193467 | i | R | M | C | B | C | B |
| F | 1149 | Cobitis taenia | | | p | 93659 | 93659 | i | C | G | C | A | C | C |
| I | 4032 | Dioszeghyana schmidtii | | | p | 244320 | 388736 | i | C | P | A | A | B | A |
| R | 5194 | Elaphe sauromates | | | p | 5 | 5 | localities | R | M | C | A | C | A |
| R | 1220 | Emys orbicularis | | | p | 13 | 13 | localities | C | G | C | A | C | B |
| I | 6199 | Euplagia quadripunctaria | | | p | 291 | 1326 | i | V | P | C | B | C | A |
| I | 1083 | Lucanus cervus | | | p | 129450 | 254653 | i | R | M | C | B | C | B |
| M | 1355 | Lutra lutra | | | p | 6 | 12 | i | | G | C | A | C | A |
| I | 1060 | Lycaena dispar | | | p | 1841 | 3682 | i | R | M | A | A | A | A |
| R | 1222 | Mauremys caspica | | | p | 2 | 2 | localities | V | P | C | A | B | A |
| M | 1310 | Miniopterus schreibersii | | | p | 101 | 250 | i | C | G | C | B | C | C |
| I | 1089 | Morimus funereus | | | p | 194198 | 225568 | i | R | M | C | B | C | B |
| M | 2617 | Myomimus roachi | | | p | 0 | 4 | localities | V | P | B | A | B | A |
| M | 1323 | Myotis bechsteinii | | | p | 172 | 331 | i | P | M | C | B | C | B |
| M | 1307 | Myotis blythii | | | p | 51 | 100 | i | P | M | C | B | C | C |
| M | 1316 | Myotis capaccinii | | | p | 11 | 50 | i | P | M | C | B | C | C |
| M | 1321 | Myotis emarginatus | | | p | 11 | 50 | i | P | M | C | B | C | C |
| M | 1324 | Myotis myotis | | | p | 101 | 250 | i | P | M | C | B | C | C |
| I | 1084 | Osmoderma eremita | | | p | | | | R | DD | C | B | B | B |
| I | 4053 | Paracaloptenus caloptenoides | | | p | 15 | 15 | localities | C | M | B | A | C | A |
| M | 1306 | Rhinolophus blasii | | | p | 101 | 250 | i | R | M | C | B | C | C |
| M | 1305 | Rhinolophus euryale | | | p | 101 | 250 | i | R | M | C | B | C | C |
| M | 1304 | Rhinolophus ferrumequinum | | | p | 101 | 250 | i | C | M | C | B | C | A |
| M | 1303 | Rhinolophus hipposideros | | | p | 51 | 100 | i | P | G | C | A | C | C |
| M | 1302 | Rhinolophus mehelyi | | | p | 101 | 250 | i | R | M | C | B | C | C |
| F | 5339 | Rhodeus amarus | | | p | 944096 | 944096 | i | C | G | C | B | C | C |

| | | | | | | | | | | | | | | |
|---|--|---|--|--|--|--|--|---|--|--|---|---|---|---|
| P | | Genista carinalis | | | | | | C | | | | X | | |
| I | | Glomeris balcanica | | | | | | | | | | | | X |
| P | | Goniolimon collinum | | | | | | C | | | | | | X |
| I | | Harpolithobius folkmanovae | | | | | | | | | | X | | |
| P | | Heptaptera triquetra | | | | | | C | | | | X | | |
| P | | Himantoglossum hircinum | | | | | | C | | | | | | X |
| A | | Hyla arborea | | | | | | C | | | X | | | |
| R | | Lacerta trilineata | | | | | | C | | | | | X | |
| I | | Laemostenus derventicus | | | | | | | | | | X | | |
| I | | Lithobius beroni | | | | | | | | | | X | | |
| M | | Martes foina | | | | | | C | | | | | X | |
| M | | Meles meles | | | | | | C | | | | | X | |
| M | | Mustela nivalis | | | | | | C | | | | | | X |
| M | | Nannospalax leucodon | | | | | | P | | | | | X | |
| R | | Natrix natrix | | | | | | C | | | | | X | |
| R | | Natrix tessellata | | | | | | C | | | | | X | |
| P | | Paeonia peregrina | | | | | | C | | | | | | X |
| P | | Paeonia tenuifolia | | | | | | R | | | | | | X |
| A | | Pelobates syriacus balcanicus | | | | | | P | | | | | X | |
| R | | Podarcis taurica | | | | | | C | | | | | X | |
| I | | Porrhomma microps | | | | | | | | | X | | | |
| P | | Potamogeton trichoides | | | | | | V | | | X | | | |
| P | | Primula vulgaris ssp. rubra | | | | | | R | | | X | | | |
| P | | Pyrus eleagrifolia ssp. bulgarica | | | | | | R | | | | X | | |
| P | | Quercus pubescens | | | | | | R | | | | | | X |
| A | | Rana dalmatina | | | | | | P | | | | | X | |
| P | | Salvia forskahlei | | | | | | C | | | X | | | |
| P | | Scilla autumnalis | | | | | | V | | | | | | X |
| P | | Smyrnium rotundifolium | | | | | | C | | | X | | | |
| P | | Stachys cretica ssp. bulgarica | | | | | | C | | | | X | | |
| M | | Suncus etruscus | | | | | | P | | | | | | X |
| P | | Trachystemon orientalis | | | | | | C | | | | X | | |
| A | | Triturus vulgaris | | | | | | P | | | X | | | |
| R | | Typhlops vermicularis | | | | | | R | | | | | X | |
| F | | Vimba melanops | | | | | | P | | | | X | | |
| R | | Vipera ammodytes | | | | | | P | | | | | X | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)

- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N15 | 50.0 |
| N08 | 15.0 |
| N21 | 1.0 |
| N16 | 19.0 |
| N09 | 7.0 |
| N23 | 3.0 |
| N17 | 3.0 |
| N19 | 2.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Hilly area, predominated by oak-tree forests and pastures with single trees.

4.2 Quality and importance

High ornithological and botanical interest. A major bird migration route. Considerable number of rare and threatened species. A suitable habitat for nesting of *Aquila heliaca* and other raptor birds. The species enlisted as 'Other species-D' are included in Annex III of the Bulgarian Biodiversity Act as protected species.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| H | A03 | | i |
| H | F03.01 | | i |
| M | F04 | | i |
| L | E03.01 | | i |
| M | D02.02 | | o |
| M | I01 | | o |
| H | B | | i |
| L | H | | i |
| M | B02.02 | | o |
| L | A04 | | o |
| L | D06 | | i |
| M | L09 | | i |
| H | A03 | | o |
| L | F02.03 | | i |
| L | A10.01 | | o |
| H | A04 | | i |
| H | B02.02 | | i |
| L | J01 | | i |
| M | E03.01 | | o |
| M | D02.02 | | i |
| L | A10.01 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|-------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside /outside [i o b] |
| L | A04.03 | | i |
| L | G02.08 | | i |
| H | A04 | | i |
| L | F02.03 | | i |
| M | K05.01 | | i |

| | | | |
|---|-----------|--|---|
| M | K05.01 | | i |
| M | F03.02.03 | | i |
| L | F03.02 | | i |
| M | K01.03 | | i |
| L | G02.08 | | i |
| H | B01.02 | | i |
| M | F03.01 | | o |
| L | I01 | | i |
| L | A07 | | i |
| L | F03.02 | | o |
| L | D01.02 | | i |
| M | D02.01 | | i |
| M | D02.01 | | o |
| L | E03.03 | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by G. Gradev, D. Georgiev, M. Angelov, D. Bechev -Green Balkans Federation, Plovdiv, office@greenbalkans.org; P. Stoev - NMNH, 1 Tsar Osvoboditel Blvd., Sofia; Svetoslav Todorov. Initially listed publications: "Arnold E., J. Burton, D. Ovenden, 1992. A field guide to the Reptiles and Amphibians of Britain and Europe. Collins Publ., London, 272 pp" Cramp, St. 1983. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume 4. Oxford University Press, 48-62 pp."Cramp, St., K E L Simmons et al. 1977 Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume I : Ostrich to Ducks. Oxford University Press."Darakchiev, A. 1988. Status, numbers and dynamics of the ornithofauna in the Strandja-Sakar region, Final report ¹ 11659 F 2 , Plovdiv University, 41 pp."Dobrovolov, I., S. Dobrovolova, 1987. Electrophoretic characteristics of some representatives of Cobitis and Noemacheilus proteins in Bulgarian rivers. Ichthyological issues. P. 27. Issue 6. 913-918 pp. (in Russian)"Ivanova, P.P., I.S. Dobrovolov. 1999. Morphological and biochemical comparison of Sabanejewia aurata balcanica (Karaman, 1922) and Sabanejewia romanica (Bacescu, 1943), (Pisces, Cobitidae). Proceedings of Institute of Fisheries - Varna, V.25, 71-82 pp."Ivanova, P. P., I.S. Dobrovolov. 1999. Morphological and electrophoretic comparison of some representatives of genus Cobitis Linne (Pisces). Comptes rendus de l'Academie bulgare des Sciences, v.52, ¹ 11-12, 79-82 pp."Ivanova, P.P., I.S. Dobrovolov. 2002. Morphological and biochemical-genetic comparison of Cobitis albicoloris Chichkoff, 1932 populations (Pisces, Cobitidae) from Bulgaria. Acta zool. Bulg. 54 (3), 35-45 pp."Ivanova, P.P., I.S. Dobrovolov. 2003. Presence of Cobitis elongata (Pisces, Cobitidae) in Bulgarian freshwater. Journal of Ichthyology 43(1): 91-95 pp. (In Russian)."Karapetkova M., M. Zhivkov, 1995. Fish in Bulgaria. Sofia. "Gea Libris", 247 pp."Karapetkova, M., Zhivkov, M., Aleksandrova-Kolemanova K. 1993. Status and assessment of fish resources in Bulgaria. In: National Biodiversity Conservation Strategy. Volume I. Editor in charge: Marieta Sakalyan . 515-546 p."Kostadinova, I. (compiler), 1997. Important Bird Areas in Bulgaria. BSPB, Sofia. Macdonald D., P. Barret, 1993. Mammals of Britain & Europe. Collins field guide, Harper Collins Publ., London, 312 pp." Mihov S., 2002. Field guide of amphibians in Bulgaria, Bourgas Wetlands, 45 pp."Nankinov, D., S. Simeonov, T. Michev, B. Ivanov. 1997. Fauna of Bulgaria. Vol. 26: Aves, Part ²². Sofia, Academic Publishing House "Prof. M. Drinov"."Ornithological database of Green Balkans Federation of Nature Conservation NGOs. "Patev, P. 1950. Birds in Bulgaria. BAS, Sofia, 364 pp. " Pavel, S., 2000. On the distribution, biology and ecology of amphibians and reptiles in the Dervents Heights and the Sakar Mountain, South-East Bulgaria. Historia naturalis bulgarica. 12. 59-69pp."Roche J., 2000. Die Vogelstimmen Europas auf 4 CDs - Rufe und Gesänge. "Kosmos"."Simeonov S., T. Michev. 1991. Birds of the Balkan Peninsula. Peter Beron, Sofia, 245 pp."Simeonov, S., T. Michev, 1991. The birds of the Balkan Peninsula. "Peter Beron", Sofia, 249 pp."Simeonov, S., T. Michev, D. Nankinov. 1990. Fauna in Bulgaria. Vol. 20 Aves. Part ². S., BAS, 350 pp."Spiridonov G., NNPS, Ministry of Environment; Meshinev T., Velchev V., Apostolova I., Inst. Of Botany, BASci.; Iankov P., BSPB/BirdLife-Bulgaria; Inst. Of Zoology, BASci., 1996. CORINE Biotopes Database" Swensson L., 1992. Identification guide to European Passerines. Stockholm."Swensson L., P. Grant, 2000. Bird guide. Harper Collins Publishers, London, 392 pp. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000219&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| BG00 | 100.0 | | | | |

5.2 Relation of the described site with other sites:

designated at international level:

| Type | Site name | Type | Cover [%] |
|-------|-------------------------|------|-----------|
| Other | Derventski vazvisheniya | * | 70.0 |

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|--|
| Organisation: | Regional Inspectorate of Environment and Water: Burgas, Stara Zagora |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| |
|---|
| <input type="checkbox"/> Yes |
| <input type="checkbox"/> No, but in preparation |
| <input checked="" type="checkbox"/> No |

6.3 Conservation measures (optional)

| |
|---------------------|
| No Management Plan. |
|---------------------|

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| |
|--|