



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE BG0000233
SITENAME Studena reka

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code BG0000233	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Studena reka

1.4 First Compilation date 2004-07	1.5 Update date 2021-11
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2007-03
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	2021-03
National legal reference of SAC designation:	Designation Order No. RD - 341/ 31.03.2021 (promulgated SG 54 /2021) issued by the Minister of Environment and Water.
Explanation(s):	Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued by the Minister of Environment and Water designation Order No. RD - 341/ 31.03.2021 (promulgated SG 54 /2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the site.

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

25.53

Latitude

43.575

2.2 Area [ha]:

5299.9014

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG32	Северен централен / Severen tsentralen
BG32	Северен централен / Severen tsentralen

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment				
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C			
						Representativity	Relative Surface	Conservation	Global	
1340 B			69.83		M	A	B	B	B	
1530 B			346.81		M	B	B	B	B	
40A0 B			0.15		G	D				
40C0 B			0.23		G	B	B	B	B	
6210 B			165.84		M	C	C	C	C	
6240 B			121.94		G	B	C	B	B	
6250 B			644.05		G	A	B	B	B	

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
F	1138	Barbus meridionalis			p	67903	67903	i	C	G	B	A	C	A
A	1188	Bombina bombina			p	2	2	localities	V	P	C	A	B	A
F	1149	Cobitis taenia			p	487513	487513	i	C	G	C	A	C	A

I	4045	Coenagrion ornatum			p	1	1	localities	R	G	C	A	B	C
P	4091	Crambe tataria			p	7	7	i		G	A	B	B	A
R	5194	Elaphe sauromates			p			localities	P	DD	C	A	C	B
R	1220	Emys orbicularis			p	6	6	localities	R	M	C	A	C	A
M	1355	Lutra lutra			p	10	11	i		G	C	A	C	A
M	2633	Mustela eversmanii			p				R	DD	C	A	C	A
F	5339	Rhodeus amarus			p	733500	733500	i	C	G	C	A	C	B
F	5329	Romanogobio vladykovi			p	4368	4368	i	R	G	C	B	B	B
M	1335	Spermophilus citellus			p	5	5	colonies	R	M	C	B	C	A
R	1219	Testudo graeca			p	1	1	localities	V	P	C	A	C	A
R	1217	Testudo hermanni			p			localities	P	DD	C	A	C	A
A	1993	Triturus dobrogicus			p			localities	P	DD	C	A	B	A
I	1032	Unio crassus			p			i	R	M	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Adonis vologensis						R			X			
P		Anemone sylvestris						P			X			
I		Arctosa leopardus						C			X			
I		Calosoma inquisitor						C			X			
I		Calosoma sycophanta						C			X			
I		Carabus scabrosus						C			X			
P		Centaurea thracica						P				X		
P		Ephedra distachya						R			X			
P		Hedysarum grandiflorum ssp. bulgaricum						V				X		
P		Limonium bulgaricum						R				X		
P		Nepeta parviflora						V			X			
I		Orictes nasicornis						C			X			
P		Paeonia tenuifolia						R			X			
I		Saturnia pyri						C			X			
P		Serratula bulgarica						R					X	
P		Stachys arenariaeformis						C				X		

P		Stipa lessingiana							R			X			
P		Taraxacum bessarabicum							R			X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N23	3.0
N16	7.0
N15	37.0
N09	42.0
N06	7.0
N08	3.0
N21	1.0
Total Habitat Cover	100

Other Site Characteristics

The site includes open and low hilly areas, pastures, cereal fields, which fall especially in Studena River valleys. This valley is surrounded by hills with steppe vegetation and there are salt meadows along the river. One part of the valleys is transformed as a big fishponds.

4.2 Quality and importance

Open and low hilly areas, pastures, cereal fields. Hadzidimitrovo fishponds are of special importance for migrating and breeding water-connected species of birds, being also a feeding place for birds, nesting along the Danube. Important for the existence for the invertebrate fauna. This is one of the most steppe regions in Bulgaria with representative steppe species and communities. Single locality in Danube plain for *Crambe tatarica* and *Serratula bulgarica*, which are with international conservation importance. The biggest halophyllous habitats in North Bulgaria. Many rare, endemic plant and animal species. The steppe communities have a diverse floristic composition. The most valuable are steppe communities with many rare and endangered steppe plant species as *Serratula bulgarica*, *Hedysarum grandiflorum* subsp. *bulgaricum*, *Astragalus pubiflorus*, *Paeonia tenuifolia*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A07		i
H	A01		i
L	B		i
M	F01		i
L	B02.04		i
H	J02.05.02		i
M	A04		i
L	D01.02		i
M	F03.01		o
H	J02.01.01		i
H	A01		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
M	A04.03		i
L	F02.03		i
L	D01.02		i
M	E01		i

L	F02.03		i
M	E01		i
M	F03.01		i
M	J01		o
M	B01		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Zdravko Hubenov, Christo Deltshev - Institute of Zoology, 1 Tsar Osoboditel Blvd., 1000 Sofia; Ivailo Nlikolov, Nikolai Todorov - Bulgarian Ornithological Centre, 1 Tsar Osoboditel Blvd., Sofia; Rossen Tzonev - Sofia University, rossentzonev@abv.bg. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000233&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG00	100.0				

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

The second (after Dobrudzha) big steppe region in Bulgaria. Locality of many rare, endangered and endemic plant species. Single locality within the interior of the country of habitat 6290. *Serratula bulgarica* is in IUCN, *Crambe tataria* is in the Directive 92/43, Studena River is the single locality of these species in Danube plain and one of the several in Bulgaria. Rich and still uninvestigated completely fauna.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water: Veliko Tarnovo, Ruse
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

6.3 Conservation measures (optional)

Sustainable development of fisheries, implemented by creation of ponds with small fish of no commercial value for attracting and feeding fish-eating birds in order to reduce the interaction between fisheries and piscivorous birds. Leaving large areas of reedbeds within the area of the fishponds to ensure refuges for breeding/resting birds. Stop of the forestation with pine and locust tree plantations. Restoration of the normal water regime of Studena River at least in some parts of the course. Strict protection of steppe communities. Creating of strictly protected area in the locality of "Chaushchair", Karamanovo village for *Limonium bulgaricum*, and the locality of "Smardlikata" and "Delihassan", Hadzhidimitrovo village for *Serratula bulgarica*, *Hedysarum grandiflorum* subsp. *bulgaricum*.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).