



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE BG0000275  
SITENAME Yazovir Stamboliyski

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> BG0000275	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Yazovir Stamboliyski
----------------------

<b>1.4 First Compilation date</b> 2004-08	<b>1.5 Update date</b> 2021-11
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Ministry of Environment and Water, "National Nature Protection Service" Directorate
<b>Address:</b>	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
<b>Email:</b>	natura2000@moew.government.bg

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	0000-00
<b>National legal reference of SPA designation</b>	No data
<b>Date site proposed as SCI:</b>	2007-03
<b>Date site confirmed as SCI:</b>	2008-12
<b>Date site designated as SAC:</b>	2021-03
<b>National legal reference of SAC designation:</b>	Designation Order No. RD - 288/ 31.03.2021 (promulgated SG 47 /2021) issued by the Minister of Environment and Water.
<b>Explanation(s):</b>	Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued by the Minister of Environment and Water designation Order No. RD - 288/ 31.03.2021 (promulgated SG 47 /2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the site.

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)



G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo.
I	1093	<a href="#">Austropotamobius torrentium</a>			p			i	P	M	D	A	C	B
M	1308	<a href="#">Barbastella barbastellus</a>			p	27	42	i	V	M	C	B	C	C
F	1138	<a href="#">Barbus meridionalis</a>			p	136601	136601	i	C	G	C	C	C	C
A	1188	<a href="#">Bombina bombina</a>			p			localities	P	DD	C	A	C	B
A	1193	<a href="#">Bombina variegata</a>			p	2	2	localities	V	P	C	A	C	A
M	1352	<a href="#">Canis lupus</a>			p	0	2	i	P	M	C	A	C	B
I	1088	<a href="#">Cerambyx cerdo</a>			p	35471	52337	i	R	M	C	C	C	C
F	2533	<a href="#">Cobitis elongata</a>			p	16797	16797	i	R	G	C	B	B	B
F	1149	<a href="#">Cobitis taenia</a>			p	372150	372150	area	P	P	C	A	B	C
R	5194	<a href="#">Elaphe sauromates</a>			p			localities	P	DD	C	C	C	C
R	1220	<a href="#">Emys orbicularis</a>			p	1	1	localities	V	P	C	A	C	A
I	1083	<a href="#">Lucanus cervus</a>			p	59370	116793	i	C	M	C	B	C	B
M	1355	<a href="#">Lutra lutra</a>			p	14	15	i		G	C	A	C	A
M	2609	<a href="#">Mesocricetus newtoni</a>			p				V	DD	C	B	B	C
M	1310	<a href="#">Miniopterus schreibersii</a>			p	11	50	i	V	G	D			
F	1145	<a href="#">Misgurnus fossilis</a>			p	351490	351490	area	P	P	C	C	B	B
I	1089	<a href="#">Morimus funereus</a>			p	78072	90683	i	R	M	C	B	C	B
M	1307	<a href="#">Myotis blythii</a>			p	51	100	i	C	G	C	B	C	C
M	1316	<a href="#">Myotis capaccinii</a>			p	11	50	i	P	M	C	B	C	C
M	1321	<a href="#">Myotis emarginatus</a>			r	11	50	i	R	G	C	B	C	C
M	1324	<a href="#">Myotis myotis</a>			p	51	100	i	C	G	C	B	C	C
M	1306	<a href="#">Rhinolophus blasii</a>			p				P	DD	D			
M	1305	<a href="#">Rhinolophus euryale</a>			p	101	250	i	C	G	C	B	C	C
M	1304	<a href="#">Rhinolophus ferrumequinum</a>			p	200	1300	i	C	G	B	B	C	A
M	1303	<a href="#">Rhinolophus hipposideros</a>			p	11	50	i	C	G	C	B	C	C
M	1302	<a href="#">Rhinolophus mehelyi</a>			p	51	250	i	R	G	C	B	C	C
F	5339	<a href="#">Rhodeus amarus</a>			p	37279	37279	i	C	G	C	A	C	B
F	6145	<a href="#">Romanogobio uranoscopus</a>			p				V	DD	D			
I	1087	<a href="#">Rosalia alpina</a>			p				P	DD	D			
M	1335	<a href="#">Spermophilus citellus</a>			p				P	DD	D			
R	1219	<a href="#">Testudo graeca</a>			p			localities	P	DD	C	C	C	C
R	1217	<a href="#">Testudo hermanni</a>			p	3	3	localities	V	P	C	A	C	A
I	4064	<a href="#">Theodoxus transversalis</a>			p			i	P	M	D	A	C	B
A	1171	<a href="#">Triturus karelinii</a>			p			localities	P	DD	C	A	C	B
I	1032	<a href="#">Unio crassus</a>			p	28058	28058	i	R	M	C	B	C	B
M	2635	<a href="#">Vormela peregusna</a>			p				P	DD	C	B	C	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
R		<a href="#">Ablepharus kitaibeli</a>						P						X	
F		<a href="#">Alburnus alburnus</a>						C			X				
P		<a href="#">Asparagus acutifolius</a>						P							X
A		<a href="#">Bufo viridis</a>						C						X	
R		<a href="#">Coluber caspius</a>						P						X	
P		<a href="#">Convallaria majalis</a>						P							X
R		<a href="#">Coronella austriaca</a>						P						X	
P		<a href="#">Cyclamen neapolitanum</a>						P							X
F		<a href="#">Cyprinus carpio</a>						C							X
R		<a href="#">Elaphe longissima</a>						P			X				
F		<a href="#">Esox lucius</a>						C							X
A		<a href="#">Hyla arborea</a>						C						X	
R		<a href="#">Lacerta viridis</a>						C						X	
R		<a href="#">Natrix tessellata</a>						P						X	
R		<a href="#">Podarcis muralis</a>						C						X	
P		<a href="#">Polygonatum odoratum</a>						P							X
A		<a href="#">Rana dalmatina</a>						P						X	
P		<a href="#">Ruscus hypoglossum</a>						P							X
F		<a href="#">Rutilus rutilus</a>						C							X
F		<a href="#">Sander lucioperca</a>						C							X
P		<a href="#">Scilla bifolia</a>						P							X
F		<a href="#">Silurus glanis</a>						R						X	
F		<a href="#">Silurus glanis</a>									X				
P		<a href="#">Stipa pennata</a>						P							X
R		<a href="#">Vipera ammodytes</a>						P						X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

#### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N21	4.0
N09	14.0
N08	24.0
N23	1.0
N15	11.0
N22	1.0
N16	42.0
N06	1.0
N17	2.0
<b>Total Habitat Cover</b>	<b>100</b>

#### Other Site Characteristics

The site includes the former carst canyon of Rossitsa River, now is flooded by the big reservoir "Aleksandur Stamboliiski". The hills above the dam are covered by xerophilous forests.

#### 4.2 Quality and importance

Al. Stamboliiski reservoir is one of the biggest Bulgarian dams. It has a good conditions for fish fauna and especially for evaluated species.

#### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	F02.03		i
L	B01.02		o
L	E03.01		o
M	A04		o
M	H07		i
L	D01.02		i
M	E01.01		o
M	E01.01		i
L	E03.01		i
M	F03.01		i
L	J01		o
L	B01.02		i
M	D02		i
M	B02.02		i
M	B02.02		o
M	A08		o
M	E01.03		o
L	L09		i
M	G02.10		i
M	A09		i
M	F03.01		o
M	D01.02		o
H	F02.01.02		i
L	L09		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	B01.02		o
M	A09		o
M	A08		o
L	B01.02		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

#### 4.5 Documentation

Initial proposal and description of the site made by Milen Vassilev - Institute of Zoology, 1 Tsar Osvoboditel Blvd., 1000 Sofia; Mladen Angelov - Green Balkans Federation; St. Staikov - RIEW V. Tarnovo, S. Kotzeva, Svishtov. Initially listed publications: Pavlov, D., V. Miheev, M. Vassilev, L. Pehlivanov. 1988. Feeding, distribution, and migration of fish fry from Al. Stamboliisky reservoir.- Moskow, Naouka, 142 pp. (In Russian). Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000275&siteType=HabitatDirective>

### 5. SITE PROTECTION STATUS (optional)

#### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG06	7.466323287960774	BG00	92.53367671238753		

#### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	Dederitza	*	4.2003077680174865
BG06	Laftin	*	3.2660155199432874

#### 5.3 Site designation (optional)

Al. Stamboliisky reservoir remain an important water basin for fish fauna in this region of Bulgaria.

### 6. SITE MANAGEMENT

#### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water: Veliko Tarnovo
Address:	
Email:	

#### 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

#### 6.3 Conservation measures (optional)

### 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--