



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE BG0000421
SITENAME Preslavaska planina

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code BG0000421	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Preslavaska planina

1.4 First Compilation date 2005-08	1.5 Update date 2021-11
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2007-03
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	2021-03
National legal reference of SAC designation:	Designation Order No. RD - 293/ 31.03.2021 (promulgated SG 47 /2021) issued by the Minister of Environment and Water.
Explanation(s):	Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued by the Minister of Environment and Water designation Order No. RD - 293/ 31.03.2021 (promulgated SG 47 /2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the site.

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

26.6456

Latitude

43.1542

2.2 Area [ha]:

14060.01

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name**NUTS level 2 code****Region Name**

BG33	Североизточен / Severoiztochen
BG33	Североизточен / Severoiztochen

2.6 Biogeographical Region(s)Continental (100.0
%)**3. ECOLOGICAL INFORMATION****3.1 Habitat types present on the site and assessment for them**[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
6110 B			18.44		M	C	C	C	C
6210 B			430.82		M	B	C	B	B
6240 B			103.12		M	B	C	B	B
6430 B			23.08		M	B	C	B	B
6510 B			0.51		G	B	C	B	B
7220 B			0.29		G	D			
8210 B			5.99		M	B	C	B	B
8310 B				2	G	C	C	C	C
9150 B			561.75		M	A	C	A	A
9170 B			300.57		M	B	C	A	A
9180 B			832.78		M	B	B	A	B
91E0 B			0.36		G	B	C	C	B
91G0 B			584.84		M	B	C	A	A
91H0 B			27.54		M	B	C	B	B
91M0 B			68.67		M	B	C	A	A
91Z0 B			20.48		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Annex		Other categories			
					Min	Max			IV	V	A	B	C	D
R		Ablepharus kitaibelii						P					X	
P		Allium ursinum						R						X
P		Anacamptis pyramidalis						C						X
P		Anemone sylvestris						C						X
I		Apfelbeckiella trnowensis						P				X		
P		Asarum europaeum						C						X
P		Asparagus officinalis						C						X
P		Asplenium trichomanes						C						X
P		Atropa bella-donna						R						X
P		Berberis vulgaris						C						X
A		Bufo viridis						C					X	
P		Bupleurum falcatum						C						X
P		Bupleurum rotundifolium						R						X
P		Campanula sparsa ssp. frivaldskyi						C				X		
P		Centaurea gracilentia						C						X
P		Cephalanthera longifolia						C						X
P		Cephalanthera rubra						C						X
R		Coluber caspius						P					X	
R		Coronella austriaca						P					X	
P		Crocus biflorus						C						X
P		Crocus flavus						C						X
P		Dryopteris carthusiana						C						X
P		Dryopteris filix-mas						C						X
R		Elaphe longissima						P					X	
P		Epipactis microphylla						C						X
P		Fritillaria pontica						C			X			
P		Galanthus nivalis						C						X
P		Galium odoratum						C						X
I		Glaucopsyche alexis						C						X
P		Hedysarum tauricum						R			X			
I		Helix lucorum						C						X
I		Helix pomatia						C						X
A		Hyla arborea						C					X	
P		Inula helenium						R						X
R		Lacerta viridis						P					X	
P		Lilium martagon						C						X
M		Meles meles						P					X	
R		Natrix tessellata						P					X	
I		Neobisium intermedium						P				X		
P		Paeonia peregrina						C						X

I		Parnassius mnemosyne						P					X	
P		Phyllitis scolopendrium						C						X
R		Podarcis muralis						P					X	
R		Podarcis taurica						C					X	
P		Primula veris						C						X
I		Pseudophilotes vicrama						C						X
A		Rana dalmatina						C					X	
P		Ruscus hypoglossum						C						X
I		Scolitantides orion						C					X	
P		Sedum acre						C						X
P		Stachys officinalis						R						X
P		Tulipa urumoffii						C				X		
P		Valeriana officinalis						C						X
R		Vipera ammodytes						P					X	
I		Zerynthia polyxena						C					X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N18	1.0
N15	13.0
N08	7.0
N06	1.0
N19	12.0
N20	1.0
N21	2.0
N10	8.0
N16	55.0
Total Habitat Cover	100

Other Site Characteristics

The site represents a steep mountain, sharply rising from the adjacent plain area. It borders mainly arable land. The site is covered by broad-leaved and mixed forests (Oak, Eastern Hornbeam, Beech).

4.2 Quality and importance

The site represents a relatively preserved forest, surrounded by arable land. In table "Ecological Information - Other Important species", the species justified by 'A-National' are not necessarily included in the National Red Data Book, because its last edition is too old (1985), not updated and has no legislative value. The species indicated by 'A-National' are the protected flora and fauna species, included in the Bulgarian Biodiversity Act, and therefore this motivation is given highest priority.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	E01.04		i
L	E02.02		o
M	A03		i
L	E03.01		o
L	D05		i
L	G01.04.03		i
M	G01.04.02		i
L	A04.03		o
L	G02.02		i
L	G01.02		o
L	A03		o
L	D02.01		i
L	B02.02		i
L	B02.04		o
L	B02.03		i
L	G01.02		i
L	H06.01		o
L	A01		i
L	F03.01		o
L	A08		o
L	D05		o
L	E03.01		i
L	E04.01		o
L	A08		i
L	E02.01		o
L	D01.01		i
L	D01.02		i
L	E01		i
L	C01.01.01		i
L	F02.03		o
L	G01.04		i
L	A04		o
L	D06		o
L	D02.01		o
L	E05		o
L	B02.02		o
L	E02.03		o
L	G02.04		i
L	A09		i
L	C01.01.01		o
M	E01.04		o
L	B01.02		o
L	A05.01		o
M	E01.01		o
L	G05		i
L	F03.01		i
L	G02.10		o
L	B02.01		o
L	D01.02		o
M	B01.02		i
L	A07		o
L	F02.01.02		o
L	A01		o
L	B02.03		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	E02.03		o
L	D02.01		b
L	A04.03		i
L	B02.03		i
L	A04		i
L	A08		o
L	A04.03		o
L	B02.03		o
L	B02.01		o
L	A07		o
L	F02.01.02		o
L	D01.01		i
L	A08		i
L	B01.02		o
L	B02.02		i
L	D01.01		o
L	A09		i
M	A05.01		i
L	E01		i
L	A03		o
L	E03.01		o
L	B02.01		i
L	G02.04		i
L	B02.04		o
L	E04.01		o
L	G01.02		i
L	E05		o
L	B02.02		o
L	E02.02		o
L	F02.03		o
L	A04		o

L	K01.01		i
L	D01.01		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by D. Ivanov, Shumen, General Stoletov Str. 25; K. Dichev - Green Balkans Federation, Plovdiv 4000, +359 32 62 69 77, office@greenbalkans.org; St. Beshkov - NMNH, Sofia. Initially listed documents: The projects for the site management and the schedules of the activities are on a CD applied. Arnold, E., J. Burton, D. Ovenden. 1992. A field guide to the Reptiles and Amphibians of Britain and Europe. Collins Publ., London, 272 pp. Benda, P., T. Ivanova, I. Horacek, V. Hanak, J. Gaisler, J. Cerveny, J. Gaisler, A. Georgieva, B. Petrov, V. Vohralik. 2003. Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 3. Review of bat distribution in Bulgaria. Acta Soc. Zool. Bohem., 67, 245-357. CORINE BIOTOPES database Cramp, St. 1983. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume 4. Oxford University Press, 48-62 pp. Cramp, St., K. Simmons et al. 1977. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume I : Ostrich to Ducks. Oxford University Press. Delany, S., C. Reyes, E. Hubert, S. Pihl, E. Rees, L. Haanstra, A. Strien. 1999. Results from the International Waterbird Census in the Westwrn Palearctic and Southwest Asia 1995 and 1996. Wetlands International Publication, 54, 178 pp. Georgiev, D. 2003. A report of Mesocricetus newtoni (Mammalia: Cricetidae) from South-Eastern Bulgaria. Trav. Sci. Univ. Plovdiv, Animalia, 39 (6), 107-110. Ivanova, T. 2005. Important Bat Underground Habitats (IBUH) in Bulgaria. Acta zool. Bulg. Horacek, I., J. Cerveny, A. Tausl, D. Vitek. 1974. Notes on the Mammal fauna of Bulgaria (Insectivora, Chiroptera, Rodentia). Vestnik Cesk. Spol. Zool., XXXVIII, 1, 19-31. Karapetkova, M., M. Zhivkov. 1995. Fish in Bulgaria. Sofia. Gea Libris, 247 pp. Kavrakova, V., D. Dimova, M. Dimitrov, R. Tsonev, T. Belev (ed.). 2005. Guide for identification of habitats of European significance in Bulgaria. WWF DCP, Green Balkans Federation. Sofia. 128 pp. Kostadinova, I. (compiler). 1997. Important Bird Areas in Bulgaria. BSPB, Sofia. Kostadinova, I., S. Dereliev. 2001. Results from the midwinter census of waterfowl in Bulgaria for the period 1997-2001 year, Sofia. Macdonald, D., P. Barret. 1993. Mammals of Britain & Europe. Collins field guide, Harper Collins Publ., London, 312 pp. Michev, T., L. Profirov. 2003. Mid-winter Numbers of Waterbirds in Bulgaria (1977-2001). Results form 25 years of mid-winter counts carried out at the most important Bulgarian wetlands. Sofia Moscow, 160. Mihov, S. 2002. Field guide of amphibians in Bulgaria, Bourgas Wetlands, 45 pp. Milchev, B., Z. Boev, V. Georgiev. 2004. Die Nahrung der Schleiereule (Tyto alba) in Sudost-Bulgarien. Egretta, 47, 66-77. Nankinov, D., S. Simeonov, T. Michev, B. Ivanov. 1997. Fauna of Bulgaria. Vol. 26: Aves, Part II. Sofia, Academic Publishing House Prof. M. Drinov, 427 pp. Nankinov, D. et al. 2004. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 32 pp. Ornithological database of Green Balkans Federation of Nature Conservation NGOs. Patev, P. 1950. Birds in Bulgaria. BAS, Sofia, 364 pp. Peshev, T., D. Peshev, V. Popov. 2004. Fauna of Bulgaria. Vol. 27: Mammalia. Sofia. Academic Publishing House Prof. M. Drinov, 632 pp. Popov, V. 2003. Mammals in Bulgaria. Vitosha Nature Park Directorate, Sofia, Geosoft, 291 pp. Roché, J. 2000. Die Vogelstimmen Europas auf 4 CDs Rufe und Gesänge. Kosmos. Simeonov, S., T. Michev. 1991. The birds of the Balkan Peninsula. Peter Beron, Sofia, 249 pp. Simeonov, S., T. Michev, D. Nankinov. 1990. Fauna in Bulgaria. Vol. 20 Aves. Part I. S., BAS, 350 pp. Simeonov, S., T. Michev. 1991. Birds of the Balkan Peninsula. Peter Beron, Sofia, 245 pp. Swensson, L. 1992. Identification guide to European Passerines. Stockholm. Swensson L., P. Grant. 2000. Bird guide. Harper Collins Publishers, London, 392 pp. Sakalyan, M. (eds.). 1993. National Strategy for Biodiversity Conservation. Main Reports. Volume 1. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000421&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG03	0.007	BG00	99.993		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG03	Derventskata peshtera	+	0.007

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regional Inspectorate of Environment and Water: Shumen
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

6.3 Conservation measures (optional)

The projects for the site management and the schedules of the activities are on a CD applied.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--