



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE BG0001031
SITENAME Rodopi - Sredni

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code BG0001031	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Rodopi - Sredni

1.4 First Compilation date 2006-09	1.5 Update date 2021-11
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2007-10
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	2021-03
National legal reference of SAC designation:	Designation Order No. RD - 351/ 31.03.2021 (promulgated SG 59 /2021) issued by the Minister of Environment and Water.
Explanation(s):	Adopted by Council of Ministers Decision No. 661/16.10.2007 (promulgated SG 85/2007). Extended by Council of Ministers Decision No. 811/16.11.2010 (promulgated SG 96/2010). Issued by the Minister of Environment and Water designation Order No. RD - 351/ 31.03.2021 (promulgated SG 59/2021) with prohibitions and restrictions on activities contradicting the conservation objectives of the site.

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

25.0531

Latitude

41.83

2.2 Area [ha]:

155112.0045

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name**NUTS level 2 code****Region Name**

BG42	Южен централен / Yuzhen tsentralen
BG42	Южен централен / Yuzhen tsentralen
BG42	Южен централен / Yuzhen tsentralen
BG42	Южен централен / Yuzhen tsentralen

2.6 Biogeographical Region(s)Continental (50.8
%)Alpine (49.2
%)**3. ECOLOGICAL INFORMATION**[Back to top](#)**3.1 Habitat types present on the site and assessment for them**

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3140B			0.28		G	D			
3150B			0.77		G	B	C	B	B
3260B			6.72		G	C	C	C	C
4060B			77.64		M	C	C	B	C
5130B			163.71		M	A	B	B	A
5210B			244.53		M	A	B	B	B
6110B			117.53		M	A	B	A	A
6210B			3532.67		M	A	B	A	A
6220B			12.53		M	B	C	B	C
6230B			2.15		M	B	C	A	B
62A0B			435.43		M	A	C	A	A
6430B			26.48		M	A	C	A	A
6510B			17.31		M	A	C	A	A
6520B			4098.08		M	A	A	A	A
7140B			10.84202			A	C	B	B
7220B			0.18		G	B	C	C	C
8110B			23.54		M	A	C	A	A
8210B			612.84		M	A	B	A	A
8220B			533.5		M	A	B	A	A

8230B		921.79		M	A		A		A		A
8310B			385	G	A		B		A		A
9110B		965.37		M	A		B		A		A
9130B		699.94		M	A		C		B		A
9150B		795.68		M	B		C		B		B
9170B		17971.51		M	A		B		A		A
9180B		0.7		M	D						
91AAB		1456.32		G	B		C		B		C
91BAB		829.93		M	A		B		A		A
91CAB		151.89		M	A		C		A		A
91E0B		4.15		G	A		C		A		A
91M0B		10501.29		M	B		C		A		A
91W0B		2484.59		M	A		B		A		A
91Z0B		105.35		M	A		C		A		B
92A0B		15.47974			A		C		A		A
92C0B		3.66		M	B		C		B		B
9410B		2461.99		M	A		B		A		A
9530B		3543.6		M	A		B		A		A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
I	1093	Austropotamobius torrentium			p			i	R	G	C	A	B	A
M	1308	Barbastella barbastellus			p	618	1125	i	C	M	B	B	C	B
F	5088	Barbus cyclolepis			p				C	DD	B	A	C	A
A	1193	Bombina variegata			p	31	31	localities	C	G	B	A	C	A
M	1352	Canis lupus			p	20	25	i		G	B	A	C	A
I	1088	Cerambyx cerdo			p				R	DD	C	B	C	B
F	1149	Cobitis taenia			p	3305075	3305075	i	C	G	B	A	C	A
P	1902	Cypripedium calceolus			p				V	DD	A	A	A	B
P	4103	Dactylorhiza kalopissii			p	45	150	i		G	B	C	A	B
I	4032	Dioszeghyana schmidtii			p	9964	14047	i	R	M	C	A	B	A
R	5194	Elaphe sauromates			p	3	3	localities	V	P	C	A	B	A
R	1293	Elaphe situla			p			localities	P	DD	C	A	A	A
R	1220	Emys orbicularis			p	15	15	localities	C	G	C	A	C	A
I	1074	Eriogaster catax			p				R	DD	C	A	C	B

I	1065	Euphydryas aurinia			p				R	DD	B	A	B	A
I	6199	Euplagia quadripunctaria			p	39976	72241	i	C	P	B	A	C	A
I	1083	Lucanus cervus			p	161949	318585	i	R	M	C	B	C	B
M	1355	Lutra lutra			p	30	35	i	C	G	C	B	C	A
M	1310	Miniopterus schreibersii			r	4000	5000	i	C	G	B	B	C	B
M	1310	Miniopterus schreibersii			w	3000	4000	i	C	G	B	B	C	B
I	1089	Mormus funereus			p				R	DD	B	B	C	B
M	1323	Myotis bechsteinii			p				P	DD	B	B	C	B
M	1307	Myotis blythii			w	2000	4000	i	R	G	A	B	C	A
M	1307	Myotis blythii			r	600	1500	i	C	G	B	B	C	B
M	1316	Myotis capaccinii			p	100	200	i	R	G	C	B	C	C
M	1316	Myotis capaccinii			w	5000	11000	i	C	G	A	B	C	A
M	1321	Myotis emarginatus			r	251	500	i	R	G	C	B	C	C
M	1324	Myotis myotis			c				R	DD	B	B	C	B
M	1324	Myotis myotis			w	2000	4000	i	C	G	B	B	C	B
M	1324	Myotis myotis			r	600	1500	i	C	G	B	B	C	B
I	4053	Paracaloptenus caloptenoides			p	8	8	localities	R	M	B	A	C	A
I	4042	Polyommatus eroides			p				P	DD	C	C	C	C
M	1306	Rhinolophus blasii			p	101	250	i	R	G	B	B	C	B
M	1305	Rhinolophus euryale			p	101	250	i	R	G	C	B	C	C
M	1304	Rhinolophus ferrumequinum			p	1000	2000	i	C	G	B	B	C	B
M	1303	Rhinolophus hipposideros			r	251	500	i	C	G	B	B	C	B
M	1302	Rhinolophus mehelyi			p	11	50	i	V	G	C	B	C	C
F	5339	Rhodeus amarus			p	463549	463549	i	R	G	C	B	C	B
I	1087	Rosalia alpina			p	170016	309626	i	R	M	B	B	C	B
M	1371	Rupicapra rupicapra balcanica			p	310	420	i		M	B	B	A	A
F	1146	Sabanejewia aurata			p	6056990	6056990	area	P	P	C	A	B	A
M	1335	Spermophilus citellus			p	15	15	colonies	R	G	C	B	C	A
R	1219	Testudo graeca			p	36	36	localities	C	G	C	A	C	A
R	1217	Testudo hermanni			p	45	45	localities	C	G	C	A	C	A
A	1171	Triturus karelinii			p	9	9	localities	R	M	C	A	C	A
I	1032	Unio crassus			p			i	R	G	C	A	C	B
M	1354	Ursus arctos			p	34	34	i		G	B	A	B	A
M	2635	Vormela peregusna			p	1	1	localities	R	P	C	A	C	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

P	Digitalis laevigata						R			X			
I	Duvalius karelhurkai						R				X		
I	Duvalius nedelkovi						R				X		
P	Ephedra distachya						R			X			
P	Epipactis exilis						R						X
P	Epipactis greuteri						V				X		
P	Epipactis palustris						R			X			
P	Epipactis pontica						R						X
P	Epipactis purpurata						V			X			
P	Erodium hoefftianum						R			X			
M	Felis silvestris						C			X			
P	Fritillaria pontica						R			X			
P	Galanthus elwesii						R			X			
P	Galium rhodopeum						R			X			
P	Gentiana lutea						R			X			
P	Gentianella engadinensis						R			X			
P	Geranium bohemicum						R			X			
I	Glaucopsyche alexis						C						X
F	Gobio gobio						R						X
P	Haberlea rhodopensis						C			X			
P	Hammarbia paludosa						V			X			
P	Ilex aquifolium						R			X			
P	Juniperus excelsa						R			X			
P	Lathraea rhodopaea						C			X			
F	Leuciscus cephalus						C						X
P	Lilium rhodopaeum						R			X			
I	Limenitis populi						C						X
P	Limodorum abortivum						R			X			
P	Linum elegans						R			X			
P	Listera cordata						R			X			
P	Lycopodiella inundata						V			X			
I	Maculinea arion						C						X
I	Maculinea arion						C					X	
P	Malcolmia serbica						R			X			
M	Martes martes						R			X			
P	Medicago rhodopaea						R			X			
P	Morina persica						R			X			
I	Nesticus beroni						P				X		
P	Onosma rhodopaea						R			X			
P	Ophrys cornuta						R			X			
P	Ophrys mammosa						R			X			
P	Paeonia mascula						V			X			
I	Parnassius apollo						C					X	
I	Parnassius mnemosyne						C					X	
P	Petkovia orphanidea						R			X			
F	Phoxinus phoxinus						C						X

I		Pieris ergane							C									X
P		Potentilla palustris							R			X						
I		Pseudophilotes vicrama							C									X
I		Pterostichus vecors							R				X					
I		Pyrgus cinarae							C									X
A		Rana dalmatina							C							X		
A		Rana graeca							C									X
A		Rana temporaria							C									X
P		Ranunculus fontanus							R			X						
P		Rhodiola rosea							R			X						
I		Rhodopiola cavicola							P				X					
I		Rhodopioniscus beroni							P				X					
F		Salmo macedonicus							C				X					
F		Salmo trutta							C									X
P		Saxifraga aizoides							R			X						
I		Scolitantides orion							C						X			
P		Sedum kostovii							R			X						
P		Sedum stefco							R			X						
P		Silene waldsteinii							R			X						
P		Spiranthes spiralis							V			X						
I		Thymelicus acteon							C									X
P		Tulipa rhodopea							R			X						
P		Verbascum decorum							R			X						
P		Viola grisebachiana							R			X						
I		Zerynthia polyxena							C						X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N06	15.0
N19	4.0
N21	2.0
N08	8.0
N22	8.0
N20	8.0
N23	9.0
N16	25.0
N11	4.0

N15	10.0
N17	4.0
N09	3.0
Total Habitat Cover	100

Other Site Characteristics

The SCI includes the Dobrostan-Prespa and Dragoitza-Mechkovetz parts of the Rhodope Mountains. It is almost unpopulated. In the higher areas coniferous and beech forests are conserved, in the lower oak forests. The Dobrostan part and the Chervenata Stena Natural Reserve are a big carst area with a lot of rocks and caves. The river Arda is still conserved in its middle course. Mediterranean climatic influence (Eurocontinental Upper Meso-Mediterranean climate according to Rivas-Martinez) can be observed by the rivers Chaya and its tributaries.

4.2 Quality and importance

The pSCI protects one of few remaining viable populations of land tortoises in the mountains surrounding upper Trakia plane. It protects one of the two small localities of habitat 92C0 in the upper Trakia plane. It protects the only known historical locality of *Elaphe situla* in the upper Trakia plane. In the zone is the northern limit of distribution of habitat 9270. It also protects significant amount of bears at their eastern limit in South Bulgaria. The eastern, low part of the site is one of the best places for *Elaphe quatuorlineata sauromates*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	B01.02		i
M	E03.03		i
H	F03.01		i
L	A02		i
M	G02.02		i
H	B02.01		i
M	G01.03		i
H	F03.02.03		i
M	E01		i
L	F04		i
L	D01.02		i
M	B03		i
M	F03.02.01		i
M	E02		i
M	E03.01		i
H	A04.03		i
M	B02.02		i
L	A08		i
L	D02.01		i
H	J02		i
M	B02.04		i
H	B		i
H	J02.05		i
L	F03.02		i
M	B02.03		i
L	A07		i
L	H07		i
M	J01		i
M	D05		i
M	J02.03		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,
T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Balkani Wildlife Society, office@balkani.org; Green Balkans, office@greenbalkans.org; Bulgarian Biodiversity Foundation, bbf@biodiversity.bg; Wilderness Fund. Data revised by a team of Bulgarian Academy of Sciences (http://www.bas.bg). Data revised by a team of the Institute for Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences. New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0001031&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG03	0.81629	BG04	0.0348	BG00	98.52131
BG06	0.1226	BG01	0.505		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG01	Chervenata stena	+	0.505
BG03	Elata	+	0.014
BG03	Probitiya kamak	+	0.03557
BG06	Usoikata	+	0.0126
BG03	Hladnata peshtera	+	0.012
BG06	Anatema	+	0.0089
BG03	Oglednata skala	+	0.01428
BG06	Martziganitza	+	0.02
BG03	Nahodishte na rodopski selivryak	+	0.017
BG03	Boaza	+	0.047
BG03	Nahodishte na snezhno kokiche	+	0.03
BG03	Belintazh	+	0.0123
BG06	Lale bair	+	0.01695
BG03	Nahodishte na ela	+	0.01599
BG06	Aida	+	0.011
BG03	Nahodishte na momina salza I bozhur v mestnost Dreanaka	+	0.01
BG06	Nahodishte na darvovidna hvoina	+	0.0117
BG04	Boraka	+	0.008
BG03	Fosilni nahodki	+	0.498
BG06	Gonda voda	+	0.0236
BG03	Orlova skala	+	0.047
BG04	Kazal cherpa	+	0.0268
BG03	Dyavolski most	+	0.0295
BG03	Rodopski silivryak	+	0.02165
BG03	Peshtera Gargina dupka	+	0.012
BG06	Karadzov kamak	+	0.017855

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regional Inspectorate of Environment and Water: Plovdiv, Smolyan, Haskovo
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).