



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE BG0000164
SITENAME Sinite kamani

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

| | |
|----------------------|-----------------------------------|
| 1.1 Type B | 1.2 Site code BG0000164 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|---------------|
| Sinite kamani |
|---------------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2003-12 | 1.5 Update date 2018-12 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | Ministry of Environment and Water, "National Nature Protection Service" Directorate |
| Address: | Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia |
| Email: | natura2000@moew.government.bg |

1.7 Site indication and designation / classification dates

| | |
|--|---------|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |

| | |
|-------------------------------------|---------|
| Date site proposed as SCI: | 2007-03 |
| Date site confirmed as SCI: | 2008-12 |
| Date site designated as SAC: | No data |

National legal reference of SAC designation:

No data

Explanation(s):

Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).

[Back to top](#)

[Back to top](#)

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude
26.3744

Latitude
42.7225

2.2 Area [ha]:

12288.91

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG34

Югоизточен / Yugoiztochen

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 5130B | | | 34.68 | | G | A | B | B | B |
| 6110B | | | 14.99 | | M | A | C | A | B |
| 6210B | | | 140.96 | | M | B | C | A | A |
| 8210B | | | 39.04 | | M | A | C | A | A |
| 8220B | | | 278.39 | | M | A | B | A | A |
| 8230B | | | 9.13 | | M | A | C | A | A |
| 8310B | | | | 9 | G | C | C | B | C |
| 9110B | | | 199.44 | | M | A | C | A | A |
| 9130B | | | 1004.02 | | M | A | C | A | A |
| 9150B | | | 1206.29 | | M | A | C | A | A |
| 9170B | | | 1618.0 | | M | A | C | A | A |
| 91AAB | | | 694.0 | | M | C | C | B | C |
| 91M0B | | | 1837.47 | | M | A | C | B | B |

| | | | | | | | | | | | | | | | | | | | |
|---|------|--|--|--|--|---|-------|-------|------------|---|----|---|---|---|---|--|--|--|--|
| M | 1324 | | | | | p | | | | P | DD | D | | | | | | | |
| I | 1084 | Osmoderma eremita | | | | p | 39892 | 78128 | i | R | M | C | B | C | B | | | | |
| I | 4053 | Paracaloptenus caloptenoides | | | | p | 6 | 6 | localities | C | M | C | B | B | B | | | | |
| I | 4042 | Polyommatus eroides | | | | p | | | | R | DD | C | A | A | A | | | | |
| M | 1305 | Rhinolophus euryale | | | | p | | | | R | DD | D | | | | | | | |
| M | 1304 | Rhinolophus ferrumequinum | | | | p | 51 | 100 | i | R | G | C | B | C | C | | | | |
| M | 1303 | Rhinolophus hipposideros | | | | p | 51 | 100 | i | R | G | C | B | C | C | | | | |
| M | 1302 | Rhinolophus mehelyi | | | | p | | | | P | DD | D | | | | | | | |
| I | 1087 | Rosalia alpina | | | | p | | | | R | DD | C | A | C | A | | | | |
| M | 1335 | Spermophilus citellus | | | | p | 2 | 2 | colonies | V | G | C | B | B | C | | | | |
| R | 1219 | Testudo graeca | | | | p | | | localities | P | DD | C | A | C | A | | | | |
| R | 1217 | Testudo hermanni | | | | p | 1 | 1 | localities | V | P | C | A | C | A | | | | |
| A | 1171 | Triturus karelinii | | | | p | | | localities | P | DD | C | A | C | B | | | | |
| I | 1032 | Unio crassus | | | | p | | | i | P | M | D | | | | | | | |
| M | 2635 | Vormela peregusna | | | | p | | | | P | DD | C | A | C | B | | | | |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|---------------------------------------|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| R | | Ablepharus kitaibelii | | | | | | P | | | | | X | |
| P | | Acanthus balcanicus | | | | | | P | | | | X | | |
| P | | Achillea ageratifolia | | | | | | R | | | | X | | |
| P | | Achillea grandifolia | | | | | | R | | | | X | | |
| P | | Aethionema arabicum | | | | | | P | | | X | | | |
| P | | Alyssoides | | | | | | P | | | | X | | |

| | | | | | | | | | | | | | | |
|---|--|---|--|--|--|--|--|---|--|--|---|---|---|---|
| | | bulgarica | | | | | | | | | | | | |
| P | | Anacamptis pyramidalis | | | | | | R | | | | | | X |
| P | | Anchusa hybrida | | | | | | R | | | X | | | |
| P | | Anemone sylvestris | | | | | | P | | | X | | | |
| I | | Apatura iris | | | | | | P | | | | | | X |
| P | | Aquilegia nigricans | | | | | | R | | | | X | | |
| P | | Astracantha thracica | | | | | | R | | | X | | | |
| P | | Atropa belladonna | | | | | | R | | | X | | | |
| P | | Betonica bulgarica | | | | | | R | | | X | | | |
| I | | Brenthis hecate | | | | | | P | | | | | | X |
| A | | Bufo viridis | | | | | | P | | | | | X | |
| I | | Calosoma inquisitor | | | | | | P | | | X | | | |
| I | | Calosoma sycophanta | | | | | | P | | | X | | | |
| I | | Carabus cavernosus | | | | | | P | | | | X | | |
| I | | Carabus intricatus | | | | | | C | | | | | X | |
| I | | Carabus scabrosus | | | | | | R | | | | X | | |
| I | | Carabus scheidleri versicolor | | | | | | V | | | | X | | |
| P | | Carduus thracicus | | | | | | R | | | | X | | |
| P | | Centaurea gracilentia | | | | | | R | | | | X | | |
| R | | Coluber caspius | | | | | | C | | | | | X | |
| R | | Coronella austriaca | | | | | | P | | | | | X | |
| P | | Dianthus moesiacus | | | | | | C | | | | X | | |
| M | | Dryomys nitedula | | | | | | P | | | | | X | |
| R | | Elaphe longissima | | | | | | P | | | | | X | |
| M | | Eptesicus serotinus | | | | | | C | | | | | X | |
| I | | Erebia medusa | | | | | | C | | | | | | X |
| M | | Erinaceus europaeus | | | | | | P | | | | | X | |
| P | | Festuca thracica | | | | | | R | | | | X | | |
| P | | Fritillaria pontica | | | | | | C | | | X | | | |
| P | | Genista rumelica | | | | | | C | | | | X | | |
| P | | Gentianella bulgarica | | | | | | V | | | | X | | |
| I | | Glaucopsyche alexis | | | | | | C | | | | | | X |
| I | | Hipparchia senthes | | | | | | C | | | | | | X |
| A | | Hyla arborea | | | | | | P | | | | | X | |

| | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|---|--|--|---|---|---|---|
| P | | Hypericum umbellatum | | | | | | R | | | | X | | |
| P | | Iris reichenbachii | | | | | | C | | | | X | | |
| R | | Lacerta trilineata | | | | | | C | | | | | X | |
| R | | Lacerta viridis | | | | | | C | | | | | X | |
| I | | Limenitis populi | | | | | | P | | | | | | X |
| P | | Limodorum abortivum | | | | | | R | | | X | | | |
| I | | Maculinea alcon | | | | | | C | | | | | | X |
| I | | Maculinea arion | | | | | | C | | | | | X | |
| P | | Medicago rhodopaea | | | | | | R | | | X | | | |
| M | | Meles meles | | | | | | P | | | | | X | |
| I | | Melitaea aurelia | | | | | | P | | | | | | X |
| I | | Melitaea britomartis | | | | | | P | | | | | | X |
| I | | Melitaea trivia | | | | | | C | | | | | X | |
| P | | Minuartia garckeana | | | | | | R | | | | X | | |
| P | | Moehringia grisebachii | | | | | | R | | | X | | | |
| I | | Molops alpestris kalofericus | | | | | | P | | | | X | | |
| M | | Muscardinus avellanarius | | | | | | P | | | | | X | |
| M | | Mustela nivalis | | | | | | P | | | | | X | |
| M | | Myotis austriacus | | | | | | P | | | | | X | |
| M | | Myoxus glis | | | | | | P | | | | | X | |
| R | | Natrix tessellata | | | | | | P | | | | | X | |
| M | | Nyctalus noctula | | | | | | C | | | | | X | |
| I | | Nymphalis xanthomelas | | | | | | P | | | | | | X |
| P | | Onobrychis degenii | | | | | | R | | | | X | | |
| P | | Onosma thracica | | | | | | R | | | | X | | |
| P | | Ophrys cornuta | | | | | | R | | | | | X | |
| P | | Ophrys mammosa | | | | | | P | | | | | | X |
| P | | Opopanax chironium ssp. Bulgaricum | | | | | | R | | | X | | | |
| P | | Orchis militaris | | | | | | R | | | X | | | |
| I | | Paranocarodes straubei | | | | | | V | | | X | | | |
| I | | Parnassius apollo | | | | | | C | | | | | X | |
| I | | Parnassius mnemosyne | | | | | | C | | | | | X | |
| P | | Peucedanum vitijugum ssp. minutifolium | | | | | | R | | | X | | | |
| M | | Pipistrellus nathusii | | | | | | C | | | | | X | |
| M | | Pipistrellus pipistrellus | | | | | | C | | | | | X | |

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| H | B02.02 | | o |
| M | G01.04 | | i |
| H | L07 | | i |
| M | F04 | | i |
| H | A04 | | i |
| H | G02.10 | | b |
| H | E01.01 | | b |
| M | G01.02 | | i |
| M | D05 | | o |
| H | D01.02 | | i |
| M | E03.01 | | b |
| L | D01.01 | | i |
| M | E03 | | o |
| M | C01.01.01 | | o |
| H | F03.02 | | i |
| M | A07 | | o |
| L | A08 | | o |
| M | H05 | | o |
| L | D02.02 | | i |
| H | G05.01 | | i |
| H | K01.01 | | i |
| M | D02.01 | | i |
| M | F03.01 | | b |
| L | H05 | | i |
| H | G02.08 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | D01.01 | | i |
| H | B01 | | i |
| H | A03 | | i |
| M | D05 | | o |
| L | A08 | | o |
| M | B02.04 | | i |
| H | B02.02 | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Sinite kamani Nature Park Directorate, 15A Oreshak Street, PO 122, M. Georgieva, M. Valkova, eng. E. Boeva; V. Popov, I. Pandourski - Institute of Zoology; Dr. R. Mladenov, Dr. D. Belkinova, Dr. I. Dimitrova - Univ. of Plovdiv; D. Ganey; S. Beshkov - NMNH. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000164&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] |
|------|-------------------|
| BG01 | 6.052678428267733 |
| BG05 | 100.0 |

| Code | Cover [%] |
|------|-----------|
| BG00 | |

| Code | Cover [%] |
|------|--------------------|
| BG03 | 0.6677014772828467 |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|----------------|------|----------------------|
| BG03 | Kushbunar | + | 0.13342771064678144 |
| BG01 | Kutelka | + | 6.052678428267733 |
| BG05 | Sinite kamani | = | 100.0 |
| BG03 | Halkata | + | 0.1379107835793223 |
| BG03 | Trite peshteri | + | 0.38460671389964823 |
| BG03 | Zmeevi dupki | * | 0.011756269157094715 |

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|---|
| Organisation: | Regional Inspectorate of Environment and Water: Stara Zagora, Sinite kamani Nature Park Directorate |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| |
|---|
| <input type="checkbox"/> Yes |
| <input type="checkbox"/> No, but in preparation |
| <input checked="" type="checkbox"/> No |

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| |
|--|