



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE BG0000199

SITENAME Tsibar

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type B	1.2 Site code BG0000199
----------------------	-----------------------------------

1.3 Site name

Tsibar

1.4 First Compilation date 2005-12	1.5 Update date 2018-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data

Date site proposed as SCI:	2007-03
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	No data

National legal reference of SAC designation:

No data

Explanation(s):

Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).

[Back to top](#)

[Back to top](#)

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

23.5122

Latitude

43.8119

2.2 Area [ha]:

2971.73

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG31

Северозападен / Severozapaden

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1530B			153.4		G	C	B	C	C
2340B			206.29		M	A	A	B	A
3130B			29.7173			B	C	B	B
3150B			4.09		G	B	C	C	B
3260B			1.39		G	A	C	B	B
3270B			6.97		G	A	C	B	B
6250B			123.33		M	B	C	B	B
6430B			3.87		G	B	C	B	C
91E0B			106.24		M	A	C	B	A

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
F	4125	Alosa immaculata			r	40443	40443	i	C	G	C	B	C	B
F	1130	Aspius aspius			p	9070090	9070090	area	P	P	C	A	B	A
F	1138	Barbus meridionalis			p	1638	1638	i	C	G	C	B	C	B
A	1188	Bombina bombina			p	3	3	localities	V	P	C	A	C	B
F	1149	Cobitis taenia			p	113799	113799	i	C	G	C	A	C	A
R	1220	Emys orbicularis			p	3	3	localities	V	P	C	A	C	B
F	2484	Eudontomyzon mariae			p				V	DD	D			
F	2555	Gymnocephalus baloni			p	5441090	5441090	area	P	P	C	A	B	A
F	1157	Gymnocephalus schraetzer			p	8855070	8855070	area	P	P	C	A	B	A
I	1083	Lucanus cervus			p				P	DD	C	C	C	C
M	1355	Lutra lutra			p	5	6	i		G	C	A	C	A
M	2609	Mesocricetus newtoni			p				V	DD	C	B	C	C
F	2522	Pelecus cultratus			p	44600	44600	i	R	G	B	A	B	A
F	5339	Rhodeus amarus			p	9080000	9080000	i	C	G	C	A	C	B
F	5329	Romanogobio vladykovi			p	9069700	9069700	area	C	P	C	A	B	A
F	1146	Sabanejewia aurata			p	9068910	9068910	area	P	G	C	A	C	A
M	1335	Spermophilus citellus			p	3	3	colonies	V	G	C	B	C	C
R	1217	Testudo hermanni			p			localities	P	DD	C	A	C	A
I	4064	Theodoxus transversalis			p	27580	27580	i	R	M	A	A	C	A
A	1993	Triturus dobrogicus			p			localities	P	DD	C	A	C	A
I	1032	Unio crassus			p	36774	36774	i	R	M	C	A	C	A
F	1160	Zingel streber			p	9070440	9070440	area	P	P	C	A	B	A
F	1159	Zingel zingel			p	9070440	9070440	area	P	P	C	A	B	A

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
F		Acipenser gueldenstaedti						P						X	
F		Acipenser ruthenus						P						X	
F		Acipenser stellatus						P						X	
P		Alkanna tinctoria						R			X				
P		Astragalus ponticus						R			X				
A		Bufo viridis						P			X				
P		Centaurea arenaria						R			X				
P		Centaurea rumelica						P				X			
F		Chondrostoma nasus						P							X
R		Coluber caspius						P			X				
M		Cricetus cricetus						P			X				
M		Crocidura leucodon						C						X	
M		Crocidura suaveolens						C						X	
F		Cyprinus carpio						C			X				
M		Erinaceus concolor						P			X				
M		Felis silvestris						P			X				
F		Huso huso						P						X	
A		Hyla arborea						C			X				
R		Lacerta viridis						C						X	
P		Lemna gibba									X				
P		Leucojum aestivum									X				
M		Mustela eversmanni						P			X				
M		Mustela nivalis						C			X				
M		Nannospalax leucodon						P						X	
R		Natrix tessellata						C						X	

M		Neomys anomalus							C					X	
A		Pelobates fuscus							P			X			
A		Pelobates syriacus							C					X	
R		Podarcis taurica							C					X	
A		Rana dalmatina							R					X	
P		Salvinia natans							R					X	
F		Silurus glanis							P					X	
P		Stachys arenariaeformis										X			
F		Stizostedion volgense							P					X	
R		Vipera ammodytes							P					X	

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N03	7.0
N16	5.0
N08	2.0
N20	13.0
N12	33.0
N09	6.0
N07	7.0
N21	2.0
N06	25.0
Total Habitat Cover	100

Other Site Characteristics

The island group is mainly covered by natural vegetation. During summer wide sand strips are being uncovered.

4.2 Quality and importance

This site is one of the richest on different habitat types along Bulgarian riverbank of Danube. This is the former floodplain of Danube, one big and several small new islands, which are covered by alluvial forests. There are specific inland sand dunes, salt pastures and marshes in the floodplain. Small loess steppe has survived on the highest Danube's terrace near the village of Zlatiya.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	L08		i
H	B02.02		i
M	K01.01		i
M	D06		o
H	B01.02		i
L	D06		i
H	A03		i
H	B		o
H	C01.01		i
M	F03.01		i
H	I01		i
H	K04.01		i
L	E01		o
M	F02.01.02		i
L	F02.03		o
M	A04		i
H	A01		o
M	E01		i
H	A01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A04		i
M	D06		o
L	F02.03		o
L	L08		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Dr. R. Tzonev - Sofia University / Dragan Tzankov 8, Sofia 1164; Dr. G. Hinkov - Forest Research Institute, BAS; Iliyan Stoev - Green Balkans Federation, Plovdiv 4000, office@greenbalkans.org; St. Beshkov - NMNH. Initially listed publications: "Arnold, E., J. Burton, D. Oviden. 1992. A field guide to the Reptiles and Amphibians of Britain and Europe. Collins Publ., London, 272 pp." Benda, P., T. Ivanova, I. Horacek, V. Hanak, J. Gaisler, J. Cerveny, J. Gaisler, A. Georgieva, B. Petrov, V. Vohralik. 2003. Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 3. Review of bat distribution in Bulgaria. Acta Soc. Zool. Bohem., 67, 245-357. "CORINE BIOTOPES database" Cramp, St. 1983. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume 4. Oxford University Press, 48-62 pp." Cramp, St., K. Simmons et al. 1977. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume I : Ostrich to Ducks. Oxford University Press." Danailov, M., P. Terzieva, I. Dobrovolov. 1998. Electrophoretic survey of *Cobitis taenia*, *Cobitis peschevi* and their hybrid from some Bulgarian rivers. Acta zoologica bulgarica, 50, 2/3, 127-132. "Delany, S., C. Reyes, E. Hubert, S. Pihl, E. Rees, L. Haanstra, A. Strien. 1999. Results from the International Waterbird Census in the Westwrn Palearctic and Southwest Asia 1995 and 1996. Wetlands International Publication, 54, 178 pp." Georgiev, D. 2003. A report of *Mesocricetus newtoni* (Mammalia: Cricetidae) from South-Eastern Bulgaria. Trav. Sci. Univ. Plovdiv, Animalia, 39 (6), 107-110." Ivanova, T. 2005. Important Bat Underground Habitats (IBUH) in Bulgaria. Acta zool. Bulg." Horacek, I., J. Cerveny, A. Tausl, D. Vitek. 1974. Notes on the Mammal fauna of Bulgaria (Insectivora, Chiroptera, Rodentia). Vestnik Cesk. Spol. Zool., XXXVIII, 1, 19-31." Karapetkova, M., M. Zhivkov. 1995. Fish in Bulgaria. Sofia. "Gea Libris", 247 pp." Kavrakova, V., D. Dimova, M. Dimitrov, R. Tsonev, T. Belev (ed.). 2005. Guide for identification of habitats of European significance in Bulgaria. WWF DCP, Green Balkans Federation. Sofia. 128 pp." Kostadinova, I. (compiler). 1997. Important Bird Areas in Bulgaria. BSPB, Sofia." Kostadinova, I., S. Dereliev. 2001. Results from the midwinter census of waterfowl in Bulgaria for the period 1997-2001 year, Sofia. "Macdonald, D., P. Barret. 1993. Mammals of Britain & Europe. Collins field guide, Harper

Collins Publ., London, 312 pp."Michev, T., L. Profirov. 2003. Mid-winter Numbers of Waterbirds in Bulgaria (1977-2001). Results form 25 years of mid-winter counts carried out at the most important Bulgarian wetlands. Sofia - Moscow, 160." Mihov, S. 2002. Field guide of amphibians in Bulgaria, Bourgas Wetlands, 45 pp."Milchev, B., Z. Boev, V. Georgiev. 2004. Die Nahrung der Schleiereule (*Tyto alba*) in Sudost-Bulgarien. *Egretta*, 47, 66-77."Nankinov, D., S. Simeonov, T. Michev, B. Ivanov. 1997. Fauna of Bulgaria. Vol. 26: Aves, Part ??, Sofia, Academic Publishing House "Prof. M. Drinov", 427 pp." Nankinov, D. et al. 2004. Breeding totals of the ornithofauna in Bulgari?. Green Balkans, Plovdiv, 32 pp."Ornithological database of Green Balkans Federation of Nature Conservation NGOs. "Patev, P. 1950. Birds in Bulgaria. BAS, Sofia, 364 pp. "Peshev, T., D. Peshev, V. Popov. 2004. Fauna of Bulgaria. Vol. 27: Mammalia. Sofia. Academic Publishing House "Prof. M. Drinov", 632 pp."Popov, V. 2003. Mammals in Bulgaria. Vitosha Nature Park Directorate, Sofia, "Geosoft", 291 pp."Roché, J. 2000. Die Vogelstimmen Europas auf 4 CDs - Rufe und Gesänge. "Kosmos". Shurulinkov, P., R. Tsonev, B. Nikolov, G. Stoyanov, L. Assenov. 2005. Birds of Middle Danube Plain. Sofia. 120 pp. In Bulgarian."Simeonov, S., T. Michev. 1991. The birds of the Balkan Peninsula. "Peter Beron", Sofia, 249 pp."Simeonov, S., T. Michev, D. Nankinov. 1990. Fauna in Bulgaria. Vol. 20 Aves. Part. S., BAS, 350 pp."Simeonov, S., T. Michev. 1991. Birds of the Balkan Peninsula. Peter Beron, Sofia, 245 pp. "Swensson, L. 1992. Identification guide to European Passerines. Stockholm."Swensson L., P. Grant. 2000. Bird guide. Harper Collins Publishers, London, 392 pp. "Sakalyan, M. (eds.). 1993. National Strategy for Biodiversity Conservation. Main Reports. Volume 1. " Yanaki S. Sivkov. 1989. Morphological characteristics of gudgeon (*Gobio albipinnatus* Lukasch, 1933) (Pisces, Cyprinidae) from the Bulgarian section of the Danube. *Acta zoologica bulgarica* 38, 11-13. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000199&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG04	1.9595811213591878	BG00	98.04041887873252		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG04	Ibisha	+	1.9595811213591878

5.3 Site designation (optional)

The site will preserve rare in Bulgaria habitats as 2340, 6250, 1530. There is a big mixed colony of water bird in Ibsiha Island. The flora and fauna are rich in rare and protected species.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water: Vratsa, Montana
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/>

No, but in preparation

No

6.3 Conservation measures (optional)

Immediately stopping of the illegal excavation of sands from the inland dunes. Restoration of the aluvial forests on the Ibisha Inland. Strict protection of the forests on the other islands. Limitation of the grazing in the preserved loess steppes.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).