



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE BG0000214
SITENAME Dryanovski manastir

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type B	1.2 Site code BG0000214
----------------------	-----------------------------------

1.3 Site name

Dryanovski manastir

1.4 First Compilation date	1.5 Update date
2004-07	2018-12

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data

Date site proposed as SCI :	2007-03
Date site confirmed as SCI :	2008-12

Date site designated as SAC:	No data
National legal reference of SAC designation:	No data
Explanation(s):	Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).

[Back to top](#)

[Back to top](#)

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

25.4136

Latitude

42.9589

2.2 Area [ha]:

2987.89

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG32

Северен централен / Severen tsentralen

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
6110B			7.87		M	B	C	B	B
6210B			176.73		M	C	C	B	C
6430B			7.28		M	B	C	B	B
7220B			2.72		M	C	B	C	C
8210B			43.56		M	A	C	A	A
8310B				15	G	B	C	B	B
9150B			40.89		M	C	C	C	C
9170B			31.99		M	C	C	B	C
9180B			78.43		M	B	C	B	B
91E0B			34.18		G	B	C	B	B
91G0B			221.78		M	B	C	B	B
91H0B			6.78		M	B	C	B	B

91M0B			231.0		M	B	C	B	B
91W0B			87.84		M	B	C	B	B
91Z0B			31.55		M	C	C	B	C

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species				Population in the site							Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
I	1093	Austropotamobius torrentium			p			i	P	M	D	A	C	B
M	1308	Barbastella barbastellus			p	11	50	i	V	M	C	B	C	C
F	1138	Barbus meridionalis			p	9159	9159	i	C	G	C	C	B	B
A	1193	Bombina variegata			p	4	4	localities	V	P	C	A	C	B
M	1352	Canis lupus			p		1	i	P	M	C	A	C	B
I	1088	Cerambyx cerdo			p				R	DD	C	A	C	B
F	1149	Cobitis taenia			p	2250	2250	i	R	G	C	B	C	B
R	5194	Elaphe sauromates			p			localities	P	DD	C	C	C	C
R	1220	Emys orbicularis			p			localities	P	DD	C	A	C	B
I	6199	Euplagia quadripunctaria			p	492	1179	i	V	P	C	A	C	A
P	2327	Himantoglossum caprinum			p	5		i	R	M	C	B	C	B
I	1083	Lucanus cervus			p	12927	25429	i	R	M	C	A	C	B
M	1355	Lutra lutra			p	2	3	i		G	C	B	C	B
M	1310	Miniopterus schreibersii			p	501	1000	i	C	G	C	B	C	C
I	1089	Mormus funereus			p	23852	27705	i	R	M	C	A	C	B
M	1323	Myotis bechsteinii			p	11	50	i	V	M	C	B	C	C
M	1307	Myotis blythii			p	51	100	i	R	M	C	B	C	C
M	1316	Myotis capaccinii			p	11	50	i	R	M	C	B	C	C
M	1321	Myotis emarginatus			p	11	50	i	P	M	C	B	C	C
M	1324	Myotis myotis			p	51	100	i	R	M	C	B	C	C
M	1305	Rhinolophus euryale			p	501	1000	i	C	G	B	B	C	C
M	1304	Rhinolophus ferrumequinum			p	501	1000	i	C	G	C	B	C	C

M	1303	Rhinolophus hipposideros			p	51	100	i	C	G	C	B	C	C
M	1302	Rhinolophus mehelyi			p				R	DD	D			
I	1087	Rosalia alpina			p				R	DD	C	B	C	B
F	1146	Sabanejewia aurata			p	338	388	i	R	G	C	A	C	A
R	1219	Testudo graeca			p			localities	P	DD	C	C	C	C
R	1217	Testudo hermanni			p	1	1	localities	V	P	C	A	C	A
A	1171	Triturus karelinii			p			localities	P	DD	C	A	C	B
I	1032	Unio crassus			p			i	R	M	C	B	C	B
M	2635	Vormela peregusna			p				P	DD	C	B	C	B

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R		Ablepharus kitaibeli						P					X	
P		Achillea grandifolia						P				X		
P		Allium melanantherum						P						X
P		Atropa belladonna						P			X			
A		Bufo viridis						C					X	
I		Calosoma sycophanta												X
P		Cephalanthera damasonium						P					X	
R		Coluber caspius						P					X	
R		Coronella austriaca						P					X	
P		Dianthus moesiacus						P				X		
P		Dianthus pinifolius						P				X		

M		Dryomys nitedula					R			X			
R		Elaphe longissima					P			X			
P		Elymus panormitanus					P			X			
P		Epipactis helleborine					P						X
M		Eptesicus serotinus					R			X			
P		Galanthus elwesii					P			X			
I		Geolycosa vultoza											X
M		Glis glis					R			X			
I		Helicigona trizona											X
I		Helix lucorum										X	
I		Helix lucorum										X	
A		Hyla arborea					C					X	
R		Lacerta viridis					C					X	
F		Leuciscus cephalus					C						X
P		Limodorum abortivum					P			X			
R		Natrix tessellata					P					X	
P		Neottia nidus-avis					P					X	
I		Neptis sappho					P						X
M		Nyctalus noctula					R			X			
P		Ophrys cornuta					P			X			
P		Orchis militaris					P			X			
P		Orchis morio					P						X
P		Pastinaca hirsuta					P				X		
M		Pipistrellus pipistrellus					R			X			
P		Platanthera chlorantha					P						X
R		Podarcis muralis					C					X	
R		Podarcis taurica					C					X	
P		Pulmonaria mollis					P			X			
A		Rana dalmatina					P					X	
M		Sciurus vulgaris					R			X			
P		Spiranthes spiralis					P			X			
R		Vipera ammodytes					P					X	

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition

to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	55.0
N17	3.0
N19	15.0
N20	2.0
N08	10.0
N23	1.0
N10	5.0
N22	5.0
N21	4.0
Total Habitat Cover	100

Other Site Characteristics

Composition of diverse carst landscapes, caves, rock niches, canyons and carst springs. Good deciduous forests. Very important for the existence of invertebrate fauna.

4.2 Quality and importance

The cliffs have key importance for conservation of petrophilous species of plants and animals especially birds. As a whole the habitats are damaged by anthropogenic influence. Clear cutting has resulted in degradation of native habitats. Motivation D for species in 3.3. of SDF is due to their participation in Annex3 of Bulgarian Biodiversity Conservation Act.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	E01		o
M	E03.01		i
M	E01.01		i
M	G02.10		i
L	D02.01		i
L	K01.01		i
H	G02.04		i
M	J02.11		i
L	D03.02		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
M	G02.10		i
L	D01.06		i
M	G01.02		i
L	D03.02		i
L	D01.04		i
H	G02.04		i
M	A04		i

M	A03		i
M	A04		i
L	G05.01		i
M	H06.01		i
L	D01.02		i
H	C01.07		o
M	D02.01		o
L	A02		i
M	G01.02		i
L	E04.01		i
M	A05.02		i
M	E04.01		o
L	D01.01		i
M	G04.01		i
H	E03		o
L	F03.01		i
L	D01.04		i
H	C01.01.01		o
M	E03		i
H	B02.02		i
L	F02.03		i
M	G01.04		i
L	D01.06		i
L	B01.02		i
H	G05		i
H	E02		o
M	D03.02		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by R. Stanchev, G. Stoianov, I. Pandurski, V. Popov, Z. Hubenov, Chr. Delchev, T. Trichkova, T. Stefanov, M. Vasilev, M. Zhivkov - Institute of Zoology, 1 Tsar Osvoboditel Blvd., Sofia 1000; Stefan Staykov - RIEW Veliko Tarnovo; St. Beshkov - NMNH. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000214&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG00	95.72152649225879	BG06	4.278473507942373		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	Bozhentzi	*	2.932731928282075
BG06	Dryanovski manastir	*	1.345741579660297

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water: Veliko Tarnovo
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

6.3 Conservation measures (optional)

1. Improving biodiversity information, for the region.2. Circumscription and better control over, tourists, alpinists and etc.3. Purifying of home and of live water.4. Limits for wood cutting and hunting.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).