



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE BG0000275
SITENAME Yazovir Stamboliyski

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type B	1.2 Site code BG0000275
----------------------	-----------------------------------

1.3 Site name

Yazovir Stamboliyski

1.4 First Compilation date	1.5 Update date
2004-08	2018-12

1.6 Respondent:

Name / Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia
Email:	natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2007-03
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	No data

National legal reference of SAC designation:	No data
---	---------

Explanation(s):	Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).
------------------------	---

[Back to top](#)

[Back to top](#)

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

25.10638888888889

Latitude

43.09111111111111

2.2 Area [ha]:

9355.55

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
BG32	Северен централен / Severen tsentralen
BG32	Северен централен / Severen tsentralen

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
6110 <i>i</i>			36.12		M	B	C	B	B
6210 <i>i</i>			869.86		M	B	C	B	B
6240 <i>i</i>			244.4		M	B	C	B	B
6430 <i>i</i>			62.43		M	B	C	B	B
7220 <i>i</i>			0.01		G	D			
8210 <i>i</i>			114.61		M	B	C	B	B
9180 <i>i</i>			57.33		M	B	C	B	B
91E0 <i>i</i>			24.95		G	A	C	B	B
91G0 <i>i</i>			31.43464			C	C	C	C
91H0 <i>i</i>			111.69		M	C	C	B	C
91M0 <i>i</i>			574.43		M	B	C	B	B
91Z0 <i>i</i>			179.02		M	B	C	B	B

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

[illegible]

M	1302	mehelyi			p	51	250	i	R	G	C	B	C	C
F	5339	Rhodeus amarus			p	37279	37279	i	C	G	C	A	C	B
F	6145	Romanogobio uranoscopus			p				V	DD	D			
I	1087	Rosalia alpina			p				P	DD	D			
M	1335	Spermophilus citellus			p				P	DD	D			
R	1219	Testudo graeca			p			localities	P	DD	C	C	C	C
R	1217	Testudo hermanni			p	3	3	localities	V	P	C	A	C	A
I	4064	Theodoxus transversalis			p			i	P	M	D	A	C	B
A	1171	Triturus karelinii			p			localities	P	DD	C	A	C	B
I	1032	Unio crassus			p	28058	28058	i	R	M	C	B	C	B
M	2635	Vormela peregusna			p				P	DD	C	B	C	A

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R		Ablepharus kitaibelii						P					X	
F		Alburnus alburnus						C			X			
P		Asparagus acutifolius						P						X
A		Bufo viridis						C					X	
R		Coluber caspius						P					X	
P		Convallaria majalis						P						X
R		Coronella austriaca						P					X	
P		Cyclamen neapolitanum						P						X
F		Cyprinus carpio						C						X
R		Elaphe longissima						P			X			
F		Esox lucius						C						X

A		Hyla arborea						C					X	
R		Lacerta viridis						C					X	
R		Natrix tessellata						P					X	
R		Podarcis muralis						C					X	
P		Polygonatum odoratum						P						X
A		Rana dalmatina						P					X	
P		Ruscus hypoglossum						P						X
F		Rutilus rutilus						C						X
F		Sander lucioperca						C						X
P		Scilla bifolia						P						X
F		Silurus glanis									X			
F		Silurus glanis						R					X	
P		Stipa pennata						P						X
R		Vipera ammodytes						P					X	

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N15	11.0
N08	24.0
N17	2.0
N23	1.0
N09	14.0
N06	1.0
N22	1.0
N16	42.0
N21	4.0
Total Habitat Cover	100

Other Site Characteristics

The site includes the former carst canyon of Rossitsa River, now is flooded by the big reservoir "Aleksandur Stamboliiski". The hills above the dam are covered by xerophilous forests.

4.2 Quality and importance

Al. Stamboliisky reservoir is one of the biggest Bulgarian dams. It has a good conditions for fish fauna and especially for evaluated species.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	L09		i
H	F02.01.02		i
M	B02.02		o
M	F03.01		o
M	A09		i
M	E01.01		o
M	D01.02		o
M	A04		o
L	E03.01		i
L	L09		o
M	A08		o
L	J01		o
M	F03.01		i
L	E03.01		o
M	H07		i
M	B02.02		i
L	D01.02		i
L	B01.02		i
H	F02.03		i
M	D02		i
M	E01.03		o
M	G02.10		i
M	E01.01		i
L	B01.02		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A09		o
L	B01.02		i
L	B01.02		o
M	A08		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Milen Vassilev - Institute of Zoology, 1 Tsar Osvoboditel Blvd., 1000 Sofia; Mladen Angelov - Green Balkans Federation; St. Staikov - RIEW V. Tarnovo, S. Kotzeva, Svishtov. Initially listed publications: Pavlov, D., V. Miheev, M. Vassilev, L. Pehlivanov. 1988. Feeding, distribution, and migration of fish fry from Al. Stamboliisky reservoir.- Moskow, Naouka, 142 pp. (In Russian). Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000275&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG00	92.53367671238753	BG06	7.466323287960774		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	Laftin	*	3.2660155199432874
BG06	Dederitza	*	4.2003077680174865

5.3 Site designation (optional)

Al. Stamboliisky reservoir remain an important water basin for fish fauna in this region of Bulgaria.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

Organisation:	Regional Inspectorate of Environment and Water: Veliko Tarnovo
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

☐	Yes
☐	No, but in preparation
☒	No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--

