

NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA), Proposed Sites for Community Importance (pSCI), Sites of Community Importance (SCI) and for Special Areas of Conservation (SAC)

SITE **BG0000437**

SITENAME Reka Cherkezitsa

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- <u>6. SITE MANAGEMENT</u>
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

 1.1 Type
 1.2 Site code

 B
 BG0000437

1.3 Site name

Reka Cherkezitsa

1.4 First Compilation date	1.5 Update date
2005-12	2020-12

1.6 Respondent:

Name/Organisation: Ministry of Environment and Water, "National Nature Protection Service" Directorate

Address: Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia

Email: natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data

Date site proposed as SCI: 2007-03

Date site confirmed as SCI: 2008-12

Date site designated as SAC: No data

1

National legal reference of SAC designation:	No data
Adopted by Council of Minis	sters Decision No. 122/02 03 2007 (promulgated SG

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Back to top

Longitude 24.9965 42.0814

2.2 Area [ha]: 2.3 Marine area [%]

141.4343 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
BG42	Южен централен / Yuzhen tsentralen

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

Back to top

Annex I Habitat types						Site assessment					
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D A B C					
						Representativity	Relative Surface Conservation Glo		Global		
92A0 8			28.13		G	С	С	С	С		

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some

extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Sp	ecies				Population in the site				pulation in the site Site assessment					
G	Code	Scientific Name	s	NP	Т	Size	ze Unit Cat. D.c			D.qual.	A B C D	A B C	C	
						Min	Max				Pop.	Con.	Iso.	Glo.

1												
F	5088	Barbus cyclolepis	р				С	DD	С	В	С	В
Α	1188	Bombina bombina	р			localities	Р	DD	С	Α	В	В
F	1149	Cobitis taenia	р	11036	11036	i	R	G	С	С	С	Α
R	5194	Elaphe sauromates	р			localities	Р	DD	С	Α	С	В
R	1220	Emys orbicularis	р			localities	Р	DD	С	Α	С	В
I	1083	Lucanus cervus	р				R	DD	D			
М	1355	<u>Lutra lutra</u>	р	1	3	i	Р		С	С	С	С
М	1324	Myotis myotis	р	11	50	i	R	G	С	В	С	С
I	1037	Ophiogomphus cecilia	р	2	2	localities	R	G	С	В	С	В
М	1304	Rhinolophus ferrumequinum	р	6	10	i	R	G	D			
F	5339	Rhodeus amarus	р	21252	21252	i	С	G	С	С	С	В
М	1335	Spermophilus citellus	р	2	2	colonies	V	G	С	В	С	С
Α	1171	Triturus karelinii	р			localities	Р	DD	С	Α	С	В
I	1032	Unio crassus	р			i	R	М	С	В	С	В
М	2635	Vormela peregusna	р	1	1	localities	Р	Р	С	С	С	С

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see <u>reference portal</u>)

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species				Population in the site					Motivation					
Group	CODE	Scientific Name	s	NP	Size		Unit	Cat.	Spe Ann	cies ex	Otł cat	ner egor	ies	
					Min	Max		C R V P	IV	V	Α	В	С	D
Α		Bufo viridis						С					Χ	
F		<u>Chondrostoma</u> <u>vardarense</u>						Р				Х		
R		Coluber caspius						С					Х	
R		Elaphe longissima						Р					X	
М		Erinaceus concolor						С			Х			
Α		<u>Hyla arborea</u>						С					Х	

R	<u>Lacerta</u> <u>trilineata</u>	С	X
R	Lacerta viridis	С	X
F	Leuciscus cephalus	С	X
М	Mustela nivalis	С	X
R	Natrix tessellata	P	X
A	Pelobates syriacus	P	X
R	Podarcis taurica	C	X
F	<u>Vimba melanops</u>	P	X

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see <u>reference portal</u>)

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

Back to top

Habitat class	% Cover
N08	44.0
N16	1.0
N15	49.0
N23	6.0
Total Habitat Cover	100

Other Site Characteristics

The Cherkezitsa is a river in Southern Bulgaria, a left tributary of the Maritsa River. It takes its sources from the Dobrostanski hill in the Western Rhodopes. It runs in a relatively shallow alluvial valley in an almost meridian direction. It is 47,5 km long and is used for irrigation. Within the site, the river runs across arable lands. The riparian tree vegetation is relatively scarce. There are places overgrown by wetland vegetation. The river represents a valuable bio-corridor, because it connects the Maritsa River with the northern slopes of the Rhodope Mountains.

4.2 Quality and importance

The river represents a valuable bio-corridor, because it connects the Maritsa River with the northern slopes of the Rhodope Mountains. In table "Ecological Information - Other Important species", the species justified by 'A-National' are not necessarily included in the National Red Data Book, because its last edition is too old (1985), not up-dated and has no legislative value. The species indicated by 'A-National' are the protected flora and fauna species, included in the Bulgarian Biodiversity Act, and therefore this motivation is given highest priority. The Sabanejewia aurata found within the site has recently been identified as Sabanejewia balcanica, derived from Sabanejewia aurata balcanica subspecies.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Ir	Negative Impacts										
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]								
M	J01		i								
Н	A04		i								
Н	A05.01		i								
М	F02.03		i								

Positive Impacts									
	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]						

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Elena Kmetova, Dimitar Popov, Gradimir Gradev, Mladen Angelov - Green Balkans Federation, Plovdiv 4000, +359 32 62 69 77, office@greenbalkans.orgInitially listed documents: Arnold, E., J. Burton, D. Ovenden. 1992. A field guide to the Reptiles and Amphibians of Britain and Europe. Collins Publ., London, 272 pp.•Benda, P., T. Ivanova, I. Horacek, V. Hanak, J. Gaisler, J. Cerveny, J. Gaisler, A. Georgieva, B. Petrov, V. Vohralik. 2003. Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 3. Review of bat distribution in Bulgaria. Acta Soc. Zool. Bohem., 67, 245-357. CORINE BIOTOPES database. Cramp, St. 1983. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume 4. Oxford University Press, 48-62 pp.•Cramp, St., K. Simmons et al. 1977. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume I Ostrich to Ducks. Oxford University Press. Delany, S., C. Reyes, E. Hubert, S. Pihl, E. Rees, L. Haanstra, A. Strien. 1999. Results from the International Waterbird Census in the Westwrn Paleactic and Southwest Asia 1995 and 1996. Wetlands International Publication, 54, 178 pp.•Georgiev, D. 2003. A report of Mesocricetus newtoni (Mammalia: Cricetidae) from South-Eastern Bulgaria. Trav. Sci. Univ. Plovdiv, Animalia, 39 (6), 107-110.•Ivanova, T. 2005. Important Bat Underground Habitats (IBUH) in Bulgaria. Acta zool. Bulg.•Horacek, I., J. Cerveny, A. Tausl, D. Vitek. 1974. Notes on the Mammal fauna of Bulgaria (Insectivora, Chiroptera, Rodentia). Vestnik Cesk. Spol. Zool., XXXVIII, 1,19-31. • Karapetkova, M., M. Zhivkov . 1995. Fish in Bulgaria. Sofia. "Gea Libris", 247 pp.∙Kavrakova, V., D. Dimova, M. Dimitrov, R. Tsonev, T.Belev (ed.). 2005. Guide for dentification of habitats of European significance in Bulgaria. WWF DCP, Green Balkans Federation. Sofia. 128 pp.•Kostadinova, I. (compiler). 1997. Important Bird Areas in Bulgaria. BSPB, Sofia.•Kostadinova, I., S. Dereliev. 2001. Results from the midwinter census of waterfowl in Bulgaria for the period 1997-2001 year, Sofia. •Macdonald, D., P. Barret. 1993. Mammals of Britain & Europe. Collins field guide, Harper Collins Publ., London, 312 pp.•Michev, T., L. Profirov. 2003. Mid-winter Numbers of Waterbirds in Bulgaria (1977-2001). Results form 25 years of mid-winter counts carried out at the most important Bulgarian wetlands. Sofia -Moscow, 160.∙ Mihov, S. 2002. Field guide of amphibians in Bulgaria, Bourgas Wetlands, 45 pp.∙Milchev, B., Z. Boev, V. Georgiev. 2004. Die Nahrung der Schleiereule (Tyto alba) in Sudost-Bulgarien. Egretta, 47, 66-77. Nankinov, D., S. Simeonov, T. Michev, B. Ivanov. 1997. Fauna of Bulgaria. Vol. 26: Aves, Part II. Sofia, Academic Publishing House "Prof. M. Drinov", 427 pp. Nankinov, D. et al. 2004. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 32 pp. Ornithological database of Green Balkans Federation of Nature Conservation NGOs. •Patev, P. 1950. Birds in Bulgaria. BAS, Sofia, 364 pp. •Peshev, T., D. Peshev, V. Popov. 2004. Fauna of Bulgaria. Vol. 27: Mammalia.Sofia. Academic Publishing House "Prof. M. Drinov", 632 pp. •Popov, V. 2003. Mammals in Bulgaria. Vitosha Nature Park Directorate, Sofia, "Geosoft", 291 pp. •Roché, J. 2000. Die Vogelstimmen Europas auf 4 CDs – Rufe und Gesänge. "Kosmos". •Simeonov, S., T. Michev. 1991. The birds of the Balkan Peninsula. "Peter Beron", Sofia, 249 pp. Simeonov, S., T. Michev, D. Nankinov. 1990. Fauna in Bulgaria. Vol. 20 Aves. Part I. S., BAS, 350 pp.•Simeonov, S., T. Michev. 1991. Birds of the Balkan Peninsula. Peter Beron, Sofia, 245 pp. •Swensson, L. 1992. Identification guide to European Passerines. Stockholm.•Swensson L., P. Grant. 2000. Bird guide. Harper Collins Publishers, London, 392 pp. •Sakalyan, M. (eds.). 1993. National Strategy for Biodiversity Conservation. Main Reports. Volume 1.Data revised by a team of Bulgarian Academy of Sciences (http://www.bas.bg). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): http://natura2000.moew.government.bg /Home/ProtectedSite?code=BG0000437& siteType=HabitatDirective

5. SITE PROTECTION STATUS (optional)

Back to top

5.1 Designation types at national and r	regional level:
---	-----------------

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]	
BG03	19.5491341131922	BG00	80.45086588776276			
5.2 Relation of the described site with other sites:						
designated at	national or regional le	vel:				
Type code	Site name			Туре	Cover [%]	
BG03	Fosilni nahodki			*	19.5491341131922	
	signation (optional)					
6.1 Body(ie	es) responsible for th	e site manag	ement:		Back to top	
Organisation	: Regiona	l Inspectorate o	of Environment and Water: P	lovdiv		
Address:						
Email:						
6.2 Management Plan(s): An actual management plan does exist:						
Yes No, but	in preparation					
	vation measures (opt	tional)				
7. MAP O	F THE SITES					
					Back to top	
INSPIRE ID:						
Man delivere	ed as PDF in electronic fo	ormat (ontional	1			
		ormat (optional)			
Yes	X No					
Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).						