

# **NATURA 2000 - STANDARD DATA FORM**

For Special Protection Areas (SPA), Proposed Sites for Community Importance (pSCI), Sites of Community Importance (SCI) and NATURA 2000 for Special Areas of Conservation (SAC)

SITE **BG0000438** 

**SITENAME Reka Chinardere** 

#### **TABLE OF CONTENTS**

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- <u>5. SITE PROTECTION STATUS</u>
- <u>6. SITE MANAGEMENT</u>
- 7. MAP OF THE SITE

## 1. SITE IDENTIFICATION

**Back to top 1.1 Type** 1.2 Site code В BG0000438

#### 1.3 Site name

1.4 First Compilation date	1.5 Update date	$\overline{}$
Reka Chinardere		

2005-12	2020-12

#### 1.6 Respondent:

Name/Organisation: Ministry of Environment and Water, "National Nature Protection Service" Directorate

Sofia Kn. Maria Luiza Blvd. 22 1000 Address: Sofia

**Email:** natura2000@moew.government.bg

## 1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2007-03
Date site confirmed as SCI:	2008-12
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

<b>Explanation(s):</b> Adopted by Council of Mir 21/2007).	isters Decision No. 122/02.03.2007 (promulgated SG
--	--

#### 2. SITE LOCATION

## 2.1 Site-centre location [decimal degrees]:

**Back to top** 

**Longitude** 25.0459 **Latitude** 41.9539

2.2 Area [ha]: 2.3 Marine area [%]

Pegion Name

1150.506 0.0

2.4 Sitelength [km]:

0.0

#### 2.5 Administrative region code and name

NOTS level 2 code	Region Name
BG42	Южен централен / Yuzhen tsentralen

#### 2.6 Biogeographical Region(s)

Continental (100.0 %)

NUTS level 2 code

## 3. ECOLOGICAL INFORMATION

## 3.1 Habitat types present on the site and assessment for them

**Back to top** 

Annex	I Hal	bitat	types			Site assessment						
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D						
						Representativity	Relative Surface	Conservation	Global			
91M0 <b>8</b>			215.76		G	В	С	В	В			
92A0 <b></b> ■			4.05		G	С	С	С	С			
92C0 <b>B</b>			49.28		G	Α	В	Α	Α			

**PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

**NP:** in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

**Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available. **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some

extrapolation); P = 'Poor' (e.g. rough estimation)

# 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Po	pulation	in the si	te	Site assessment					
G	Code	Scientific Name	s	NP	Т	Size		Unit	Cat.	D.qual.	A B C D A B C			
						Min	Max				Pop.	Con.	Iso.	Glo.

I	1093	<u>Austropotamobius</u> <u>torrentium</u>	р			i	Р	М	D	С	С	С
F	5088	Barbus cyclolepis	р				С	DD	С	В	С	В
Α	1188	Bombina bombina	р			localities	Р	DD	С	Α	В	В
Α	1193	Bombina variegata	р			localities	Р	DD	С	Α	В	А
М	1352	Canis lupus	р				Р	М	D			
Ι	1088	Cerambyx cerdo	р				R	DD	С	С	С	С
F	1149	Cobitis taenia	р	111572	111572	i	R	G	С	В	С	Α
R	5194	Elaphe sauromates	р			localities	Р	DD	С	A	С	В
R	1220	Emys orbicularis	р	3	3	localities	V	Р	С	Α	С	В
I	1083	Lucanus cervus	р	3428	6744	i	R	М	С	С	С	С
М	1355	<u>Lutra lutra</u>	р	1	2	i	С	G	С	Α	С	В
I	1089	Morimus funereus	р				R	DD	С	С	С	С
М	1321	Myotis emarginatus	р				R	DD	D			
I	1087	Rosalia alpina	p				V	DD	D			
R	1219	Testudo graeca	р			localities	Р	DD	С	С	С	С
R	1217	Testudo hermanni	р			localities	Р	DD	С	С	С	С
Α	1171	Triturus karelinii	р			localities	Р	DD	С	Α	С	В
I	1032	Unio crassus	р			i	R	М	С	В	С	В
М	2635	Vormela peregusna	р	1	1	localities	Р	Р	С	В	С	В

**Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes **NP:** in case that a species is no longer present in the site enter: x (optional)

**Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

**Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see <u>reference portal</u>)

**Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

**Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

## 3.3 Other important species of flora and fauna (optional)

Species					Popula	Population in the site					Motivation					
Group	CODE	Scientific Name	s	NP	Size		Unit	Cat.	Species Annex		Other categories					
					Min	Max		C R V P	IV	V	A	В	С	D		
A		Bufo viridis						Р					X			
R		Coluber caspius						Р					Х			
R		Elaphe longissima						Р					X			
Α		<u>Hyla arborea</u>						Р					X			
R		Lacerta trilineata						P					X			
R		Lacerta viridis						С					X			
F		<u>Leuciscus</u> <u>cephalus</u>						С						X		

R	Natrix tessellata			Р			X	
A	Pelobates syriacus			Р			X	
Р	Platanus orientalis			С		X		
R	Podarcis muralis			С			X	
R	Podarcis taurica			С			Χ	
Α	Rana dalmatina			Р			X	
R	<u>Vipera</u> <u>ammodytes</u>			Р			Х	

**Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

**CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes **NP:** in case that a species is no longer present in the site enter: x (optional)

**Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see <u>reference portal</u>)

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

**Motivation categories: IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

#### 4. SITE DESCRIPTION

#### 4.1 General site character

Back to top

Habitat class	% Cover
N09	18.0
N23	1.0
N06	7.0
N21	3.0
N15	14.0
N16	10.0
N08	47.0
Total Habitat Cover	100

#### **Other Site Characteristics**

The upper stream of the river is densly covered by plane-trees. There is a micro-reservoir and several fish-ponds in the middle current. The section between the villages of Poroyna and Dolni izvor is un-wooded. Near the village of Poroyna there are poplars, willows, reed. The section between the villages of Dolni izvor and Nov izvor there are willows, poplars, planes, bushes and arable areas of sunflowers.

## 4.2 Quality and importance

The belt of plane-trees up-stream, surrounded by arable land is an important bio-corridor for various species. A significant variety and concentration of shrikes has been observed within the site. The reservoir is used by the Night herons from the colony near the village of Konush. Extremely suitable for a NATURA 2000 site. In table "Ecological Information - Other Important species", the species justified by 'A-National' are not necessarily included in the National Red Data Book, because its last edition is too old (1985), not up-dated and has no legislative value. The species indicated by 'A-National' are the protected flora and fauna species, included in the Bulgarian Biodiversity Act, and therefore this motivation is given highest priority. The Sabanejewia aurata found within the site has recently been identified as Sabanejewia balcanica, derived from Sabanejewia aurata balcanica subspecies.

#### 4.3 Threats, pressures and activities with impacts on the site

The	most im	portani	impacts	and	activities	with	high	effect or	n the site
-----	---------	---------	---------	-----	------------	------	------	-----------	------------

Rank	Threats and pressures [code]	(ontional)	inside/outside [i o b]
М	E01.03		i
L	F02.03		i
М	E03.01		i
М	E03 04		i

Rank n	management	II ANTIANAI I	inside/outside [i o b]
--------	------------	---------------	---------------------------

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

#### 4.5 Documentation

Initial proposal and description of the site made by Elena Kmetova, Dimitar Popov, Mladen Angelov - Green Balkans Federation, Plovdiv 4000, +359 32 62 69 77, office@greenbalkans.org; Angel Tsekov.Initially listed documents: Arnold, E., J. Burton, D. Ovenden. 1992. A field guide to the Reptiles and Amphibians of Britain and Europe. Collins Publ., London, 272 pp.•Benda, P., T. Ivanova, I. Horacek, V. Hanak, J. Gaisler, J. Cerveny, J. Gaisler, A. Georgieva, B. Petrov, V. Vohralik. 2003. Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 3. Review of bat distribution in Bulgaria. Acta Soc. Zool. Bohem., 67, 245-357. CORINE BIOTOPES database Cramp, St. 1983. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume 4. Oxford University Press, 48-62 pp. • Cramp, St., K. Simmons et al. 1977. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume I: Ostrich to Ducks. Oxford University Press. Delany, S., C. Reyes, E. Hubert, S. Pihl, E. Rees, L. Haanstra, A. Strien. 1999. Results from the International Waterbird Census in the Westwrn Paleactic and Southwest Asia 1995 and 1996. Wetlands International Publication, 54, 178 pp.•Georgiev, D. 2003. A report of Mesocricetus newtoni (Mammalia: Cricetidae) from South-Eastern Bulgaria. Trav. Sci. Univ. Plovdiv, Animalia, 39 (6), 107-110. Ivanova, T. 2005. Important Bat Underground Habitats (IBUH) in Bulgaria. Acta zool. Bulg.•Horacek, I., J. Cerveny, A. Tausl, D. Vitek. 1974. Notes on the Mammal fauna of Bulgaria (Insectivora, Chiroptera, Rodentia). Vestnik Cesk. Spol. Zool., XXXVIII, 1,19-31. Karapetkova, M., M. Zhivkov . 1995. Fish in Bulgaria. Sofia. "Gea Libris", 247 pp. • Kavrakova, V., D. Dimova, M. Dimitrov, R. Tsonev, T.Belev (ed.). 2005. Guide for identification of habitats of European significance in Bulgaria. WWF DCP, Green Balkans Federation. Sofia. 128 pp. • Kostadinova, I. (compiler). 1997. Important Bird Areas in Bulgaria. BSPB, Sofia. • Kostadinova, I., S. Dereliev. 2001. Results from the midwinter census of waterfowl in Bulgaria for the period 1997-2001 year, Sofia. •Macdonald, D., P. Barret. 1993. Mammals of Britain & Europe. Collins field guide, Harper Collins Publ., London, 312 pp. Michev, T., L. Profirov. 2003. Mid-winter Numbers of Waterbirds in Bulgaria (1977-2001). Results form 25 years of mid-winter counts carried out at the most important Bulgarian wetlands. Sofia - Moscow, 160. Mihov, S. 2002. Field guide of amphibians in Bulgaria, Bourgas Wetlands, 45 pp. Milchev, B., Z. Boev, V. Georgiev. 2004. Die Nahrung der Schleiereule (Tyto alba) in Sudost-Bulgarien. Egretta, 47, 66-77. Nankinov, D., S. Simeonov, T. Michev, B. Ivanov. 1997. Fauna of Bulgaria. Vol. 26: Aves, Part II. Sofia, Academic Publishing House "Prof. M. Drinov", 427 pp. Nankinov, D. et al. 2004. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 32 pp.•Ornithological database of Green Balkans Federation of Nature Conservation NGOs. •Patev, P. 1950. Birds in Bulgaria. BAS, Sofia, 364 pp. •Peshev, T., D. Peshev, V. Popov. 2004. Fauna of Bulgaria. Vol. 27: Mammalia. Sofia. Academic Publishing House "Prof. M. Drinov", 632 pp. • Popov, V. 2003. Mammals in Bulgaria. Vitosha Nature Park Directorate, Sofia, "Geosoft", 291 pp.•Roché, J. 2000. Die Vogelstimmen Europas auf 4 CDs - Rufe und Gesänge. "Kosmos". • Simeonov, S., T. Michev. 1991. The birds of the Balkan Peninsula. "Peter Beron", Sofia, 249 pp.•Simeonov, S., T. Michev, D. Nankinov. 1990. Fauna in Bulgaria. Vol. 20 Aves. Part I. S., BAS, 350 pp. Simeonov, S., T. Michev. 1991. Birds of the Balkan Peninsula. Peter Beron, Sofia, 245 pp. Swensson, L. 1992. Identification guide to European Passerines. Stockholm. Swensson L., P. Grant. 2000. Bird guide. Harper Collins Publishers, London, 392 pp. •Sakalyan, M. (eds.). 1993. National Strategy for Biodiversity Conservation. Main Reports. Volume 1.Data revised by a team of Bulgarian Academy of Sciences (http://www.bas.bg). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0000438&siteType=HabitatDirective

# **5. SITE PROTECTION STATUS (optional)**

## **5.1 Designation types at national and regional level:**

Cover [%]

**Back to top** 

Code	Cover [%]	Code	Cover [%]	Code
BG00	98.29	BG06	1.71	

# 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Туре	Cover [%]
BG06	Dabeto	+	0.86
BG06	Chinar dere	+	0.85

# 5.3 Site designation (optional)

		Back to top
6.1 Body(ies) respon	nsible for the site management:	<u> </u>
Organisation:	Regional Inspectorate of Environment and Water: Plovdiv	
Address:		
Email:		
<b>6.2 Management Pla</b> An actual management	• •	
Yes		
No, but in prepar	ation	
X No		
6.3 Conservation me	easures (optional)	
7. MAP OF THE S	SITES	
_		Back to top
INSPIRE ID:		
Map delivered as PDF i	n electronic format (optional)	
Yes X No		