NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA), Proposed Sites for Community Importance (pSCI), Sites of Community Importance (SCI) and NATURA 2000 for Special Areas of Conservation (SAC)

SITE **BG0000444**

SITENAME Reka Pyasachnik

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- <u>5. SITE PROTECTION STATUS</u>
- <u>6. SITE MANAGEMENT</u>
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

Back to top

| 1.1 Type | 1.2 Site code | |
|----------|---------------|--|
| В | BG0000444 | |

1.3 Site name

| 1 4 First Commitation date | 1 Filmdata data | |
|----------------------------|-----------------|--|
| Reka Pyasachnik | | |
| | | |

| 1.4 First Compilation date | 1.5 Update date |
|----------------------------|-----------------|
| 2006-01 | 2020-12 |

1.6 Respondent:

Name/Organisation: Ministry of Environment and Water, "National Nature Protection Service" Directorate

Address: Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia

Email: natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

| Date site classified as SPA: | 0000-00 |
|---|---------|
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 2007-03 |
| Date site confirmed as SCI: | 2008-12 |

Date site designated as SAC: No data

National legal reference of SAC designation: No data

Adopted by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Back to top

Longitude 24.6558 Latitude 42.3067

2.2 Area [ha]: 2.3 Marine area [%]

1412.7484 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

| NUTS level 2 code | Region Name |
|-------------------|------------------------------------|
| BG42 | Южен централен / Yuzhen tsentralen |

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

Back to top

| Annex I Habitat types | | | | | | Site assessment | | | | | |
|-----------------------|----|----|------------|------------------|-----------------|------------------|---------------------|--------------|--------|--|--|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | | | | | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global | | |
| 91AA B | | | 132.03 | | М | В | С | С | В | | |
| 91M0 8 | | | 53.56 | | М | В | С | С | В | | |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | Population in the site | | | | | | Site assessment | | | | |
|---------|------|--------------------|---|------------------------|---|------|---------|------|------|-----------------|---------------|------|------|------|
| G | Code | Scientific Name | S | NP | Т | Size | | Unit | Cat. | D.qual. | A B C D A B C | | | |
| | | | | | | Min | Min Max | | | | Pop. | Con. | Iso. | Glo. |

| М | 1308 | Barbastella barbastellus | р | | | | V | DD | D | | | |
|---|------|--|---|--------|--------|------------|---|----|---|---|---|---|
| F | 5088 | Barbus cyclolepis | р | | | | С | DD | С | В | С | В |
| Α | 1188 | Bombina bombina | р | | | localities | Р | DD | С | Α | С | В |
| Α | 1193 | Bombina variegata | р | 1 | 1 | localities | V | Р | С | А | С | А |
| М | 1352 | Canis lupus | р | | | | Р | DD | D | | | |
| I | 1088 | <u>Cerambyx</u> <u>cerdo</u> | р | | | | R | DD | D | | | |
| F | 1149 | Cobitis taenia | р | 700076 | 700076 | i | R | G | С | В | С | Α |
| R | 5194 | Elaphe sauromates | р | | | localities | Р | DD | С | А | С | В |
| R | 1220 | Emys orbicularis | р | 6 | 6 | localities | R | М | С | А | С | В |
| I | 1083 | <u>Lucanus cervus</u> | р | | | | R | DD | С | С | С | С |
| М | 1355 | <u>Lutra lutra</u> | р | 3 | 6 | i | | G | С | Α | С | В |
| I | 1089 | Morimus funereus | р | | | | R | DD | D | | | |
| М | 1323 | Myotis bechsteinii | р | | | | Р | DD | D | | | |
| М | 1316 | Myotis capaccinii | р | | | | Р | DD | D | | | |
| М | 1321 | Myotis emarginatus | р | 51 | 100 | i | | G | С | В | С | С |
| М | 1304 | Rhinolophus ferrumequinum | р | 11 | 50 | i | | G | С | В | С | С |
| М | 1303 | Rhinolophus hipposideros | р | 11 | 50 | i | | G | С | В | С | С |
| F | 5339 | Rhodeus amarus | р | 900000 | 900000 | area | Р | Р | С | С | С | С |
| М | 1335 | <u>Spermophilus</u> <u>citellus</u> | р | | | | V | DD | С | С | С | С |
| R | 1219 | <u>Testudo</u> graeca | р | | | localities | Р | DD | С | С | С | С |
| R | 1217 | <u>Testudo</u> <u>hermanni</u> | р | | | localities | Р | DD | С | С | С | С |
| Α | 1171 | <u>Triturus</u> <u>karelinii</u> | р | | | localities | Р | DD | С | Α | С | В |
| I | 1032 | Unio crassus | p | | | i | R | М | С | В | С | В |
| М | 2635 | Vormela peregusna | р | | | | Р | DD | С | В | С | В |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see <u>reference portal</u>)

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | Population in the site | Motivation |
|---------------|-------------------------|------------|
| Бросия | - opanacion in ano occo | |

| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other c | | categories | |
|-------|------|-------------------------------------|---|----|------|-----|------|---------|------------------|---|---------|---|------------|---|
| | | | | | Min | Max | | C R V P | IV | V | A | В | С | D |
| Α | | Bufo viridis | | | | | | Р | | | | | Х | |
| R | | Coluber caspius | | | | | | Р | | | | | X | |
| R | | Elaphe longissima | | | | | | Р | | | | | X | |
| F | | Gobio gobio | | | | | | Р | | | | | | X |
| Α | | <u>Hyla arborea</u> | | | | | | Р | | | | | X | |
| R | | <u>Lacerta</u> <u>trilineata</u> | | | | | | С | | | | | X | |
| R | | Lacerta viridis | | | | | | С | | | | | X | |
| F | | <u>Leuciscus</u> <u>cephalus</u> | | | | | | С | | | | | | X |
| R | | Natrix tessellata | | | | | | Р | | | | | X | |
| Α | | Pelobates syriacus | | | | | | Р | | | | | X | |
| R | | Podarcis muralis | | | | | | V | | | | | X | |
| R | | Podarcis taurica | | | | | | С | | | | | X | |
| Α | | Rana dalmatina | | | | | | Р | | | | | X | |
| R | | <u>Vipera</u> <u>ammodytes</u> | | | | | | Р | | | | | x | |
| I | | Zerynthia polyxena | | | | | | С | | | | | X | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see <u>reference portal</u>)

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: IV, V: Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

Back to top

| Habitat class | % Cover |
|---------------------|---------|
| N08 | 10.0 |
| N16 | 27.0 |
| N09 | 9.0 |
| N23 | 11.0 |
| N15 | 43.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

The site represents a river, linking the Pyasuchnik Reservoir with the Maritsa River. The Pyasachnik River is a small river with reed on some places, riverine vegetation and arable land and woods at the border of the site. There is a forest within a military region. The site is also directly near fish-ponds, that have also been proposed for NATURA 2000 site.

4.2 Quality and importance

The site represents a river, linking the Pyasuchnik Reservoir with the Maritsa River. The site is also directly near fish-ponds, that have also been proposed for NATURA 2000 site. In table "Ecological Information - Other Important species", the species justified by 'A-National' are not necessarily included in the National Red Data Book, because its last edition is too old (1985), not up-dated and has no legislative value. The species indicated by 'A-National' are the protected flora and fauna species, included in the Bulgarian Biodiversity Act, and therefore this motivation is given highest priority. The Sabanejewia aurata found within the site has recently been identified as Sabanejewia balcanica, derived from Sabanejewia aurata balcanica subspecies.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | | | | | |
|------------------|------------------------------|-----------------------------------|---------------------------|--|--|--|--|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] | | | | |
| L | A03 | | į | | | | |
| L | A03 | | 0 | | | | |
| L | C01.01 | | 0 | | | | |
| L | C01.01 | | į | | | | |
| M | E03 | | i | | | | |
| M | F03.01 | | О | | | | |
| M | F03.01 | | i | | | | |
| M | E03 | | О | | | | |

| Positive Impacts | | | | | | | |
|------------------|-------------------------------------|--|---------------------------|--|--|--|--|
| | Activities, management [code] | | inside/outside [i o b] | | | | |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Gradimir Gradev, Elena Kmetova - Green Balkans Federation, Plovdiv 4000, +359 32 62 69 77, office@greenbalkans.org; Angel Tsekov.Initially listed documents: Arnold, E., J. Burton, D. Ovenden. 1992. A field guide to the Reptiles and Amphibians of Britain and Europe. Collins Publ., London, 272 pp.•Benda, P., T. Ivanova, I. Horacek, V. Hanak, J. Gaisler, J. Cerveny, J. Gaisler, A. Georgieva, B. Petrov, V. Vohralik. 2003. Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 3. Review of bat distribution in Bulgaria. Acta Soc. Zool. Bohem., 67, 245-357. CORINE BIOTOPES database Cramp, St. 1983. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume 4. Oxford University Press, 48-62 pp. • Cramp, St., K. Simmons et al. 1977. Handbook of the Birds of Europe the Middle East and North Africa. The Birds of the Western Palearctic. Volume I: Ostrich to Ducks. Oxford University Press. Delany, S., C. Reyes, E. Hubert, S. Pihl, E. Rees, L. Haanstra, A. Strien. 1999. Results from the International Waterbird Census in the Westwrn Paleactic and Southwest Asia 1995 and 1996. Wetlands International Publication, 54, 178 pp.•Georgiev, D. 2003. A report of Mesocricetus newtoni (Mammalia: Cricetidae) from South-Eastern Bulgaria. Trav. Sci. Univ. Plovdiv, Animalia, 39 (6), 107-110.•Ivanova, T. 2005. Important Bat Underground Habitats (IBUH) in Bulgaria. Acta zool. Bulg. Horacek, I., J. Cerveny, A. Tausl, D. Vitek. 1974. Notes on the Mammal fauna of Bulgaria (Insectivora, Chiroptera, Rodentia). Vestnik Cesk. Spol. Zool., XXXVIII, 1,19-31.•Karapetkova, M., M. Zhivkov . 1995. Fish in Bulgaria. Sofia. "Gea Libris", 247 pp.•Kavrakova, V., D. Dimova, M. Dimitrov, R. Tsonev, T.Belev (ed.). 2005. Guide for identification of habitats of European significance in Bulgaria. WWF DCP, Green Balkans Federation. Sofia. 128 pp. Kostadinova, I. (compiler). 1997. Important Bird Areas in Bulgaria. BSPB, Sofia. Kostadinova, I., S. Dereliev. 2001. Results from the midwinter census of waterfowl in Bulgaria for the period 1997-2001 year, Sofia. •Macdonald, D., P. Barret. 1993. Mammals of Britain & Europe. Collins field guide, Harper Collins Publ., London, 312 pp. Michey, T., L. Profirov. 2003. Mid-winter Numbers of Waterbirds in Bulgaria (1977-2001). Results form 25 years of mid-winter counts carried out at the most important Bulgarian wetlands. Sofia - Moscow, 160. Mihov, S. 2002. Field guide of amphibians in Bulgaria, Bourgas Wetlands, 45 pp.•Milchev, B., Z. Boev, V. Georgiev. 2004. Die Nahrung der Schleiereule (Tyto alba) in Sudost-Bulgarien. Egretta, 47, 66-77. Nankinov, D., S. Simeonov, T. Michev, B. Ivanov. 1997. Fauna of Bulgaria. Vol. 26: Aves, Part II. Sofia, Academic Publishing House "Prof. M. Drinov", 427 pp. Nankinov, D. et al. 2004. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 32 pp. Ornithological database of Green Balkans Federation of Nature Conservation NGOs. •Patev, P. 1950. Birds in Bulgaria. BAS, Sofia, 364 pp. •Peshev, T., D. Peshey, V. Popov. 2004. Fauna of Bulgaria. Vol. 27: Mammalia.Sofia. Academic Publishing House "Prof. M. Drinov", 632 pp. Popov, V. 2003. Mammals in Bulgaria. Vitosha Nature Park Directorate, Sofia, "Geosoft", 291 pp. Roché, J. 2000. Die Vogelstimmen Europas auf 4 CDs – Rufe und Gesänge. "Kosmos".•Simeonov, S., T. Michev. 1991. The

birds of the Balkan Peninsula. "Peter Beron", Sofia, 249 pp. Simeonov, S., T. Michev, D. Nankinov. 1990. Fauna in Bulgaria. Vol. 20 Aves. Part I. S., BAS, 350 pp. Simeonov, S., T. Michev. 1991. Birds of the Balkan Peninsula. Peter Beron, Sofia, 245 pp. Swensson, L. 1992. Identification guide to European Passerines. Stockholm. Swensson L., P. Grant. 2000. Bird guide. Harper Collins Publishers, London, 392 pp. Sakalyan, M. (eds.). 1993. National Strategy for Biodiversity Conservation. Main Reports. Volume 1.Data revised by a team of Bulgarian Academy of Sciences (http://www.bas.bg). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): http://natura2000.moew.government.bg /Home/ProtectedSite?code=BG0000444& siteType=HabitatDirective

| E CITE E | | N CTATI | IC (antia | | | |
|--------------|--------------------------------|--------------|----------------|---------------------------|----------------------|-------------|
| | PROTECTIO | | | _ | | Back to top |
| Code | Cover [% | o] | Code | Cover [%] | Code | Cover [%] |
| BG00 | 100.0 | | | | | |
| 5.2 Relatio | n of the desci | ribed site | with other | sites: | | |
| 5.3 Site de | signation (op | tional) | | | | |
| 6. SITE N | 1ANAGEME | NT | | | | |
| | | | sito manag | omant: | | Back to top |
| Organisation | es) responsib | | | of Environment and Wa | ter: Plovdiv | |
| Address: | | regionari | inspector ate | or Environment and wa | ter. Frovarv | |
| Email: | | | | | | |
| _ | ement Plan(s anagement plan | - | | | | |
| Yes | | | | | | |
| | t in preparation | | | | | |
| X No | | | | | | |
| 6.3 Conser | vation measu | res (optio | nal) | | | |
| 7. MAP 0 | F THE SITE | ES | | | | |
| | | | | | | Back to top |
| INSPIRE ID: | | | | | | |
| | | | | | | |
| Map deliver | ed as PDF in ele | ctronic forn | nat (optional) |) | | |
| Yes | X No | | | | | |
| | | | | | | |
| Reference(s |) to the original | map used | for the digita | lisation of the electroni | c boundaries (option | nal). |
| | | | | | | |