



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE BG0001031
SITENAME Rodopi - Sredni

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

| | |
|----------------------|-----------------------------------|
| 1.1 Type B | 1.2 Site code BG0001031 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|-----------------|
| Rodopi - Sredni |
|-----------------|

| | |
|-----------------------------------|------------------------|
| 1.4 First Compilation date | 1.5 Update date |
| 2006-09 | 2018-12 |

1.6 Respondent:

| | |
|---------------------------|-------------------------------------------------------------------------------------|
| Name/Organisation: | Ministry of Environment and Water, "National Nature Protection Service" Directorate |
| Address: | Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia |
| Email: | natura2000@moew.government.bg |

1.7 Site indication and designation / classification dates

| | |
|----------------------------------------------------|---------|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |

| | |
|-------------------------------------|---------|
| Date site proposed as SCI: | 2007-10 |
| Date site confirmed as SCI: | 2008-12 |
| Date site designated as SAC: | No data |

| | |
|-----------------------------------------------------|---------|
| National legal reference of SAC designation: | No data |
|-----------------------------------------------------|---------|

| | |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Explanation(s): | Adopted by Council of Ministers Decision No. 661/16.10.2007 (promulgated SG 85/2007). Extended by Council of Ministers Decision No. 811/16.11.2010 (promulgated SG 96/2010). |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

[Back to top](#)

[Back to top](#)

| | | | | | | | | | | |
|------|--|--|----------|-----|---|---|--|---|---|---|
| 62A0 | | | 435.43 | | M | A | | C | A | A |
| 6430 | | | 26.48 | | M | A | | C | A | A |
| 6510 | | | 17.31 | | M | A | | C | A | A |
| 6520 | | | 4098.08 | | M | A | | A | A | A |
| 7140 | | | 10.84202 | | | A | | C | B | B |
| 7220 | | | 0.18 | | G | B | | C | C | C |
| 8110 | | | 23.54 | | M | A | | C | A | A |
| 8210 | | | 612.84 | | M | A | | B | A | A |
| 8220 | | | 533.5 | | M | A | | B | A | A |
| 8230 | | | 921.79 | | M | A | | A | A | A |
| 8310 | | | | 385 | G | A | | B | A | A |
| 9110 | | | 965.37 | | M | A | | B | A | A |
| 9130 | | | 699.94 | | M | A | | C | B | A |
| 9150 | | | 795.68 | | M | B | | C | B | B |
| 9170 | | | 17971.51 | | M | A | | B | A | A |
| 9180 | | | 0.7 | | M | D | | | | |
| 91AA | | | 1456.32 | | G | B | | C | B | C |
| 91BA | | | 829.93 | | M | A | | B | A | A |
| 91CA | | | 151.89 | | M | A | | C | A | A |
| 91E0 | | | 4.15 | | G | A | | C | A | A |
| 91M0 | | | 10501.29 | | M | B | | C | A | A |
| 91W0 | | | 2484.59 | | M | A | | B | A | A |
| 91Z0 | | | 105.35 | | M | A | | C | A | B |
| 92A0 | | | 15.47974 | | | A | | C | A | A |
| 92C0 | | | 3.66 | | M | B | | C | B | B |
| 9410 | | | 2461.99 | | M | A | | B | A | A |
| 9530 | | | 3543.6 | | M | A | | B | A | A |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | Site assessment | | | | |
|---------|------|---------------------------------------------|------------------------|----|---|------|------|------|------|-----------------|---------|------|-------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| I | 1093 | Austropotamobius torrentium | | | p | | | i | R | G | C | A | B | A |
| M | 1308 | Barbastella barbastellus | | | p | 618 | 1125 | i | C | M | B | B | C | B |
| F | 5088 | Barbus cyclolepis | | | p | | | | C | DD | B | A | C | A |

| | | | | | | | | | | | | | | |
|---|------|----------------------------------------------|--|--|---|---------|---------|------------|---|----|---|---|---|---|
| A | 1193 | Bombina variegata | | | p | 31 | 31 | localities | C | G | B | A | C | A |
| M | 1352 | Canis lupus | | | p | 20 | 25 | i | | G | B | A | C | A |
| I | 1088 | Cerambyx cerdo | | | p | | | | R | DD | C | B | C | B |
| F | 1149 | Cobitis taenia | | | p | 3305075 | 3305075 | i | C | G | B | A | C | A |
| P | 1902 | Cypripedium calceolus | | | p | | | | V | DD | A | A | A | B |
| P | 4103 | Dactylorhiza kalopissii | | | p | 45 | 150 | i | | G | B | C | A | B |
| I | 4032 | Dioszeghyana schmidtii | | | p | 9964 | 14047 | i | R | M | C | A | B | A |
| R | 5194 | Elaphe sauromates | | | p | 3 | 3 | localities | V | P | C | A | B | A |
| R | 1293 | Elaphe situla | | | p | | | localities | P | DD | C | A | A | A |
| R | 1220 | Emys orbicularis | | | p | 15 | 15 | localities | C | G | C | A | C | A |
| I | 1074 | Eriogaster catax | | | p | | | | R | DD | C | A | C | B |
| I | 1065 | Euphydryas aurinia | | | p | | | | R | DD | B | A | B | A |
| I | 6199 | Euplagia quadripunctaria | | | p | 39976 | 72241 | i | C | P | B | A | C | A |
| I | 1083 | Lucanus cervus | | | p | 161949 | 318585 | i | R | M | C | B | C | B |
| M | 1355 | Lutra lutra | | | p | 30 | 35 | i | C | G | C | B | C | A |
| M | 1310 | Minopterus schreibersii | | | w | 3000 | 4000 | i | C | G | B | B | C | B |
| M | 1310 | Minopterus schreibersii | | | r | 4000 | 5000 | i | C | G | B | B | C | B |
| I | 1089 | Morimus funereus | | | p | | | | R | DD | B | B | C | B |
| M | 1323 | Myotis bechsteinii | | | p | | | | P | DD | B | B | C | B |
| M | 1307 | Myotis blythii | | | r | 600 | 1500 | i | C | G | B | B | C | B |
| M | 1307 | Myotis blythii | | | w | 2000 | 4000 | i | R | G | A | B | C | A |
| M | 1316 | Myotis capaccinii | | | p | 100 | 200 | i | R | G | C | B | C | C |
| M | 1316 | Myotis capaccinii | | | w | 5000 | 11000 | i | C | G | A | B | C | A |
| M | 1321 | Myotis emarginatus | | | r | 251 | 500 | i | R | G | C | B | C | C |
| M | 1324 | Myotis myotis | | | r | 600 | 1500 | i | C | G | B | B | C | B |
| M | 1324 | Myotis myotis | | | c | | | | R | DD | B | B | C | B |
| M | 1324 | Myotis myotis | | | w | 2000 | 4000 | i | C | G | B | B | C | B |
| I | 4053 | Paracaloptenus caloptenoides | | | p | 8 | 8 | localities | R | M | B | A | C | A |
| I | 4042 | Polyommatus eroides | | | p | | | | P | DD | C | C | C | C |
| M | 1306 | Rhinolophus blasii | | | p | 101 | 250 | i | R | G | B | B | C | B |
| M | 1305 | Rhinolophus euryale | | | p | 101 | 250 | i | R | G | C | B | C | C |
| M | 1304 | Rhinolophus ferrumequinum | | | p | 1000 | 2000 | i | C | G | B | B | C | B |
| M | 1303 | Rhinolophus hipposideros | | | r | 251 | 500 | i | C | G | B | B | C | B |
| M | 1302 | Rhinolophus mehelyi | | | p | 11 | 50 | i | V | G | C | B | C | C |
| F | 5339 | Rhodeus amarus | | | p | 463549 | 463549 | i | R | G | C | B | C | B |
| I | 1087 | Rosalia alpina | | | p | 170016 | 309626 | i | R | M | B | B | C | B |
| M | 1371 | Rupicapra rupicapra | | | p | 310 | 420 | i | | M | B | B | A | A |

| | | | | | | | | | | | | | | |
|---|------|---------------------------------------|--|--|---|---------|---------|------------|---|---|---|---|---|---|
| | | balcanica | | | | | | | | | | | | |
| F | 1146 | Sabanejewia aurata | | | p | 6056990 | 6056990 | area | P | P | C | A | B | A |
| M | 1335 | Spermophilus citellus | | | p | 15 | 15 | colonies | R | G | C | B | C | A |
| R | 1219 | Testudo graeca | | | p | 36 | 36 | localities | C | G | C | A | C | A |
| R | 1217 | Testudo hermanni | | | p | 45 | 45 | localities | C | G | C | A | C | A |
| A | 1171 | Triturus karelinii | | | p | 9 | 9 | localities | R | M | C | A | C | A |
| I | 1032 | Unio crassus | | | p | | | i | R | G | C | A | C | B |
| M | 1354 | Ursus arctos | | | p | 34 | 34 | i | | G | B | A | B | A |
| M | 2635 | Vormela peregusna | | | p | 1 | 1 | localities | R | P | C | A | C | A |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|-------------------------------------------|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| P | | Adiantum capillus-veneris | | | | | | R | | | X | | | |
| P | | Alkanna primuliflora | | | | | | R | | | X | | | |
| P | | Alkanna sibirnyi | | | | | | R | | | X | | | |
| P | | Alyssum sibirnyi | | | | | | R | | | X | | | |
| P | | Anacamptis pyramidalis | | | | | | R | | | X | | | |
| P | | Anchusa stylosa | | | | | | P | | | X | | | |
| P | | Angelica pancicii | | | | | | P | | | X | | | |
| P | | Anthemis gaudium-solis | | | | | | P | | | X | | | |
| P | | Anthemis orbelica | | | | | | P | | | X | | | |
| P | | Anthemis sibirnyi | | | | | | P | | | X | | | |
| P | | Aquilegia nigricans | | | | | | R | | | X | | | |
| P | | Arenaria rhodopaea | | | | | | R | | | X | | | |
| P | | Asplenium cuneifolium | | | | | | R | | | X | | | |

| | | | | | | | | | | | | | | |
|---|--|------------------------------------------|--|--|--|--|--|---|--|--|---|---|---|---|
| P | | Astragalus dasyanthus | | | | | | R | | | X | | | |
| I | | Balkanopetalum beskovi | | | | | | P | | | | X | | |
| A | | Bufo bufo | | | | | | C | | | | | | X |
| A | | Bufo viridis | | | | | | C | | | | | X | |
| I | | Calosoma sycophanta | | | | | | R | | | X | | | |
| P | | Campanula jordanovii | | | | | | R | | | X | | | |
| P | | Campanula lanata | | | | | | R | | | X | | | |
| I | | Carabus intricatus | | | | | | C | | | | | X | |
| P | | Carduus thracicus | | | | | | R | | | X | | | |
| P | | Carex limosa | | | | | | V | | | X | | | |
| P | | Carex punctata | | | | | | V | | | X | | | |
| P | | Chondrilla urumoffii | | | | | | R | | | X | | | |
| F | | Chondrostoma vardareense | | | | | | R | | | | X | | |
| I | | Coenonympha rhodopensis | | | | | | C | | | | X | | |
| I | | Cordioniscus schmalfussi | | | | | | P | | | | X | | |
| P | | Cortusa matthioli | | | | | | V | | | X | | | |
| P | | Crataegus orientalis | | | | | | V | | | X | | | |
| P | | Crocus olivieri | | | | | | R | | | X | | | |
| P | | Dactylorhiza incarnata | | | | | | R | | | X | | | |
| P | | Daphne laureola | | | | | | R | | | X | | | |
| P | | Dianthus sribnyi | | | | | | V | | | X | | | |
| P | | Digitalis laevigata | | | | | | R | | | X | | | |
| I | | Duvalius karelhurkai | | | | | | R | | | | X | | |
| I | | Duvalius nedelkovi | | | | | | R | | | | X | | |
| P | | Ephedra distachya | | | | | | R | | | X | | | |
| P | | Epipactis exilis | | | | | | R | | | | | | X |
| P | | Epipactis greuteri | | | | | | V | | | | X | | |
| P | | Epipactis palustris | | | | | | R | | | X | | | |
| P | | Epipactis pontica | | | | | | R | | | | | | X |
| P | | Epipactis purpurata | | | | | | V | | | X | | | |
| P | | Erodium hoefftianum | | | | | | R | | | X | | | |
| M | | Felis silvestris | | | | | | C | | | X | | | |
| P | | Fritillaria pontica | | | | | | R | | | X | | | |
| P | | Galanthus elwesii | | | | | | R | | | X | | | |

| | | | | | | | | | | | | | | |
|---|--|------------------------------------------|--|--|--|--|--|---|--|--|---|---|---|---|
| P | | Galium rhodopeum | | | | | | R | | | X | | | |
| P | | Gentiana lutea | | | | | | R | | | X | | | |
| P | | Gentianella engadinensis | | | | | | R | | | X | | | |
| P | | Geranium bohemicum | | | | | | R | | | X | | | |
| I | | Glaucopsyche alexis | | | | | | C | | | | | | X |
| F | | Gobio gobio | | | | | | R | | | | | | X |
| P | | Haberlea rhodopensis | | | | | | C | | | X | | | |
| P | | Hammarbia paludosa | | | | | | V | | | X | | | |
| P | | Ilex aquifolium | | | | | | R | | | X | | | |
| P | | Juniperus excelsa | | | | | | R | | | X | | | |
| P | | Lathraea rhodopaea | | | | | | C | | | X | | | |
| F | | Leuciscus cephalus | | | | | | C | | | | | | X |
| P | | Lilium rhodopaeum | | | | | | R | | | X | | | |
| I | | Limenitis populi | | | | | | C | | | | | | X |
| P | | Limodorum abortivum | | | | | | R | | | X | | | |
| P | | Linum elegans | | | | | | R | | | X | | | |
| P | | Listera cordata | | | | | | R | | | X | | | |
| P | | Lycopodiella inundata | | | | | | V | | | X | | | |
| I | | Maculinea arion | | | | | | C | | | | | | X |
| I | | Maculinea arion | | | | | | C | | | | | X | |
| P | | Malcolmia serbica | | | | | | R | | | X | | | |
| M | | Martes martes | | | | | | R | | | X | | | |
| P | | Medicago rhodopaea | | | | | | R | | | X | | | |
| P | | Morina persica | | | | | | R | | | X | | | |
| I | | Nesticus beroni | | | | | | P | | | | X | | |
| P | | Onosma rhodopaea | | | | | | R | | | X | | | |
| P | | Ophrys cornuta | | | | | | R | | | X | | | |
| P | | Ophrys mammosa | | | | | | R | | | X | | | |
| P | | Paeonia mascula | | | | | | V | | | X | | | |
| I | | Parnassius apollo | | | | | | C | | | | | X | |
| I | | Parnassius mnemosyne | | | | | | C | | | | | X | |
| P | | Petkovia orphanidea | | | | | | R | | | X | | | |
| F | | Phoxinus phoxinus | | | | | | C | | | | | | X |
| I | | Pieris ergane | | | | | | C | | | | | | X |
| P | | Potentilla palustris | | | | | | R | | | X | | | |

| | | | | | | | | | | | | | | | |
|---|--|----------------------------------------|--|--|--|--|--|---|--|--|---|---|---|--|---|
| I | | Pseudophilotes vicrama | | | | | | C | | | | | | | X |
| I | | Pterostichus vecors | | | | | | R | | | | X | | | |
| I | | Pyrgus cinarae | | | | | | C | | | | | | | X |
| A | | Rana dalmatina | | | | | | C | | | | | X | | |
| A | | Rana graeca | | | | | | C | | | | | | | X |
| A | | Rana temporaria | | | | | | C | | | | | | | X |
| P | | Ranunculus fontanus | | | | | | R | | | X | | | | |
| P | | Rhodiola rosea | | | | | | R | | | X | | | | |
| I | | Rhodopiola cavicola | | | | | | P | | | | X | | | |
| I | | Rhodopioniscus beroni | | | | | | P | | | | X | | | |
| F | | Salmo macedonicus | | | | | | C | | | | X | | | |
| F | | Salmo trutta | | | | | | C | | | | | | | X |
| P | | Saxifraga aizoides | | | | | | R | | | X | | | | |
| I | | Scolitantides orion | | | | | | C | | | | | X | | |
| P | | Sedum kostovii | | | | | | R | | | X | | | | |
| P | | Sedum stefco | | | | | | R | | | X | | | | |
| P | | Silene waldsteinii | | | | | | R | | | X | | | | |
| P | | Spiranthes spyralis | | | | | | V | | | X | | | | |
| I | | Thymelicus acteon | | | | | | C | | | | | | | X |
| P | | Tulipa rhodopea | | | | | | R | | | X | | | | |
| P | | Verbascum decorum | | | | | | R | | | X | | | | |
| P | | Viola grisebachiana | | | | | | R | | | X | | | | |
| I | | Zerynthia polyxena | | | | | | C | | | | | X | | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------|---------|
| N09 | 3.0 |

| | |
|----------------------------|------|
| N22 | 8.0 |
| N11 | 4.0 |
| N17 | 4.0 |
| N06 | 15.0 |
| N16 | 25.0 |
| N15 | 10.0 |
| N20 | 8.0 |
| N21 | 2.0 |
| N23 | 9.0 |
| N08 | 8.0 |
| N19 | 4.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Thã SCI includes the Dobrostan-Prespa and Dragoitza-Mechkovetz parts of the Rhodope Mountains. It is almost unpopulated. In the higher areas coniferous and beech forests are conserved, in the lower – oak forests. The Dobrostan part and the Chervenata Stena Natural Reserve are a big carst are with a lot of rocks and caves. The river Arda is still conserved in its middle course. Mediterranean climatic influence (Eurocontinental Upper Meso-Mediterranean climate according to Rivas-Martinez) can be observed by the rivers Chaya and its tributaries.

4.2 Quality and importance

The pSCI protects one of few remaining viable populations of land tortoises in the mountains surrounding upper Trakia plane. It protects one of the two small localities of habitat 92C0 in the upper Trakia plane. It protects the only known historical locality of Âlaphe situla in the upper Trakia plane. In the zone is the northern limit of distribution of habitat 9270. It also protects significant amount of bears at their eastern limit in South Bulgaria. The eastern, low part of the site is one of the best places for Elaphe quatorlineata sauromates.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | G02.02 | | i |
| M | D05 | | i |
| M | B02.02 | | i |
| H | B | | i |
| L | F04 | | i |
| L | D02.01 | | i |
| M | E02 | | i |
| L | A02 | | i |
| M | G01.03 | | i |
| H | J02 | | i |
| H | B01.02 | | i |
| M | J01 | | i |
| H | B02.01 | | i |
| H | F03.02.03 | | i |
| M | F03.02.01 | | i |
| M | E03.03 | | i |
| L | D01.02 | | i |
| M | E03.01 | | i |
| L | H07 | | i |
| M | B02.04 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |

| | | | |
|---|--------|--|---|
| H | F03.01 | | i |
| L | A08 | | i |
| H | A04.03 | | i |
| M | E01 | | i |
| L | A07 | | i |
| M | B02.03 | | i |
| H | J02.05 | | i |
| M | B03 | | i |
| L | F03.02 | | i |
| M | J02.03 | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Balkani Wildlife Society, office@balkani.org; Green Balkans, office@greenbalkans.org; Bulgarian Biodiversity Foundation, bbf@biodiversity.bg; Wilderness Fund. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). Data revised by a team of the Institute for Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences. New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0001031&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| BG00 | 98.52131 | BG03 | 0.81629 | BG06 | 0.1226 |
| BG01 | 0.505 | BG04 | 0.0348 | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|---------------------------------------------------------|------|-----------|
| BG03 | Nahodishte na snezhno kokiche | + | 0.03 |
| BG03 | Peshtera Gargina dupka | + | 0.012 |
| BG06 | Lale bair | + | 0.01695 |
| BG06 | Karadzhev kamak | + | 0.017855 |
| BG03 | Elata | + | 0.014 |
| BG03 | Nahodishte na momina salza I bozhur v mestnost Dreanaka | + | 0.01 |
| BG03 | Probitiya kamak | + | 0.03557 |
| BG03 | Dyavolski most | + | 0.0295 |
| BG06 | Martziganitza | + | 0.02 |
| BG01 | Chervenata stena | + | 0.505 |
| BG03 | Fosilni nahodki | + | 0.498 |

| | | | |
|------|----------------------------------|---|---------|
| BG06 | Aida | + | 0.011 |
| BG04 | Boraka | + | 0.008 |
| BG06 | Usoikata | + | 0.0126 |
| BG03 | Orlova skala | + | 0.047 |
| BG04 | Kazal cherpa | + | 0.0268 |
| BG03 | Oglednata skala | + | 0.01428 |
| BG03 | Belintazh | + | 0.0123 |
| BG03 | Rodopski silivryak | + | 0.02165 |
| BG06 | Gonda voda | + | 0.0236 |
| BG03 | Nahodishte na ela | + | 0.01599 |
| BG06 | Anatema | + | 0.0089 |
| BG03 | Boaza | + | 0.047 |
| BG06 | Nahodishte na darvovidna hvoina | + | 0.0117 |
| BG03 | Nahodishte na rodopski selivryak | + | 0.017 |
| BG03 | Hladnata peshtera | + | 0.012 |

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---------------------------------------------------------------------------|
| Organisation: | Regional Inspectorate of Environment and Water: Plovdiv, Smolyan, Haskovo |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|-------------------------------------|------------------------|
| <input type="checkbox"/> | Yes |
| <input type="checkbox"/> | No, but in preparation |
| <input checked="" type="checkbox"/> | No |

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

