



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **BG0001043**
SITENAME **Etropole - Baylovo**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

| | |
|----------------------|-----------------------------------|
| 1.1 Type B | 1.2 Site code BG0001043 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|--------------------|
| Etropole - Baylovo |
|--------------------|

| | |
|-----------------------------------|------------------------|
| 1.4 First Compilation date | 1.5 Update date |
| 2006-07 | 2018-12 |

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | Ministry of Environment and Water, "National Nature Protection Service" Directorate |
| Address: | Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia |
| Email: | natura2000@moew.government.bg |

1.7 Site indication and designation / classification dates

| | |
|--|---------|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 2007-10 |
| Date site confirmed as SCI: | 2008-12 |
| Date site designated as SAC: | No data |

| | |
|---|---------|
| National legal reference of SAC designation: | No data |
|---|---------|

| | |
|------------------------|---|
| Explanation(s): | Adopted by Council of Ministers Decision No. 661/16.10.2007 (promulgated SG 85/2007). |
|------------------------|---|

[Back to top](#)

[Back to top](#)

| | | | | | | | | | |
|------|--|--|---------|--|---|---|---|---|---|
| 9180 | | | 479.96 | | M | A | B | B | B |
| 91E0 | | | 80.45 | | M | A | C | A | A |
| 91H0 | | | 139.55 | | M | C | C | C | C |
| 91M0 | | | 3471.21 | | M | B | C | A | A |
| 91W0 | | | 2088.57 | | M | A | B | B | A |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | Population in the site | | | | | | | Site assessment | | | |
|---------|------|---|---|------------------------|---|--------|--------|------------|------|---------|-----------------|------|-------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| I | 1093 | Austropotamobius torrentium | | | p | 148720 | 148720 | i | C | M | C | A | C | A |
| M | 1308 | Barbastella barbastellus | | | p | 147 | 248 | i | R | M | C | A | C | B |
| F | 5088 | Barbus cyclolepis | | | p | | | | C | DD | C | B | C | B |
| F | 1138 | Barbus meridionalis | | | p | 13134 | 13134 | i | R | G | C | A | B | C |
| A | 1193 | Bombina variegata | | | p | 14 | 14 | localities | C | G | C | A | C | A |
| M | 1352 | Canis lupus | | | p | 8 | 9 | i | | G | C | A | C | A |
| I | 1088 | Cerambyx cerdo | | | p | 6885 | 10159 | i | R | M | C | B | C | B |
| F | 1149 | Cobitis taenia | | | p | 828170 | 828170 | area | P | P | C | B | C | C |
| R | 1220 | Emys orbicularis | | | p | | | localities | P | DD | C | A | C | B |
| I | 6199 | Euplagia quadripunctaria | | | p | 396 | 1189 | i | V | P | C | B | C | B |
| P | 2327 | Himantoglossum caprinum | | | p | | | | P | DD | D | | | |
| I | 1083 | Lucanus cervus | | | p | 61059 | 120113 | i | R | M | C | B | C | B |
| M | 1355 | Lutra lutra | | | p | 1 | 3 | i | P | M | C | C | C | C |
| M | 1310 | Miniopterus schreibersii | | | p | | | | P | DD | D | | | |
| I | 1089 | Morimus funereus | | | p | 260482 | 302559 | i | R | M | C | B | C | B |
| M | 1323 | Myotis bechsteinii | | | p | 59 | 117 | i | P | M | C | A | C | B |
| M | 1307 | Myotis blythii | | | p | | | | P | DD | D | | | |
| M | 1316 | Myotis capaccinii | | | p | | | | P | DD | D | | | |
| M | 1321 | Myotis emarginatus | | | p | | | | P | DD | D | | | |
| M | 1324 | Myotis myotis | | | p | | | | P | DD | D | | | |
| M | 1306 | Rhinolophus blasii | | | p | | | | P | DD | D | | | |
| M | 1305 | Rhinolophus euryale | | | p | | | | P | DD | D | | | |

| | | | | | | | | | | | | | | | |
|---|--|---|--|--|--|--|--|--|---|--|--|---|---|---|---|
| P | | candelabrum | | | | | | | C | | | | X | | |
| I | | Coenonympha rhodopensis | | | | | | | C | | | | X | | |
| P | | Digitalis viridiflora | | | | | | | C | | | | X | | |
| I | | Erebia medusa | | | | | | | C | | | | | | X |
| P | | Galanthus nivalis | | | | | | | C | | | | | X | |
| P | | Galium odoratum | | | | | | | C | | | | | | X |
| F | | Leuciscus cephalus | | | | | | | C | | | | | | X |
| I | | Limenitis populi | | | | | | | C | | | | | | X |
| I | | Maculinea arion | | | | | | | C | | | | | X | |
| P | | Minuartia rhodopaea | | | | | | | R | | | X | | | |
| P | | Orchis morio | | | | | | | R | | | | | X | |
| P | | Paeonia mascula | | | | | | | V | | | X | | | |
| F | | Phoxinus phoxinus | | | | | | | C | | | | | | X |
| P | | Phyllitis scolopendrium | | | | | | | R | | | | | | X |
| F | | Salmo trutta fario | | | | | | | C | | | | | | X |
| I | | Scolitantides orion | | | | | | | C | | | | | X | |
| P | | Sedum acre | | | | | | | C | | | | | | X |
| P | | Sesleria latifolia | | | | | | | C | | | | X | | |
| P | | Spiranthes spiralis | | | | | | | R | | | | | X | |
| P | | Stachys officinalis | | | | | | | R | | | | | | X |
| P | | Tragopogon balcanicus | | | | | | | C | | | | X | | |
| P | | Valeriana montana | | | | | | | R | | | X | | | |
| P | | Valeriana officinalis | | | | | | | R | | | | | X | |
| P | | Verbascum nobile | | | | | | | R | | | | X | | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N21 | 1.0 |
| N23 | 1.0 |
| N08 | 15.0 |
| N14 | 2.0 |
| N15 | 2.0 |
| N16 | 61.0 |
| N19 | 16.0 |
| N20 | 2.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

The SCI is united part of Balkan Range (Etropolska Mountain) and adjacent lower mountain Baylovo, which is a link to Sredna Gora Mountain. The two core areas are connected with wide corridors of forest habitats.

4.2 Quality and importance

The zone is important area for bear migration, as it gives suitable habitats for permanent residence and establishing home ranges through the whole site. Through the zone bear contacts with Sredna Gora Mountain (main area for restoration bear populations), a from there is possible restoration connectivity with population in Rila-Rodopa region.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | E03.03 | | i |
| L | D02.01 | | i |
| M | E01 | | i |
| H | F03.01 | | i |
| M | F03.02.01 | | i |
| M | E03.01 | | i |
| M | B02.02 | | i |
| L | A02 | | i |
| L | A08 | | i |
| M | B02.03 | | i |
| M | E02 | | i |
| L | F03.02 | | i |
| H | F03.02.03 | | i |
| M | C01.04 | | i |
| L | F04 | | i |
| M | J01 | | i |
| M | B02.04 | | i |
| H | B | | i |
| H | B02.01 | | i |
| L | D05 | | i |
| L | A07 | | i |
| L | H07 | | i |
| M | G01.03 | | i |
| M | D01.02 | | i |
| H | B01.02 | | i |
| H | A04.03 | | i |
| | | | |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |
| | | | |

| | | | |
|---|--------|--|---|
| M | B03 | | i |
| L | G02.01 | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Initial proposal and description of the site made by Balkani Wildlife Society, office@balkani.org , tel.: +359 2 963 14 70; Centre for Environmental Information and education, ceie@ceie.org , tel.: +359 2 980 8497. Data revised by a team of Bulgarian Academy of Sciences (http://www.bas.bg). New data provided by project "Mapping and assessment of the conservation status of the natural habitats and species - Phase 1" (see link).

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0001043&siteType=HabitatDirective>

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| BG06 | 3.6E-4 | BG00 | 99.25064 | BG03 | 0.749 |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|-----------|------|-----------|
| BG03 | Grohotaka | + | 0.43 |
| BG06 | Pantata | + | 3.6E-4 |
| BG03 | Elaka | + | 0.319 |

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|---|
| Organisation: | Regional Inspectorate of Environment and Water: Sofia |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|-------------------------------------|------------------------|
| <input type="checkbox"/> | Yes |
| <input type="checkbox"/> | No, but in preparation |
| <input checked="" type="checkbox"/> | No |

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).