



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE

BG0002004

SITENAME

Dolni Bogrov - Kazichene

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type	1.2 Site code
A	BG0002004

1.3 Site name

Dolni Bogrov - Kazichene

1.4 First Compilation date	1.5 Update date
2005-10	2015-07

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Maria Luiza Blvd. 22 1000 Sofia
Email:	r.dimova@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2007-03
National legal reference of SPA designation	Site classified as SPA by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).
Explanation(s):	Site classified as SPA by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued designation order by the Minister of Environment and Water with prohibitions and restrictions on activities contradicting the conservation objectives of the site – Order No. RD – 573/08.09.2008 (promulgated SG 84/2008).

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

23.4941666666667

Latitude

42.6708333333333

2.2 Area [ha]:

2251.1861

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG41	Югозападен / Yugozapaden
BG41	Югозападен / Yugozapaden

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

[Back to top](#)

Species					Population in the site						Site assessment			
Group	Code	Scientific Name	S	NP	Type	Size		Unit	Cat.	Data quality	A B C D	A B C		
						Min	Max		C R V P		Pop.	Cons.	Isol.	Glob.
B	A086	Accipiter nisus			c				P	DD	C	B	C	C
B	A294	Acrocephalus paludicola			c	1	1	i		G	C	C	B	C
B	A168	Actitis hypoleucos			c				P	DD	C	B	C	C
B	A229	Alcedo atthis			p	1	3	p		G	C	B	C	C
B	A054	Anas acuta			c				P	DD	C	B	C	C
B	A056	Anas clypeata			c				P	DD	C	B	C	C
B	A052	Anas crecca			c				P	DD	C	B	C	C
B	A050	Anas penelope			c				P	DD	C	B	C	C
B	A053	Anas platyrhynchos			c				P	DD	C	B	C	C
B	A053	Anas platyrhynchos			p	8	8	p		G	C	B	C	C
B	A055	Anas querquedula			c				P	DD	C	B	C	C
B	A051	Anas strepera			c				P	DD	C	B	C	C
B	A028	Ardea cinerea			c				P	DD	C	B	C	C
B	A029	Ardea purpurea			c	10	10	i		G	C	B	C	C
B	A024	Ardeola ralloides			c	5	15	i		G	C	B	C	C
B	A059	Aythya ferina			c				P	DD	C	B	C	C

B	A060	Aythya nyroca			r	1	1	p		G	C	B	C	C
B	A060	Aythya nyroca			c	5	15	i		G	C	B	C	C
B	A087	Buteo buteo			c				P	DD	C	B	C	C
B	A196	Chlidonias hybridus			c	10	10	i		G	C	B	C	C
B	A031	Ciconia ciconia			c	600	700	i		G	C	B	C	C
B	A031	Ciconia ciconia			r	1	1	p		G	C	B	C	C
B	A081	Circus aeruginosus			c	10	20	i		G	C	B	C	C
B	A082	Circus cyaneus			c	5	5	i		G	C	B	C	C
B	A082	Circus cyaneus			w	5	5	i		G	C	B	C	C
B	A084	Circus pygargus			r		1	p		G	C	A	C	C
B	A231	Coracias garrulus			c	10	10	i		G	C	B	C	C
B	A122	Crex crex			r	21	21	p		G	C	B	C	A
B	A122	Crex crex			c	10	10	i		G	C	B	C	A
B	A036	Cygnus olor			c				P	DD	C	B	C	C
B	A429	Dendrocopos syriacus			p	30	40	p		G	C	B	C	C
B	A027	Egretta alba			c	10	20	i		G	C	B	C	C
B	A027	Egretta alba			w	15	25	i		G	C	B	C	C
B	A026	Egretta garzetta			c	10	30	i		G	C	B	C	C
B	A511	Falco cherrug			r		1	i		G	C	B	B	B
B	A103	Falco peregrinus			w	1	1	i		G	C	B	C	C
B	A103	Falco peregrinus			c	1	1	i		G	C	B	C	C
B	A096	Falco tinnunculus			p	10	10	p		G	C	B	C	C
B	A097	Falco vespertinus			c	125	125	i		G	C	B	A	B
B	A097	Falco vespertinus			r		1	p		G	C	B	A	B
B	A125	Fulica atra			p	3	5	p		G	C	B	C	C
B	A125	Fulica atra			c	12	50	i		G	C	B	C	C
B	A123	Gallinula chloropus			p	2	8	p		G	C	B	C	C
B	A123	Gallinula chloropus			c	20	20	i		G	C	B	C	C
B	A022	Ixobrychus minutus			r	5	15	p		G	C	B	C	C
B	A022	Ixobrychus minutus			c	10	10	p		G	C	B	C	C
B	A338	Lanius collurio			r	50	50	p		G	C	B	C	C
B	A177	Larus minutus			c		10	i		G	C	B	C	C
B	A179	Larus ridibundus			c				P	DD	C	B	C	C
B	A230	Merops apiaster			c				P	DD	C	B	C	C
B	A023	Nycticorax nycticorax			r	40	70	p		G	B	B	C	A
B	A023	Nycticorax nycticorax			c	100	200	i		G	B	B	C	A
B	A393	Phalacrocorax pygmeus			c	10	10	i		G	C	B	C	C
B	A151				c	3000	3000	i		G	B	B	B	B

		Philomachus pugnax												
B	A140	Pluvialis apricaria			c	350	350	i		G	A	B	B	B
B	A005	Podiceps cristatus			c				P	DD	C	B	C	C
B	A005	Podiceps cristatus			r	7	7	p		G	C	B	C	C
B	A118	Rallus aquaticus			p	18	18	p		G	C	B	C	C
B	A004	Tachybaptus ruficollis			r	1	1	p		G	C	B	C	C
B	A397	Tadorna ferruginea			c	2	2	i		G	C	B	A	C
B	A142	Vanellus vanellus			c				P	DD	C	B	C	C
B	A142	Vanellus vanellus			r	7	7	p		G	C	B	C	C

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B	A113	Coturnix coturnix			2	2							X	
B	A271	Luscinia megarhynchos						P					X	

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N10	16.0
N12	63.0
N06	8.0
N09	7.0
N08	

N07	
N15	1.0
N23	5.0
Total Habitat Cover	NaN

Other Site Characteristics

A swampy area in the plain of Sofia, between the villages of Dolni Bogrov and Kazichene, intersected by drainage canals. In winter the marshy spots do not freeze because of the mineral spring feeding them. The main habitat is meadows and pastures, overgrown with mesophyte grass vegetation, dominated by *Festuca pratensis*, *Poa sylvicola*, *Lolium perenne*, etc. (Bondev 1991). The height of the grass stand reaches 1-1.2 m. At certain spots there are groups of willows *Salix* spp., reed *Phragmites australis* and reed mace *Typha* spp..

4.2 Quality and importance

The area is of international importance for the globally threatened Corncrake *Crex crex*, breeding there. Four more globally threatened species occur there too ? the Ferruginous Duck *Aythya nyroca* during the breeding season and the Pygmy Cormorant *Phalacrocorax pygmeus*, Lesser Kestrel *Falco naumanni* and the Aquatic Warbler *Acrocephalus paludicola* during migration. The only colony of Night Heron *Nycticorax nycticorax* in Sofia Plain is situated there ? in the Dolni Bogrov lake. The complex of meadows and wetlands is an important habitat for 22 species of European conservation concern (BirdLife International, 2004). Apart from the species mentioned above the area provides suitable habitats for 11 other species of European Union importance included in Annex I of the Bird Directive. They occur in the area mainly during migration. Ten species are included into the Red Data Book for Bulgaria as threatened or rare.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A01		o
M	F02.03		i
L	A05.02		i
M	A01		i
M	F03.01		o
M	F03.01		i
L	A05.02		o
M	G02		o
M	C01.01		i
L	E03.01		o
M	G01.01		o
M	J02.01		o
L	D01.02		o
M	E04.01		o
L	E02.03		i
L	F02.03		o
L	E04.01		i
L	E05		i
L	E01		o
M	E01.01		o
L	E03.01		i
L	E03.03		i
M	G02.01		o
L	D01.02		i
M	E03.03		o
M	G02.07		o
M	E05		o
M	D01.04		i
M	C01.01		o
M	E02.03		o
L	E01		i
L	E01.01		i
L	D01.04		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
L	A05.02		o
L	A05.02		i

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions
i = inside, o = outside, b = both

4.5 Documentation

Initial proposal and description of the site made by Dr. Ventseslav Delov, Dr. Petar Iankov - Bulgarian Society for the Protection of Birds, Bulgaria, 1111 Sofia, P.O.Box 50, phone (+359 2) 9715855, fax (+359 2) 9715856, www.bspb.org. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). Documents: BDZP/BirdLife Bulgaria. 2005. ?Nacionalna banka za ornitologichna informacia 1988-2005?, Balgarsko Druzhestvo za zastita na pticite; Bondev, I. 1991. Rastitelnostta na Bulgariya. S. Universitetsko izdatelstvo ?Sv. Kliment Ohridski?, 183 s.; Botev, B. and Tz. Peshev, (eds). 1985. Red Data Book of Republic Bulgaria. 2: Animals. Sofia: Bulgarian Academy of Science. (In Bulgarian.); Iankov, P. 2002.(red.). Svetovno zastrasheni vidove ptitsi v Bulgariya. Natsionalni planove za deystvie za opazvaneto im. Chast 1. BDZP-MOSV, Prirodzashtitna poreditsa, Kn. 4, Sofiya: 204-219. Kostadinova, I. (sast.) 1997. Ornitologichno vazhni mesta v Bulgariya. BDZP, Prirodzashtitna poreditsa. Kniga 1, BDZP, Sofiya, 176 s.; Kostadinova, I., S.Dereliev. 2001. Results the Mid-Winter Counts of Waterbirds in Bulgaria for the period 1997- 2001. BSPB Conservation Series. Book 3, BSPB, Sofia, BG; MOSV. 2005. Arhiv na zastitenite teritorii v Bulgaria. Baza danni (nepubl.); Petkov, N. 1997b. Savremenno sastoyanie na belookata potapnitsa (Aythya nyroca) v Bulgariya. Diplomna rabota, Biologicheski Fakultet pri SU ?Sv. Kl. Ohridski?, Sofiya, 104 s.; BirdLife International. 2000. Threatened birds of the world. Barcelona and Cambridge, UK: Lynx Edicions and BirdLife International, 695pp.; Birdlife International. 2004. Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12).; BirdLife International. 2005. World Bird Database ? Important Birds Areas.Bulgaria. Cambridge. (unpublished); Delov, V. 1992. A new Heron colony on the Sofia Plain. ? Ardea, 81:53-54.; Delov,V. 1995. Investigations on the Corncrake (Crex crex L.) in the region of Sofia. ? Ann. Univ. Sofia ?St. Kliment Ohridski?, 88, 4, 25-31.; Iankov, P., N. Petkov, A. Kovachev, D. Plachiisky. (in print). Pygmy Cormorant in Bulgaria 2001/2002. Final Report.; Iankov, P., Tz. Petrov, T. Michev, L. Profirov. 1994. Past and present Status of the Lesser Kestrel Falco naumanni in Bulgaria. ? In: Meyburg, B.-U. & R.D. Chancellor eds. 1994. Raptor Conservation Today, WWGBP/ The Pica Press, 133-137.; Kostadinova, I., M. Mihailov, (comp.) 2002. Guide for NATURA 2000 in Bulgaria. BSPB nature conservation series No5. BSPB, Sofia, 80pp. (In Bulgarian.); Kostadinova, I. 2005. Application of C criteria for Identification of Important Bird Areas of European Union importance in Bulgaria. Preliminary implementation and analysis of the gaps. ? In: Petrova, A. (ed.), Current state of Bulgarian biodiversity ? problems and perspectives. Pp. 533-548. Bulgarian Bioplatform, Sofia Nankinov, D., P. Shurulinkov, I. Nikolov, B. Nikolov, S. Dalaktchieva, I.Hristov, R. Stanchev, A. Rogev, A. Dutsov, M. Sarov. 1998. Studies of the Waders (Charadriiformes) on the Wetlands around Sofia (Bulgaria). Riv. Ital. Orn., Milano; Petkov, N. 1998a. Current Status of the Ferruginous Duck (Aythya nyroca) in Bulgaria. ? Partimadar, 6-7, MME, Budapest, 44?49. Osieck, E. 2000 Filling in the requirements of the EU Birds Directive: Lessons from the ?Dutch Case??. In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 86-99; Waliczky, Z. 2000 ?Important Bird Areas of European Union Importance: explanation of the EU Criteria applied in IBA 2000? In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 12-16;

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0002004&siteType=BirdsDirective>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG06	1.0	BG00	99.0		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	DOLNI BOGROV MARSHES	+	1.0

designated at international level:

Type	Site name	Type	Cover [%]
Other	IBA	=	100.0

5.3 Site designation (optional)

Less than 1% of the territory of Dolni Bogrov-Kazichene is designated as protected area. The ?Blatata? Protected Area was designated in 1993 for the protection of rare and threatened bird species, mainly waterbirds. In 1997 the area was designated as Important Bird Area by BirdLife International.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water -Sofia; Danubean River Basin Directorate
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

☐	Yes
☐	No, but in preparation
☒	No

7. MAP OF THE SITES[Back to top](#)INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).