



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE

BG0002046

SITENAME

Yatata

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type	1.2 Site code
A	BG0002046

1.3 Site name

Yatata

1.4 First Compilation date	1.5 Update date
2005-10	2015-07

1.6 Respondent:

Name/Organisation:	Ministry of Environment and Water, "National Nature Protection Service" Directorate
Address:	Sofia Maria Luiza Blvd. 22 1000 Sofia
Email:	r.dimova@moew.government.bg

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2007-03
National legal reference of SPA designation	Site classified as SPA by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007).
Explanation(s):	Site classified as SPA by Council of Ministers Decision No. 122/02.03.2007 (promulgated SG 21/2007). Issued designation order by the Minister of Environment and Water with prohibitions and restrictions on activities contradicting the conservation objectives of the site – Order No. RD – 81/12.02.2008 (promulgated SG 26/2008).

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

27.732777777777777

Latitude

43.188611111111111

2.2 Area [ha]:

144.5012

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

BG33

Североизточен / Severoiztochen

2.6 Biogeographical Region(s)

Black (100.0

Sea %)

3. ECOLOGICAL INFORMATION

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

[Back to top](#)

Species					Population in the site						Site assessment			
Group	Code	Scientific Name	S	NP	Type	Size		Unit	Cat.	Data quality	A B C D	A B C		
						Min	Max		C R V P		Pop.	Cons.	Isol.	Glob.
B	A086	Accipiter nisus			c	1	3	i		G	D			
B	A086	Accipiter nisus			w		4	i		G	D			
B	A168	Actitis hypoleucos			c	1	2	i		G	C	B	C	C
B	A229	Alcedo atthis			c	2	5	i		G	C	B	C	C
B	A229	Alcedo atthis			w	2	3	i		G	C	B	C	C
B	A229	Alcedo atthis			p	1	2	p		G	C	B	C	C
B	A054	Anas acuta			c	7	30	i		G	B	B	C	B
B	A054	Anas acuta			w		1	i		G	B	B	C	B
B	A056	Anas clypeata			r	2	3	p		G	A	A	C	A
B	A056	Anas clypeata			w		21	i		G	A	A	C	A
B	A056	Anas clypeata			c	10	210	i		G	A	A	C	A
B	A052	Anas crecca			c	16	820	i		G	A	A	C	A
B	A052	Anas crecca			w		620	i		G	A	A	C	A
B	A050	Anas penelope			c	10	65	i		G	B	A	C	A
B	A050	Anas penelope			w		7	i		G	B	A	C	A
B	A053	Anas platyrhynchos			c	40	1000	i		G	C	A	C	B
B	A053	Anas platyrhynchos			w		1777	i		G	C	A	C	B
B	A053	Anas platyrhynchos			p	2	30	p		G	C	A	C	B
B	A055	Anas querquedula			w		1	i		G	C	B	C	B

[illegible]

B	A136	Charadrius dubius		c				P	DD	C	B	C	C
B	A136	Charadrius dubius		r	1	1	p		G	C	B	C	C
B	A196	Chlidonias hybridus		c	11	1000	i		G	C	B	C	C
B	A196	Chlidonias hybridus		r		2	i		G	C	B	C	C
B	A198	Chlidonias leucopterus		c	2	100	i		G	A	B	C	C
B	A197	Chlidonias niger		r		40	i		G	C	B	C	C
B	A197	Chlidonias niger		c	1000	1000	i		G	C	B	C	C
B	A031	Ciconia ciconia		w		1	i		G	C	A	C	B
B	A031	Ciconia ciconia		c	100	2000	i		G	C	A	C	B
B	A030	Ciconia nigra		c	16	28	i		G	C	B	C	C
B	A080	Circus gallicus		c	1	3	i		G	C	B	C	C
B	A081	Circus aeruginosus		c	1	15	i		G	C	A	C	C
B	A081	Circus aeruginosus		w		5	i		G	C	A	C	C
B	A081	Circus aeruginosus		p	1	2	p		G	C	A	C	C
B	A082	Circus cyaneus		w	2	3	i		G	C	B	C	C
B	A082	Circus cyaneus		c	1	3	i		G	C	B	C	C
B	A083	Circus macrourus		c		1	i		G	C	B	C	C
B	A084	Circus pygargus		c		1	i		G	C	B	C	C
B	A231	Coracias garrulus		r	1	2	p		G	C	B	C	C
B	A231	Coracias garrulus		c	1	7	i		G	C	B	C	C
B	A037	Cygnus columbianus bewickii		w		1	i		G	A	A	C	A
B	A038	Cygnus cygnus		c	1	12	i		G	A	A	C	B
B	A038	Cygnus cygnus		w		187	i		G	A	A	C	B
B	A036	Cygnus olor		r	1	1	p		G	A	A	C	A
B	A036	Cygnus olor		c	6	71	i		G	A	A	C	A
B	A036	Cygnus olor		w		10	i		G	A	A	C	A
B	A238	Dendrocopos medius		c				P	DD	C	B	C	C
B	A238	Dendrocopos medius		p	1	1	p		G	C	B	C	C
B	A429	Dendrocopos syriacus		p	1	1	p		G	C	B	C	C
B	A429	Dendrocopos syriacus		w				P	DD	C	B	C	C
B	A429	Dendrocopos syriacus		c				P	DD	C	B	C	C
B	A027	Egretta alba		r	1	7	i		G	C	A	C	C
B	A027	Egretta alba		c	1	62	i		G	C	A	C	C
B	A027	Egretta alba		w		9	i		G	C	A	C	C
B	A026	Egretta garzetta		r	1	8	i		G	C	A	C	C
B	A026	Egretta garzetta		c	500	500	i		G	C	A	C	C
B	A379	Emberiza hortulana		r	1	2	p		G	C	B	C	C
B	A379	Emberiza hortulana		c				P	DD	C	B	C	C
B	A511	Falco cherrug		c		1	i		G	C	B	B	B
B	A098	Falco columbarius		w		1	i		G	C	B	C	C

B	A103	Falco peregrinus		c	1	i		G	C	B	C	C
B	A099	Falco subbuteo		c	2	i		G	C	B	C	C
B	A099	Falco subbuteo		r	1	i		G	C	B	C	C
B	A096	Falco tinnunculus		c	2	i		G	C	B	C	C
B	A096	Falco tinnunculus		p	1	p		G	C	B	C	C
B	A096	Falco tinnunculus		w	2	i		G	C	B	C	C
B	A097	Falco vespertinus		c	100	i		G	C	B	C	C
B	A321	Ficedula albicollis		c	500	i		G	C	B	C	C
B	A320	Ficedula parva		c	1000	i		G	C	B	C	C
B	A125	Fulica atra		w	102	i		G	B	A	C	B
B	A125	Fulica atra		p	40	p		G	B	A	C	B
B	A125	Fulica atra		c	23	i		G	B	A	C	B
B	A153	Gallinago gallinago		w	3	i		G	C	A	C	C
B	A153	Gallinago gallinago		c	2	i		G	C	A	C	C
B	A123	Gallinula chloropus		w	14	i		G	C	B	C	C
B	A123	Gallinula chloropus		p	14	p		G	C	B	C	C
B	A123	Gallinula chloropus		c	1	i		G	C	B	C	C
B	A189	Gelochelidon nilotica		c	6	i		G	C	A	B	C
B	A135	Glareola pratincola		c	20	i		G	C	B	C	C
B	A127	Grus grus		c			P	DD	C	A	C	C
B	A130	Haematopus ostralegus		c	3	i		G	C	B	C	C
B	A075	Haliaeetus albicilla		w	1	i		G	C	B	C	C
B	A075	Haliaeetus albicilla		c	1	i		G	C	B	C	C
B	A092	Hieraetus pennatus		c	10	i		G	C	A	C	B
B	A131	Himantopus himantopus		c	7	i		G	B	A	C	A
B	A131	Himantopus himantopus		r	9	p		G	B	A	C	A
B	A022	Ixobrychus minutus		r	15	p		G	C	A	C	A
B	A022	Ixobrychus minutus		c	100	i		G	C	A	C	A
B	A338	Lanius collurio		r	2	p		G	C	B	C	C
B	A338	Lanius collurio		c			P	DD	C	B	C	C
B	A339	Lanius minor		r	1	p		G	C	B	C	C
B	A339	Lanius minor		c			P	DD	C	B	C	C
B	A459	Larus cachinnans		c	1	i		G	C	B	C	C
B	A459	Larus cachinnans		r	1	i		G	C	B	C	C
B	A459	Larus cachinnans		w	1	i		G	C	B	C	C
B	A182	Larus canus		w	1	i		G	C	B	C	C
B	A180	Larus genei		c	54	i		G	B	A	C	B
B	A176	Larus melanocephalus		w	1	i		G	C	B	C	C
B	A176	Larus melanocephalus		c	6	i		G	C	B	C	C

B	A177	Larus minutus		c		1	i		G	C	B	C	C
B	A177	Larus minutus		w				P	DD	C	B	C	C
B	A179	Larus ridibundus		w	3	40	i		G	A	B	C	C
B	A179	Larus ridibundus		c	1	1200	i		M	A	B	C	C
B	A150	Limicola falcinellus		c		2	i		G	C	B	C	C
B	A156	Limosa limosa		c	4	9	i		G	C	B	C	C
B	A246	Lullula arborea		c				P	DD	C	B	C	C
B	A246	Lullula arborea		p	1	2	p		G	C	B	C	C
B	A068	Mergus albellus		c		1	i		G	C	A	C	C
B	A068	Mergus albellus		w	2	3	i		G	C	A	C	C
B	A070	Mergus merganser		w		2	i		G	C	B	C	C
B	A069	Mergus serrator		w		7	i		G	C	A	C	C
B	A230	Merops apiaster		c				P	DD	C	B	C	C
B	A230	Merops apiaster		r	8	8	p		G	C	B	C	C
B	A073	Milvus migrans		c				P	DD	C	B	C	C
B	A073	Milvus migrans		p		1	p		G	C	B	C	C
B	A058	Netta rufina		w		1	i		G	A	A	C	A
B	A058	Netta rufina		c		32	i		G	A	A	C	A
B	A160	Numenius arquata		c		2	i		G	C	B	C	C
B	A160	Numenius arquata		w		1	i		G	C	B	C	C
B	A023	Nycticorax nycticorax		c	100	100	i		G	C	B	C	C
B	A023	Nycticorax nycticorax		r	6	6	p		G	C	B	C	C
B	A071	Oxyura leucocephala		w		1	i		G	C	A	C	C
B	A094	Pandion haliaetus		w	1	2	i		G	C	B	C	C
B	A094	Pandion haliaetus		c	10	50	i		G	C	B	C	C
B	A020	Pelecanus crispus		c	1	5	i		G	B	A	B	B
B	A020	Pelecanus crispus		w		23	i		G	B	A	B	B
B	A019	Pelecanus onocrotalus		w		1	i		G	C	A	C	B
B	A019	Pelecanus onocrotalus		c	3	160	i		G	C	A	C	B
B	A072	Pernis apivorus		c	10	500	i		G	C	A	C	A
B	A017	Phalacrocorax carbo		w		1936	i		G	C	B	C	C
B	A017	Phalacrocorax carbo		c	10	210	i		G	C	B	C	C
B	A393	Phalacrocorax pygmeus		r	3	17	i		G	A	A	C	A
B	A393	Phalacrocorax pygmeus		c	9	1200	i		G	A	A	C	A
B	A393	Phalacrocorax pygmeus		w		1744	i		G	A	A	C	A
B	A170	Phalaropus lobatus		c	1	2	i		G	B	A	C	B
B	A151	Philomachus pugnax		c	7	100	i		G	C	A	C	C
B	A034	Platalea leucorodia		r	1	3	i		G	C	A	C	C
B	A034	Platalea leucorodia		c	1	11	i		G	C	A	C	C
B	A032			r	1	4	i		G	B	A	C	B

		Plegadis falcinellus												
B	A032	Plegadis falcinellus			c	1	21	i		G	B	A	C	B
B	A005	Podiceps cristatus			c	1	2	i		G	C	B	C	C
B	A005	Podiceps cristatus			r	1	1	p		G	C	B	C	C
B	A005	Podiceps cristatus			w		141	i		G	C	B	C	C
B	A006	Podiceps grisegena			w		1	i		G	C	B	C	C
B	A006	Podiceps grisegena			r		1	p		G	C	B	C	C
B	A008	Podiceps nigricollis			r	1	1	p		G	C	B	C	C
B	A008	Podiceps nigricollis			w		23	i		G	C	B	C	C
B	A120	Porzana parva			c		1	i		G	C	B	C	C
B	A118	Rallus aquaticus			p	6	6	p		G	C	B	C	C
B	A118	Rallus aquaticus			w	6	24	i		G	C	B	C	C
B	A118	Rallus aquaticus			c	1	6	i		G	C	B	C	C
B	A132	Recurvirostra avosetta			r	3	3	p		G	C	A	C	A
B	A132	Recurvirostra avosetta			c	3	13	i		G	C	A	C	A
B	A249	Riparia riparia			r	250	250	p		G	C	A	C	C
B	A063	Somateria mollissima			w		1	i		G	C	B	C	C
B	A193	Sterna hirundo			c	100	100	i		G	C	B	C	C
B	A004	Tachybaptus ruficollis			r	4	8	p		G	A	A	C	B
B	A004	Tachybaptus ruficollis			w	2	40	i		G	A	A	C	B
B	A004	Tachybaptus ruficollis			c	2	125	i		G	A	A	C	B
B	A397	Tadorna ferruginea			r	1	2	p		G	C	A	C	C
B	A397	Tadorna ferruginea			w	3	6	i		G	C	A	C	C
B	A397	Tadorna ferruginea			c	2	12	i		G	C	A	C	C
B	A048	Tadorna tadorna			c	2	90	i		G	C	B	C	C
B	A048	Tadorna tadorna			r	2	8	p		G	C	B	C	C
B	A048	Tadorna tadorna			w		2	i		G	C	B	C	C
B	A161	Tringa erythropus			c	1	1	i		G	C	B	C	C
B	A166	Tringa glareola			r		1	i		G	A	A	C	A
B	A166	Tringa glareola			c	6	150	i		G	A	A	C	A
B	A164	Tringa nebularia			w		1	i		G	C	B	C	C
B	A164	Tringa nebularia			c	7	11	i		G	C	B	C	C
B	A165	Tringa ochropus			c	6	29	i		G	C	B	C	C
B	A163	Tringa stagnatilis			c	1	10	i		G	C	A	C	C
B	A162	Tringa totanus			c	5	12	i		G	C	B	C	C
B	A142	Vanellus vanellus			w	2	4	i		G	C	B	C	C
B	A142	Vanellus vanellus			r	2	3	p		G	C	B	C	C

B	A142	Vanellus vanellus			c	5	24	i		G	C	B	C	C
---	------	-----------------------------------	--	--	---	---	----	---	--	---	---	---	---	---

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B	A247	Alauda arvensis			2	2							X	
B	A218	Athene noctua			1	1							X	
B	A366	Carduelis cannabina			2	2							X	
B	A363	Carduelis chloris			2	2							X	
B	A347	Corvus monedula			1	1								X
B	A113	Coturnix coturnix			2	2							X	
B	A377	Emberiza cirrus			1	1							X	
B	A382	Emberiza melanocephala			1	1							X	
B	A269	Erithacus rubecula			5	5							X	
B	A359	Fringilla coelebs			2	2							X	
B	A360	Fringilla montifringilla			10	10							X	
B	A244	Galerida cristata			4	4							X	
B	A251	Hirundo rustica			2	2							X	
B	A271	Luscinia megarhynchos			7	7							X	
B	A383	Miliaria calandra			7	7							X	
B	A329	Parus caeruleus			2	2							X	
B	A443	Parus lugubris			1	1							X	
B	A235	Picus viridis			1	1							X	
B	A317	Regulus regulus			7	7							X	
B	A276	Saxicola torquata			4	4							X	
B	A210	Streptopelia turtur			2	2							X	
B	A311	Sylvia atricapilla			2	2							X	
B	A283	Turdus merula			4	4							X	
B	A285	Turdus philomelos			2	2							X	
B	A284	Turdus pilaris			84	84							X	

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N12	18.0
N06	
N09	22.0
N23	1.0
N16	2.0
N07	57.0
Total Habitat Cover	NaN

Other Site Characteristics

An artificial water basin with hygrophite vegetation, located on the southern bank of the navigable canal that connects the lakes of Varna and Beloslav, immediately next to the town of Beloslav. The area includes also the adjacent pastures and hills with low rocky crests and a small valley in its southern part. It is a mosaic of diverse habitats, the most typical being the marshy areas. They have been formed mainly as a result of the constant depositing of waters from the water treatment plant of the town of Beloslav, located in close proximity. The so-formed wetland occupies about 13 of the site's area and is divided by a dyke in two parts – southern, freshwater part, and northern, saline part. The banks of the freshwater basin are overgrown with hygrophite vegetation, dominated by reed *Phragmites australis* and broadleaved reed mace *Typha latifolia*. Small plots around the saline basin are covered with *Salicornia* sp. And other halophyte vegetation. Open grasslands with meso-xerothermal vegetation, mainly *Poa bulbosa*, *Lolium p. renne*, etc. stretch to the north and north-west. (Bondev 1991). The hill slopes on the east are covered by coppice forest of *Quercus cerris*, *Carpinus orientalis* and *Ulmus minor*. A small valley with grass and shrub vegetation, rocky crests and abandoned sand quarry add to the diversity of habitats.

4.2 Quality and importance

In spite of its small area, Yatata features high diversity of bird species during all seasons. Its territory supports 208 bird species, 62 of which are listed in the Red Data Book for Bulgaria (1985). Of the birds occurring there 89 species are of European conservation concern (SPEC) (BirdLife International, 2004), 7 of them being listed in category SPEC 1 as globally threatened, 20 in SPEC 2 and 62 in SPEC 3 as species threatened in Europe. The area provides suitable habitats for 71 species, included in Annex 2 of the Biodiversity Act, which need special conservation measures, of which 62 are listed also in Annex I of the Birds Directive. The site is of great importance for the breeding Ruddy Shelduck *Tadorna ferruginea*. Yatata is one of the most important sites in the country for the breeding of the Black-winged Stilt *Himantopus himantopus* and Little Bittern *Ixobrychus minutus*. The Avocet *Recurvirostra avosetta* nests there too, but in small numbers. Three globally threatened species occur in the area on migration – the Pygmy Cormorant *Phalacrocorax pygmeus*, Dalmatian Pelican *Pelecanus crispus*, and Ferruginous Duck *Aythya nyroca* – along with Glossy Ibis *Plegadis falcinellus* and Spoonbill *Platalea leucorodia*. The Yatata is of global importance as a roosting site for the Pygmy Cormorant. Flocks of White and Black Storks *Ciconia ciconia* and *C. nigra* and different birds of prey pass through the area. It is also an important wintering site for a great number of waterfowl and waterbirds, including the Pygmy Cormorant *Phalacrocorax pygmeus*, the Whooper Swan *Cygnus cygnus* and the Mute Swan *C. olor*, which form considerable concentrations. The Red-breasted Goose *Branta ruficollis* can also be observed in winter to overnight in the wetland.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	F02.03		i
M	E02		o
L	E03		i
H	F03.02.03		i
M	F03.01		i
H	K03.04		i
H	F03.02.02		i
M	E02.01		o
L	G02.05		o
H	A04		o
H	H05		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
L	A03		i

L	H04		i
H	A04		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.5 Documentation

Initial proposal and description of the site made by Dimitar Georgiev, Dr. Petar Iankov, Stoian Nikolov, Ivailo Ivanov - Bulgarian Society for the Protection of Birds, Bulgaria, 1111 Sofia, P.O.Box 50, phone (+359 2) 9715855, fax (+359 2) 9715856, www.bspb.org. Data revised by a team of Bulgarian Academy of Sciences (<http://www.bas.bg>). Documents: BDZP/BirdLife Bulgariya. 2005. ?Nacionalna banka za ornitologichna informacia 1988-2005?, Balgarsko Druzhestvo za zastita na pticite; Bondev, I. 1991. The Vegetation of Bulgaria. Map 1 : 600 000 with explanatory text. Sofia: St. Kliment Ohridski University Press. (In Bulgarian.); Botev, B. and Tz. Peshev, (eds). 1985. Red Data Book of Republic Bulgaria. 2: Animals. Sofia: Bulgarian Academy of Science. (In Bulgarian.); Iankov, P. 2002.(red.). Svetovno zastrasheni vidove ptici v Bulgaria. Nacionalni planove za dejstvие za opazvaneto im. Chast 1. BDZP-MOSV, Prirodozashtitna poredica, Kn. 4, Sofia: 204-219.; Kostadinova, I. (sust.) 1997. Ornitologichno vazhni mesta v Bulgaria. BDZP, Prirodozashtitna poredica. Kniga 1, BDZP, Sofia, 176 s.; Kostadinova, I., S.Dereliev. 2001. Results the Mid-Winter Counts of Waterbirds in Bulgaria for the period 1997-2001. BSPB Conservation Series. Book 3, BSPB, Sofia, BG Marinov, M. 1995. Novo gnezdovo nahodishte na sablekliun (Recurvirostra avosetta)? ? Neophron, 1, 18.; MOSV. 2005. Arhiv na zastitenite teritorii v Bgaria. Baza danni (nepubl.); Nikolov, Hr., S. Marin, A. Darakchiev. 1999. Malkiat kormoran v Bulgaria. Razprostranenie, chislenost i zaplahi. ? Nauch. Tr. Plov. Univ., Animalia, 35, 6, 67-81.; Petkov, N. 1997b. Suvremenno sustoianie na belookata potapnica (Aythya nyroca) v Bulgaria. Diplomna rabota, Biologicheski Fakultet pri SU ?Sv. Kl. Ohridski?, Sofia, 104 s.; Simeonov, S., T. Michev. 1985. Suvremenno razprostranenie i chislenost na buhala (Bubo bubo(L.) v Bulgaria. ? Ekologia, 15, 60-65.; ***. 2005. District of Varna. Development Strategy 2005 ? 2015, 136 pp. (In Bulgarian); ***. 2000. District Development Plan 2000-2006. Summary. Varna District. 25 pp. (In Bulgarian); BirdLife International. 2000. Threatened birds of the world. Barcelona and Cambridge, UK: Lynx Edicions and BirdLife International, 695pp. Birdlife International. 2004. Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12).373pp.; BSPB/BirdLife International. 2005. World Bird Database ? Important Birds Areas.Bulgaria. Cambridge. (unpublished); Dimitrov, M, D. Georgiev, S. Mikhov, S. Dereliev, I. Kostadinova, 2003. Bulgaria. In: Marushevsky, G., Directory of Azov-Black Sea Coastal Wetlands. Wetlands International, Kyiv, 16-45; Grimmet, R. F. A., R. T. A. Jones. 1989. Important Bird Areas in Europe. Cambridge, U.K.: ICBP (ICBP Technical Publication No9); Guidelines for evaluation of protected zones according, which include habitats for birds to art.7, par.3, under the art.6 par.1.3 and 1.4 of the Biodiversity Act. 2005. (In Bulgarian.); Heath, M.F. and Evans, M.I., eds. 2000. Important Bird Areas in Europe: Priority sites for conservation, vol. 2 Southern Europe. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 8).; Iankov, P., N. Petkov, A. Kovachev, D. Plachiisky. (in print). Pygmy Cormorant in Bulgaria 2001/2002. Final Report.; Kostadinova, I., M. Mihailov, (comp.) 2002. Guide for NATURA 2000 in Bulgaria. BSPB nature conservation series No5. BSPB, Sofia, 80pp. (In Bulgarian.); Kostadinova, I. 2005. Application of C criteria for Identification of Important Bird Areas of European Union importance in Bulgaria. Preliminarily implementation and analysis of the gaps. ? In: Petrova, A. (ed.), Current state of Bulgarian biodiversity ? problems and perspectives. Pp. 533-548. Bulgarian Bioplatform, Sofia Michev, T., Tz. Petrov, L. Profirov. 1989. Status, breeding, distribution, numbers and conservation of the White Stork in Bulgaria; MOEW. 1998. CORINE Biotopes Database of the sites of European Importance for the biodiversity. Bulgaria, MOSV (nepubl.); Nankinov, D., S. Dalakchieva, K. Popov, S. Kirilov. 2002. Die Geschichte der Rostflugel-Brachschwalbe Glareola pratincola in Bulgarien. ? Orn. Mitt., 54, 7/8: 234-242. Osieck, E. 2000 Filling in the requirements of the EU Birds Directive: Lessons from the ?Dutch Case??. In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 86-99; Petkov, N. 1998a. Current Status of the Ferruginous Duck (Aythya nyroca) in Bulgaria. ? Partimadar, 6-7, MME, Budapest, 44?49.; Waliczky, Z. 2000 ?Important Bird Areas of European Union Importance: explanation of the EU Criteria applied in IBA 2000? In: European IBA Workshop. 29 March - 2 April 2000, Brussels, Belgium. Proceedings. BirdLife International, 12-16

Link(s): <http://natura2000.moew.government.bg/Home/ProtectedSite?code=BG0002046&siteType=BirdsDirective>

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
BG06	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
BG06	YATATA	=	100.0

designated at international level:

Type	Site name	Type	Cover [%]
Other	IBA	=	100.0

5.3 Site designation (optional)

Yatata was designated as protected area under the national legislation in 1987. In 1989 it was designated as Important Bird Area by BirdLife International. In 1998 the area was designated also as CORINE Site because of its European value for threatened birds.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regional Inspectorate of Environment and Water -Varna;Black Sea River Basin Directorate;
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

☐	Yes
☐	No, but in preparation
☒	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).