NATURA 2000 - STANDARD DATA FORM



For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE **BG0000636**

SITENAME Niska Rila

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- **5. SITE PROTECTION STATUS**
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

| 1.1 Type | 1.2 Site code | k to top |
|----------|---------------|----------|
| В | BG0000636 | |

1.3 Site name

Niska Rila

| 1.4 First Compilation date | 1.5 Update date |
|----------------------------|-----------------|
| 2018-10 | - |

1.6 Respondent:

Name/Organisation: Ministry of Environment and Water, "National Nature Protection Service" Directorate

Address: Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia

Email: natura2000@moew.government.bg

1.7 Site indication and designation / classification dates

| Date site classified as SPA: | 0000-00 |
|--|---------|
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 2019-04 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | No data |
| National legal reference of SAC designation: | No data |

| Explanation(s): | Adopted by Council of Ministers Decision No. 177/03.04.2019 (promulgated SG 29/2019). |
|-----------------|---|
| ' ' ' | |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Back to top

Longitude Latitude 23.4255 42.2611

2.2 Area [ha]:

2.3 Marine area [%]

37191.67 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| BG42 | Южен централен / Yuzhen tsentralen |
|------|------------------------------------|
| BG41 | Югозападен / Yugozapaden |

2.6 Biogeographical Region(s)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

Back to top

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | Population in the site | | | | Site assessment | | | | | | |
|---------|------|---------------------|---|------------------------|---|------|-------|-----------------|------|-------------|---------|-------|------|------|
| G | Code | Scientific Name | S | NP | Т | Size | | Unit | Cat. | D. qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | lso. | Glo. |
| F | 1163 | Cottus gobio | | | p | 9032 | 12155 | i | С | G | Α | Α | Α | Α |
| М | 1354 | <u>Ursus arctos</u> | | | р | 5 | 10 | i | С | М | С | В | С | В |

- Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see <u>reference portal</u>)
- Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present to fill if data are deficient (DD) or in addition to population size information
- Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

4. SITE DESCRIPTION

4.1 General site character

Back to top

| Habitat class | % Cover |
|---------------------|-----------------|
| N06 | 0.35 |
| N23 | 0.11 |
| N27 | 13.72 |
| N26 | 85.82 |
| Total Habitat Cover | 99.999999999999 |

Other Site Characteristics

The site covers the lower parts of the Rila Mountain to the borders of Rila National Park (SCI BG0000495 "Rila") and Rilski Manastir Nature Park (SCI BG0000496 "Rilski manastir"). The area covers extensive forest communities - mainly state-owned old coniferous, mixed and deciduous forests. Municipal forests, as well as open habitats, including mainly high altitude natural grasslands, shrublands, pastures and transitional habitats, are also included in the site. Rock complexes and water areas are poorly represented as a percentage of the area of the site. It also covers the water catchment area of the Iskar river within the municipality of Samokov where a significant population of the European bullhead (Cottus gobio) is registered. This population is geographically separated from the rest of the national population of the species distributed mainly in the rivers on the northern slopes of Stara Planina montain. Areas with mountain climate are covered, where average annual temperatures vary between 5-12 °C, with a perishable snow cover and precipitation between 800 and 1400 mm/year. The altitude is between 300 and 1800 m. There are rugged mountain slopes with rock complexes with an inclination above 10% and various exhibitions. The site is within the territorial scope of 13 municipalities - Dupnitsa, Sapareva Banya, Samokov, Dolna Banya, Kostenets, Belovo, Simitli, Boboshevo, Blagoevgrad, Razlog, Rila, Yakoruda and Belitsa.

4.2 Quality and importance

The site is of national and European importance for the conservation of habitats of the brown bear (Ursus arctos) and the European bullhead (Cottus gobio). It provides protection of the typical habitats of both species and covers territories from the Alpine (91%) and the Continental (9%) biogeographical regions. The site includes bear habitats actually occupied by the species, as well as areas forming a natural ecological corridor with high habitat quality. Territories have high nutritional potential and conditions for undisturbed existence, reproduction and breeding of offspring. The strongly expressed seasonality in the use of nutritional resources by the bear leads to the concentration of a significant number of individuals living mainly in the central areas of Rila Mountain (Rila National Park and Rilski Manastire Nature Park) on the territories included in the SCI "Niska Rila" in the spring, when the high parts of the mountain are still snow-covered, and during the late summer-autumn season, when fruit trees are ripe. The main habitats of the species in the country such as broad-leaved forests in the mountains, the coniferous forests in the high and medium forest belt, including the most important as nutritional potential old forests of first and second bonity are covered. In the lower parts, the habitats include beech-hornbeam and oak forests, mainly on steep and rocky gorges. This site also provides the necessary connectivity of the habitats of the species with the neighboring mountains Verila, Plana, Pirin, Western Rhodopes and includes suitable habitats of the species that play the role of bio-corridors. Appropriate territories are included for the movement of individuals between mountain ranges, providing the necessary resources for food, shelter and resting of the species.The site includes also the Iskar River valley and its tributaries above the town of Samokov, where the European bullhead (Cottus gobio) is actually registered in field surveys with significant relative population size. According to the data available by 2012, the site protects geographically detached population of the species, equal to the size of the rest of the national population of the species occupying the rivers on the northern slopes of the Stara Planina montain.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | | | | |
|------------------|------------------------------|-----------------------------------|---------------------------|--|--|--|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] | | | |
| М | G01 | | i | | | |
| М | K03.05 | | i | | | |
| Н | F05.04 | | i | | | |
| М | H01 | | i | | | |
| М | G05 | | i | | | |
| М | J02.02 | | i | | | |
| Н | F03.02.03 | | i | | | |
| М | C01.01 | | i | | | |
| М | G02 | | i | | | |
| Н | J02 | | i | | | |
| Н | J02.05.05 | | i | | | |
| М | B03 | | i | | | |
| М | J02.03 | | i | | | |
| Н | D01.02 | | i | | | |
| M Develop Heigh | J02.05 | | i | | | |

| Positive Impacts | | | | | | |
|------------------|-------------|------------|----------|--|--|--|
| | Activities, | Pollution | inside | | | |
| Rank | management | (optional) | /outside | | | |
| | [code] | [code] | [i o b] | | | |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

| Туре | | [%] |
|------|------------------|-------|
| | National/Federal | 69.06 |
| | | |

| Public | State/Province | 0 | | |
|---------|-----------------|--------------------|--|--|
| | Local/Municipal | 23.7 | | |
| | Any Public | 0 | | |
| Joint o | r Co-Ownership | 0.09 | | |
| Private | 9 | 7.14 | | |
| Unkno | wn | 0.01 | | |
| sum | | 100.00000000000001 | | |

4.5 Documentation

The proposal for the SCI was drafted by the Ministry of Agriculture, Food and Forestry on the basis of an assessment following the methodology set out in the 2007 Action plan for the Brown bear in Bulgaria (Dr R. Gunchev, 1989, Dr. R. Gunchev, 2003). The same methodology is included in Ordinance No 18 of 7.10.2015 on Inventory and Planning in Forest Territories, Annex 29 and used for hunting management purposes. To estimate the habitat of the bear, data from the following sources are used: 1. For climatic factors - Data on the distribution of the average annual temperature at altitude in the mountainous climatic region of the Republic of Bulgaria. 2. For Relief Topography - Data from AsterGDEM. 3. For the biotic factors - LESO layer data of the respective forestry holdings, published on the website of the Executive Forest Agency. 4. For the anthropogenic factors - for the forest areas - data from the LESO layer; outside the forest areas - Corine data. Data from monitoring of the brown bear (Ursus arctos) in Bulgaria was used for the period 2011-2016, EEA, National System for Biodiversity Monitoring. Data from project "Development of the National Ecological Network Natura 2000, Stage 2009" of IBEI-BAS, funded by the Environmental Protection Management Enterprise (EMEPA), for the registrations of European bullhead (Cottus gobio) were used.

Link(s): http://eea.government.bg/bg/soer/2016/biodiversity-nem- http://eea.government.bg/bg/bio/nsmbr_

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

Back to top

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| BG00 | 100.0 | | | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Туре | Cover [%] |
|-----------|-----------------|------|-----------|
| BG03 | Chernata skala | / | 0.0 |
| BG02 | Rila | / | 0.0 |
| BG05 | Rilski Manastir | / | 0.0 |

designated at international level:

| Туре | Site name | Туре | Cover [%] |
|-------|-----------|------|-----------|
| other | Rila IBA | * | 66.0 |

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

Back to top

| Organisation: | Regional Inspectorate of Environment and Water - Pernik |
|---------------|---|
| Address: | 15 Blagoi Gebrev Str., floor 2, P.O. box102, Pernik 2304 |
| Email: | riew_pernik@abv.bg |
| Organisation: | Regional Inspectorate of Environment and Water - Pazardzhik |
| Address: | 3 Gen. Gurko Str., floor 4. P.O. box 220, 4400 Pazardzhik |
| Email: | riewpz@riewpz.org |
| Organisation: | East Aegean River Basin Directorate - Plovdiv |

| Address: | 35 Yanko Sakuzov Str., P.O. box 307, 4000 Plovdiv |
|--|--|
| Email: | bd_plovdiv@abv.bg |
| Organisation: | Basin Directorate for Water Management in Danube Region - Pleven |
| Address: | 60 Chataldja Str., 5800 Pleven |
| Email: | dunavbd@bddr.org |
| Organisation: | Regional Inspectorate of Environment and Water - Sofia |
| Address: | 136 Tzar Boris III Blvd., 1618 Sofia |
| Email: | riosv@riew-sofia.org |
| Organisation: | Southwest State Forest Enterprise |
| Address: | 18 Zora Str., Blagoevgrad |
| Email: | swdp@abv.bg |
| Organisation: | Regional Inspectorate of Environment and Water - Blagoevgrad |
| Address: | 1 Svoboda Str., 2700 Blagoevgrad |
| Email: | blriosv@yahoo.com |
| Organisation: | West Aegean River Basin Directorate - Blagoevgrad |
| Address: | 66 St. Dimitar Solunski Str., P. O. box 441, Blagoevgrad |
| Email: | bdblg@wabd.bg |
| Organisation: | Ministry of Environment and Water |
| Address: | Sofia Kn. Maria Luiza Blvd. 22 1000 Sofia |
| Email: | natura2000@moew.government.bg |
| 6.2 Management Plan An actual management pla | |
| Yes No, but in prepar No | ation |
| 6.3 Conservation meas | sures (optional) |
| 7. MAP OF THE SIT | ES |
| | Back to to |
| INSPIRE ID: | |
| | |
| Map delivered as PDF i | n electronic format (optional) |
| Yes X No | |
| | |
| | |
| Reference(s) to the original | ginal map used for the digitalisation of the electronic boundaries (optional). |
| | |
| | |